

# Berks County



## Hazard Vulnerability Assessment and Mitigation Plan Update



May 2018

# **BERKS COUNTY HAZARD VULNERABILITY ASSESSMENT AND MITIGATION PLAN UPDATE**

**PREPARED FOR**

**BERKS COUNTY DEPARTMENT OF EMERGENCY SERVICES  
DIRECTLINK TECHNOLOGY CENTER  
2561 BERNVILLE ROAD  
READING, PENNSYLVANIA 19605**

**PREPARED BY**



**449 EISENHOWER BOULEVARD, SUITE 300  
HARRISBURG, PENNSYLVANIA 17111**

**AND**



**Dewberry**

**8401 ARLINGTON BOULEVARD  
FAIRFAX, VIRGINIA 22031-4666**

**MAY 29, 2018**



**TABLE OF CONTENTS  
(CONTINUED)**

	<b>PAGE</b>
4.3.10 Wildfires .....	47
4.3.10.1 Future Occurrence – Wildfires .....	51
4.3.11 Radon .....	51
4.3.11.1 Future Occurrences – Radon .....	52
4.3.12 Technological Hazards .....	53
4.3.12.1 Cyber Security and Cyber Attacks .....	54
4.3.12.2 Future Occurrences – Technological Hazards .....	55
4.4 HAZARD VULNERABILITY SUMMARY .....	56
4.4.1 Methodology .....	56
4.4.2 Ranking Results .....	63
4.4.3 Potential Loss Estimates .....	63
4.4.3.1 Potential Dam Failure Losses .....	63
4.4.3.2 Potential Drought Losses .....	71
4.4.3.3 Potential Flooding Losses .....	72
4.4.3.4 Potential Hurricane/Tropical Storm Losses .....	77
4.4.3.5 Potential Land Subsidence Losses .....	77
4.4.3.6 Potential Landslide Losses .....	78
4.4.3.7 Potential Earthquake Losses .....	78
4.4.3.8 Potential Severe Storm Losses .....	78
4.4.3.9 Potential Tornado Losses .....	79
4.4.3.10 Potential Wildfire Losses .....	79
4.4.4 Future Development and Vulnerability .....	79
5.0 CAPABILITY ASSESSMENT .....	84
5.1 INTRODUCTION .....	84
5.2 CAPABILITY ASSESSMENT FINDING .....	84
5.2.1 Institutional Capability .....	84
5.2.2 Legal Capability .....	85
5.2.3 Fiscal Capability .....	86
5.2.4 Political Capability .....	87
5.2.5 Technical Capability .....	88
6.0 MITIGATION .....	90
6.1 UPDATE PROCESS SUMMARY .....	90
6.2 MITIGATION GOALS AND OBJECTIVES .....	90
6.3 IDENTIFICATION AND ANALYSIS OF MITIGATION TECHNIQUES .....	92
6.3.1 Preventive Measures .....	92
6.3.1.1 Land Use Planning/Zoning Efforts .....	93
6.3.1.2 Subdivision and Land Development Ordinances .....	94
6.3.1.3 Building Codes .....	95
6.3.1.4 Floodplain Development Regulations .....	95
6.3.1.5 Stormwater Management .....	96
6.3.1.6 Operations and Maintenance Procedures .....	97
6.3.1.7 Subsurface Investigation Requirements .....	97
6.3.1.8 Public Education Programs .....	98



**TABLE OF CONTENTS  
(CONTINUED)**

	<b>PAGE</b>
6.3.1.9	Burn Restrictions ..... 99
6.3.1.10	2012 Plan Update Mitigation Measures ..... 99
6.3.1.11	2017 Plan Update New Mitigation Measures ..... 99
6.3.2	Emergency Services ..... 100
6.3.2.1	Hazard Warning ..... 101
6.3.2.2	Hazard Response ..... 103
6.3.2.3	Critical Facilities Protection ..... 104
6.3.2.4	Health and Safety Maintenance ..... 104
6.3.2.5	Post-Disaster Recovery and Mitigation ..... 105
6.3.2.6	2012 Plan Update Mitigation Measures ..... 106
6.3.2.7	2017 Plan Update New Mitigation Measures ..... 107
6.3.3	Property Protection ..... 108
6.3.3.1	Relocation/Acquisition ..... 112
6.3.3.2	Elevation ..... 114
6.3.3.3	Floodproofing ..... 118
6.3.3.4	Insurance ..... 124
6.3.3.5	Brush/Shrub Removal ..... 125
6.3.3.6	Emergency Response Planning ..... 126
6.3.3.7	2012 Plan Update Mitigation Measures ..... 127
6.3.3.8	2017 Plan Update New Mitigation Measures ..... 127
6.3.4	Structural Projects ..... 128
6.3.4.1	Dams/Levees/Floodwalls ..... 129
6.3.4.2	Bridge/Culvert Modifications ..... 130
6.3.4.3	Stormwater Drainage Improvements ..... 131
6.3.4.4	Channel Modifications/Maintenance ..... 131
6.3.4.5	Firebreaks ..... 132
6.3.4.6	Sinkhole Abatement ..... 132
6.3.4.7	Emergency Water Source Development ..... 133
6.3.4.8	2012 Updated Mitigation Measures ..... 135
6.3.4.9	2017 Updated Mitigation Measures ..... 135
6.3.5	Natural Resource Protection ..... 135
6.3.5.1	Open Space Preservation ..... 136
6.3.5.2	Wetland Protection ..... 137
6.3.5.3	Identification and Implementation of Best Management Practices ..... 138
6.3.5.4	Water Resources Management Planning ..... 139
6.3.5.5	2012 Updated Mitigation Measures ..... 140
6.3.5.6	2017 Plan Update New Mitigation Measures ..... 141
6.3.6	Public Information ..... 141
6.3.6.1	Map Information ..... 142
6.3.6.2	Library Resources ..... 142
6.3.6.3	Outreach Projects ..... 143
6.3.6.4	Environmental Education ..... 144
6.3.6.5	2012 Updated Mitigation Measures ..... 144
6.3.6.6	2017 Plan Update New Mitigation Measures ..... 153



**TABLE OF CONTENTS  
(CONTINUED)**

	<b>PAGE</b>
6.4	MITIGATION ACTION PLAN ..... 154
6.4.1	Potential Funding Sources ..... 157
6.5	MULTI-JURISDICTIONAL HAZARD MITIGATION STRATEGY..... 163
7.0	PLAN MAINTENANCE ..... 165
7.1	UPDATE PROCESS SUMMARY ..... 165
7.2	MONITORING, EVALUATING, AND UPDATING THE PLAN ..... 165
7.2.1	Implementation through Existing Programs ..... 166
7.3	CONTINUED PUBLIC INVOLVEMENT ..... 167
8.0	PLAN ADOPTION ..... 168



## LIST OF APPENDICES

APPENDIX A – 2018 ADOPTION RESOLUTIONS

APPENDIX B – PUBLIC MEETING RECORDS

APPENDIX C – REPRESENTATIVE STRUCTURE ANALYSIS

APPENDIX D – HAZUS RISK ASSESSMENT REPORT

APPENDIX E – CAPABILITY ASSESSMENT MATRIX

APPENDIX F – HAZARD MITIGATION OPPORTUNITY FORMS

APPENDIX G – STRUCTURAL PROJECT FORMS

APPENDIX H – PROGRESS MONITORING REPORT

APPENDIX I – PENNSYLVANIA 2013 ALL-HAZARD MITIGATION PLAN – RADON MAPPING

APPENDIX J – REFERENCES

APPENDIX K – MUNICIPAL HAZARD MITIGATION ACTION PLANS

## LIST OF FIGURES

NO.	DESCRIPTION	PAGE
2-1	LOCATION MAP .....	5
2-2	GEOLOGY .....	6
2-3	GEOLOGICAL MAP OF BERKS COUNTY .....	7
4-1.1	FLOODING HAZARDS.....	22
4-1.2	FLOODING HAZARDS BY COMPARISON.....	29
4-2	GEOLOGIC HAZARDS .....	38
4-3	WILDFIRE HAZARDS .....	49
4-4	HOPEWELL FIRE LOCATION MAP.....	50
4-5	DENSITY OF REPETITIVE LOSS PROPERTIES BY MUNICIPALITY.....	76
4-6	REGIONAL GROWTH AREAS IMPACTED BY 100-YEAR FLOODPLAINS.....	81
4-7	HAZARD PRESERVATION AREAS.....	83
6-1	STEEL I-BEAMS AND JACKS ARE INSTALLED IN PREPARATION FOR LIFTING THE HOUSE.....	115
6-2	THE HOUSE, SUPPORTED ON THE I-BEAMS, IS RAISED ON THE JACKS.....	115
6-3	NEW MASONRY PIERS ARE CONSTRUCTED TO SUPPORT THE HOUSE, AND THE BASEMENT IS FILLED WITH DIRT.....	116
6-4	WHEN THE HOUSE HAS BEEN RAISED TO THE DESIRED HEIGHT, THE NEW MASONRY PIERS ARE COMPLETED .....	116
6-5	A TYPICAL DRY FLOODPROOFED HOUSE .....	118
6-6	A TYPICAL WET FLOODPROOFED HOUSE.....	121
6-7	A TYPICAL DRY HYDRANT .....	134





## LIST OF TABLES

NO.	DESCRIPTION	PAGE
2-1	FUTURE LAND USE OF BERKS COUNTY .....	9
3-1	HAZARD MITIGATION PLAN UPDATE MITIGATION STEERING COMMITTEE MEMBERS .....	12
3-2	2017 MULTI-JURISDICTIONAL PLANNING PARTICIPATION .....	13
4-1	BERKS COUNTY DISASTER HISTORY .....	17
4-2	BERKS COUNTY HAZARD IDENTIFICATION SUMMARY .....	19
4-3	BERKS COUNTY NFIP PARTICIPATION STATUS BY MUNICIPALITY .....	30
4-4	KNOWN EARTHQUAKES IN BERKS COUNTY THROUGH SEPTEMBER 2017 .....	41
4-5	BERKS COUNTY ASSET VULNERABILITY BY MUNICIPALITY .....	58
4-6	BERKS COUNTY HAZARD RISK ASSESSMENT MATRIX .....	64
4-7	BERKS COUNTY NFIP CLAIMS DATA BY MUNICIPALITY .....	73
6-1	SUMMARY OF BENEFIT-COST ANALYSIS RESULTS FOR RESIDENTIAL REPRESENTATIVE STRUCTURES .....	110
6-2	SUMMARY OF BENEFIT-COST ANALYSIS RESULTS FOR COMMERCIAL/INDUSTRIAL REPRESENTATIVE STRUCTURES .....	111
6-3	BERKS COUNTY PROPERTY PROTECTION GUIDE .....	111
6-4	RELOCATION COST GUIDE .....	112
6-5	ELEVATION COST GUIDE .....	117
6-6	DRY FLOODPROOFING COST GUIDE .....	119
6-7	WET FLOODPROOFING COST GUIDE .....	123
6-8	MUNICIPAL HAZARD MITIGATION ACTION PLAN .....	145
6-9	MULTI-JURISDICTIONAL HAZARD MITIGATION STRATEGY .....	155



## **1.0 INTRODUCTION**

## 1.0 INTRODUCTION

### 1.1 BACKGROUND

With the passage of the Disaster Mitigation Act of 2000 (DMA 2000) (Public Law 106-390) on October 10, 2000, the Federal Emergency Management Agency (FEMA) established new criteria for the development of multi-Hazard Mitigation Plans at the state and local level on a pre-disaster basis. Specifically, Section 322, Mitigation Planning, of the ROBERT T. Stafford Disaster Relief and Emergency Assistance Act (42 U.S.C. 5121-5206), enacted by Section 104 of DMA 2000, provided new and revitalized approaches to hazard mitigation planning. This section also emphasized the importance of coordinating state and local hazard mitigation planning and implementation activities and continued the requirement for a state Hazard Mitigation Plan as a condition for receiving federal disaster assistance. In addition, Section 322 allows the amount of funding available through FEMA's Hazard Mitigation Grant Program (HMGP) to be increased for states that demonstrate an increased commitment to comprehensive hazard mitigation planning and implementation through the development of an "enhanced" Hazard Mitigation Plan. Finally, Section 322 authorized the expenditure of up to 7% of the HMGP funds available to each state to be used for the completion of Hazard Mitigation Plans on a pre-disaster basis. Also important is the fact that state and local governments were not eligible for post-disaster HMGP funds after June 3, 2005, without an approved Hazard Mitigation Plan.

To implement the new hazard mitigation planning criteria developed under DMA 2000, FEMA promulgated new regulations in the Federal Register at 44 CFR Part 201. These regulations clearly establish the hazard mitigation planning criteria for state, tribal, and local plans. According to Section 201.1(b) of the regulations, the purpose of hazard mitigation planning is for state, local, and Indian tribal governments to identify the natural hazards that impact them, to identify actions and activities to reduce any losses from those hazards, and to establish a coordinated process to implement the plan, taking advantage of a wide range of resources. FEMA's planning guidance describes three general types of Hazard Mitigation Plans. These include Standard State Mitigation Plans, Enhanced State Mitigation Plans, and Local Mitigation Plans. Regardless of the type of plan, the hazard mitigation planning process must be open to the public and must provide an opportunity for the public to comment on the plan during the drafting stage and prior to plan approval. Involving the public in the hazard mitigation planning process allows for the development of a more comprehensive approach to reducing the effects of disasters, which is essential to the development of an effective plan.

## 1.2 PURPOSE

Given the above law, regulations, and policies, the Berks County Commissioners decided to prepare this multi-jurisdictional Hazard Mitigation Plan for the County's 72 municipalities. The Hazard Mitigation Plan includes documentation of the process that was used to develop the plan, including how it was prepared, who was involved, and how the public was involved. In accordance with FEMA guidance, the risk assessment part of the plan includes a description of all natural hazards that affect the County and the County's vulnerability to those hazards. Following the risk assessment, a mitigation strategy for reducing the potential losses is also included. The mitigation strategy identifies and analyzes a comprehensive range of specific mitigation actions to reduce the effects of each identified hazard. The mitigation strategy also includes an action plan that ranks the identified projects in terms of their priority status, identifies who is responsible for administering the projects, and outlines a schedule for project implementation. Finally, the Hazard Mitigation Plan includes documentation of an established plan maintenance process and proof of plan adoption by Berks County and its municipalities.

## 1.3 SCOPE

Adoption of this plan by Berks County and its municipalities will not only allow each municipality to be eligible for disaster mitigation grant funds, it will also provide each municipality with a thorough understanding of its vulnerability to various hazards and a blueprint for mitigating the damaging effects of those hazards.

The mitigation planning regulations at 44 CFR Part 201.6(d)(3) state that a local jurisdiction must review and revise its plan to reflect development changes, progress of local efforts, and priority changes within five years in order to remain eligible for grant funding. This update must undergo the same approval process as the original plan. FEMA issued three guidance documents which were referenced for this update which include information on plan update requirements. Those guidance documents are titled *Local Multi-Hazard Mitigation Planning Guidance* (July 2008), *Multi-Jurisdictional Mitigation Planning* (FEMA 386-8, August 2006), and *Local Mitigation Plan Review Guide* (October 1, 2011).

## 1.4 AUTHORITY AND REFERENCE

Authority for this plan originates from the following federal sources:

- Robert T. Stafford Disaster Relief and Emergency Assistance Act, 42 U.S.C., Section 322, as amended
- Code of Federal Regulations (CFR), Title 44, Parts 201 and 206
- Disaster Mitigation Act of 2000, Public Law 106-390, as amended
- National Flood Insurance Act of 1968, as amended, 42 U.S.C. 4001 et seq.

Authority for this plan originates from the following state sources:

- Pennsylvania Municipalities Planning Code of 1968, Act 247 as reenacted and amended by Act 170 of 1988
- Pennsylvania Stormwater Management Act of October 4, 1978. P.L. 864, No. 167
- Pennsylvania Emergency Management Services Code. Title 35, Pa C.S. Section 101.

Additional references used to prepare this document can be found in the appendices.

## **2.0 COMMUNITY PROFILE**

## **2.0 COMMUNITY PROFILE**

### **2.1 GEOGRAPHY AND ENVIRONMENT**



Incorporated in 1752 from parts of Lancaster, Chester, and Philadelphia Counties, Berks County is a diamond-shaped area of 864 square miles, situated in southeastern Pennsylvania (see Figure 2-1). An urban area of 414,812 persons (July 2016 U.S. Census Data estimates), the County seat (Reading) is 56 miles northwest of Philadelphia. The County (a third-class county), is made up of 72 incorporated municipalities, 44 townships, 27 boroughs, and 1 city. Although broad-based, the Berks County economy reflects its historical development, with agriculture, health care, and manufacturing continuing to play important economic roles in the County. As of December 2016, Berks County contains the second highest number of preserved farms in agricultural easements (718) within Pennsylvania, which is significant given the growth in warehouse facilities.

#### **2.1.1 Geology**

The chronology of Berks County's Geology includes the Precambrian Eon and the Cambrian, Ordovician, Silurian, Triassic, and Jurassic Periods (see Figures 2-2 and 2-3). Karst geology exists within the northern and northwestern portions of Berks County's Ordovician Period as well as the Cambrian Period Formations. Blue Mountain bounds the northern boundary of Berks County and is underlain by the Silurian period of geology. Blue Mountain contains the highest elevation in Berks County at 1,615 feet above sea level and is located at the Pinnacle formation in Bethel Township.

#### **2.1.2 Climate**

Berks County receives an average of 47 inches of rain per year and 21 inches of snowfall per year. The number of days with measurable precipitation totals 78 days. The average high temperature for July is 85 degrees Fahrenheit, and the average low is 21 degrees Fahrenheit. Berks County experiences an average of 203 sunny days per year.





SKELLY and LOY, Inc.	AUGUST 2017	Figure 2-1
<b>Berks County Hazard Vulnerability Assessment and Mitigation Plan Update</b>		
<b>LOCATION MAP</b>		
Berks County, Pennsylvania		
Job No: R16-0176.000	Scale: 1" = 20,000'	



*Disclaimer: This map was created for planning purposes only and is not intended for other uses.*







# Geology Berks County, Pennsylvania



### Legend

-  Berks County Boundary
-  Municipal Boundaries



### Geologic Period


-  Precambrian
-  Cambrian
-  Ordovician
-  Silurian
-  Triassic
-  Jurassic

Source: Berks County Planning Commission, Berks County GIS, Berks County Mapping, Pennsylvania Bureau of Topographic and Geologic Survey, Department of Conservation and Natural Resources

Published by the Berks County Planning Commission

BAB 9/13





SKELLY and LOY, Inc.	Jan. 2018	Figure 2-3
Berks County Hazard Vulnerability and Mitigation		
<b>GEOLOGIC MAP</b>		
Job No.: R12-0072.000	Scale: Not to Scale	

## **2.2 COMMUNITY FACTS**

Unemployment rates for Berks County as of October 2017 (Center for Workforce Information and Analysis) confirmed the County has a 4.4% unemployment rate (or 9,300 persons), which is less than Pennsylvania (4.7%, or 298,000 persons). Berks County is currently near a ten-year low, matching 2007 unemployment rates before the recession. The labor force represents 212,600 persons in Berks County. Review of available online job postings from October 2016 to October 2017 indicate an increase in online job postings by 18.2%. The top ten Berks County employers during the second quarter of 2017 are listed below.

- East Penn Manufacturing Company
- Reading Hospital
- County of Berks
- Carpenter Technology Corporation
- Wal-Mart Associates, Inc.
- State Government
- Reading School District
- Boscov's Department Store, LLC.
- Penske Truck Leasing Co LP
- Reading Health Physician Network

## **2.3 POPULATION AND DEMOGRAPHICS**


Current population estimates from July 1, 2016, (U.S. Census) identify the Berks County population at 414,812 persons. The majority (73%) identify their race as white alone, not Hispanic or Latino, while 20% identify themselves as Hispanic or Latino and 7% identify themselves as Black or African American.

## **2.4 LAND USE AND DEVELOPMENT**

The Berks County 2030 Comprehensive Plan was referenced for current land use patterns and future development. Similar to the Hazard Plan, the Comprehensive Plan breaks the County into five planning districts, as seen in Table 2-1 below. While the majority of land use (28%) consists of preserved agricultural land, existing development follows a close second at 26%.

**TABLE 2-1  
FUTURE LAND USE OF BERKS COUNTY**

	HAWK MOUNTAIN (ACRES)	OLEY HILLS (ACRES)	SOUTHERN HIGHLANDS (ACRES)	TULPEHOCKEN (ACRES)	METRO (ACRES)	COUNTY TOTAL (ACRES)
Agricultural Preservation	72,229	19,430	8,810	53,080	201	153,750
Existing Development	20,934	27,881	27,866	14,762	30,238	121,681
Designated Growth	1,683	2,380	3,528	1,053	2,339	10,983
Future Growth	6,130	1,494	5,997	5,552	2,438	21,611
Rural Conservation	31,217	46,297	25,267	17,535	14,043	134,359
Permanent Open Space and Recreation	22,286	1,827	12,376	10,901	6,906	54,296
Transportation Network	6,279	3,903	4,569	3,889	7,473	26,113
Environmental Hazard	8,948	5,519	6,538	6,396	4,406	31,807
<b>Region Total</b>	<b>169,706</b>	<b>108,731</b>	<b>94,951</b>	<b>113,168</b>	<b>68,044</b>	<b>554,600</b>



The County is challenged to find ideal locations for development along the Interstate 78 corridor, which is a major thruway in the northern portion of the County, located amongst fertile agricultural land. As part of the 2030 Comprehensive Plan, an analysis was completed on several site location factors and the assessment identified 153 areas, consisting of approximately 9,993 acres, suitable for business development in Berks County and 1,314 acres with the potential for redevelopment. Future development of Berks County envisions the addition of 32,594 acres of urban land to accommodate the majority of the new residences, businesses, and institutional uses.

## 2.5 DATA SOURCES AND LIMITATIONS

Sources used to compile the information found in Section 2.0 include the *Berks County Comprehensive Plan* (Berks 2030), U.S. Census Bureau, Weather Underground, and Penn State Library online geologic map collections.

## **3.0 PLANNING PROCESS**

## **3.0 PLANNING PROCESS**

### **3.1 UPDATE PROCESS SUMMARY**

The regulations intend that the approved plan update will serve as a stand-alone complete and current plan, not as an amendment to the original document. The plan update must provide information on the progress to fulfill the commitments and activities intended to be implemented through the adoption of the previously approved plan.

The plan update includes all newly identified hazards as well as more detailed information on existing hazards where it became available. Information for the plan update was gathered using the same resources utilized during the original plan development process, including review of available mapping from local and state agencies, review of municipal planning documents, and coordination with Berks County Department of Emergency Services (DES) staff and municipal representatives. The latest available Geographic Information System (GIS) data were obtained from Berks County Planning as part of this update.

By evaluating each municipality to determine what commitments were met, the plan update was able to better identify goals and objectives as well as to re-prioritize some activities.

### **3.2 THE PLANNING TEAM**

Berks County DES was responsible for the development and coordination of this Hazard Mitigation Plan. To accomplish this task, Berks County DES formed a Mitigation Steering Committee comprised of representatives from FEMA, Pennsylvania Emergency Management Agency (PEMA), various Berks County agencies, and several municipal emergency management and planning personnel. The Mitigation Steering Committee met on a monthly basis, and the plan was developed over the course of one year. For the 2012 and 2017 update, the Mitigation Steering Committee was reconvened with several of the same members participating. The Mitigation Steering Committee met on a bi-monthly basis during the development of the plan for the 2012 update. For the 2017 update, the Mitigation Steering Committee met on a monthly basis as part of the plan update.

### **3.3 MEETINGS AND DOCUMENTATION**

Efforts were made to solicit both municipal and public input throughout the planning process. Two series of public meetings were held during the formation of the original plan.

Identical regional meetings were held to provide better accessibility for all of the County's residents. The first set of public meetings was held during the data collection phase to introduce the planning effort and solicit information from the public. The second set of public meetings was held following the development of the draft mitigation measures to solicit additional input into this important phase of the planning effort. Feedback received from the public proved valuable in the development of the plan. Documentation of these public meetings is included in the appendices.

Two public meetings were also completed as part of the 2012 plan update. Both of these meetings were conducted at the Berks County Fire Training Center and were held on May 1 and November 15, 2012. Documentation of these public meetings is also included in the appendices.

As part of the 2017 update, a similar public meeting format was completed. Berks County DES completed public meeting advertisements in the Reading Eagle newspaper along with advertising on the Berks County DES website and Berks County Facebook page. The first series of public meetings were completed August 8 and 10, 2017. The August 8 meeting was held at the Penn State Berks campus, and the August 10 meeting was held at the Kutztown University campus. Public participation was summarized on the surveys included in Appendix B. The meetings served as an update to what would be included in the 2017 Hazard Mitigation Plan.

The third public meeting was held on January 24, 2018, as part of the final public participation for the plan update. The meeting was held at Alvernia University. Similar to the first series of public meetings, public participation was summarized (Appendix B).

### **3.4 PUBLIC AND STAKEHOLDER PARTICIPATION**

Throughout the development of the original Berks County Hazard Mitigation Plan, numerous avenues of public outreach were employed to ensure the maximum level of participation from all facets of individuals. Copies of public and committee meeting summaries are found in the appendices, and materials were made available throughout the process on a website maintained by Berks County DES (<http://www.berksdes.com>). The process of public outreach began in September 2005, when the initial meeting was held to begin discussing the development of the plan. The first task of this meeting was to establish a steering committee comprised of federal, state, county, and local Emergency Management Agencies (EMAs); county and municipal planners; floodplain managers; elected officials; and emergency service agency representatives. At the conclusion of this meeting, communications were distributed to a select number of individuals, including those identified above, requesting their participation as representatives of the Mitigation Steering Committee. The Mitigation Steering Committee was reconvened as part

of the Hazard Mitigation Plan Update. The members of the Hazard Mitigation Plan Update Mitigation Steering Committee are listed in Table 3-1.

**TABLE 3-1  
HAZARD MITIGATION PLAN UPDATE  
MITIGATION STEERING COMMITTEE MEMBERS**

<b>MUNICIPALITY/ORGANIZATION</b>	<b>NAME</b>
Berks County DES	Donnie Swope and Phillip Spence
City of Reading EMA - RDG	Jim Conrad
Pennsylvania EMA	David Williams and Mike Wasko
Earl Township/E.O.C.	John Hetrick
Kutztown University	John Dillon
Berks County Planning Commission	Matt McGough and Shannon Rossman
West Side Regional Emergency Management Agency (WSREMA)	Thomas Bausher and Kim Stoudt
Berks County GIS	Brad Shirey
Reading Health System	Jim Bitler
Alvernia University	Doug Smith
Berks County Intermediate Unit (BCIU)	Eric Clemmer
Total Rental	Brian Kisch
Red Cross	Erika Wolfe and Adrian Grieve
Penn State University – Berks Campus	Aaron Bingaman and Kevin Rudy
Berks VNA	Jennie Stiar
Chester County EMA	Andrew Thorston
Saint Joseph Medical	Chris Chamberlain
Albright College	Mike Gross and Paul Janssen
East Penn Manufacturing Co.	Troy Greiss
Berks County Conservation District	Dean Druckenmiller
Muhlenberg Township	Dennis Walton

The first Mitigation Steering Committee meeting (in May 2017) disseminated materials regarding the development of the plan in several formats. A total of seven Mitigation Steering Committee meetings were held through December 2017. A project information sheet was





developed by Berks County DES and was distributed via U.S. mail and e-mail to all 72 municipalities in Berks County (see Table 3-2). This brochure was also posted on the Berks County DES website (<http://www.berksdes.com>).

**TABLE 3-2  
2017 MULTI-JURISDICTIONAL PLANNING PARTICIPATION**

MUNICIPALITY	NAME	TITLE	PLANNING PARTICIPATION <sup>2</sup>	ADOPTION DATE	
				ORIGINAL PLAN	UPDATE PLAN
Albany Township	Ron Seaman	Emergency Management Coordinator (EMC)	X	N/A	07/01/13
Alsace Township	Kimberly Mallatratt	Business Manager/Secretary/Treasurer	X	07/18/07	8/21/13
Amity Township	Troy Bingaman	Township Manager	X	09/17/08	12/18/13
Bally Borough	Bruce Hoffman	EMC	X	07/02/07	11/4/13
Bechtelsville Borough	Valerie Moll	Township Secretary/Treasurer	X	09/12/07	12/11/13
Bern Township	Kevin Hinkle	EMC	X	07/09/07	08/12/13
Bernville Borough	James Moyer, Sr.	EMC	X	03/04/08	05/07/13
Bethel Township	Randall Behney	EMC	X	07/24/07	09/16/13
Birdsboro Borough	Kenneth Imes	EMC	X	04/07/08	05/13/13
Boyertown Borough	Patricia Loder	Borough Manager	X	06/04/07	11/4/13
Brecknock Township	John Miller	EMC	X	06/05/07	06/04/13
Caernarvon Township	Paul Whiteman	EMC/Township Supervisor	X	07/10/07	3/11/14
Centerport Borough	Alan Cook	EMC/ Borough President	X	11/05/07	08/05/13
Centre Township	D. Eric Eberly, P.E., SEO	Sr. Project Engineer	X	10/08/07	01/06/14
City of Reading	Jim Conrad	EMC	X	07/09/07	08/08/13
Colebrookdale Township	D. Eric Eberly, P.E., SEO	Sr. Project Engineer	X	01/08/08	4/7/14
Cumru Township	Scott Brady	EMC	X	12/18/07	05/21/13
District Township	Susan Manwiller	Township Secretary/Treasurer	X	06/04/07	08/15/13
Douglass Township	Dave Babb	EMC	X	06/05/07	08/12/13
Earl Township <sup>1</sup>	John Hetrick	EMC/Township Supervisor	X	03/12/07	05/13/13
Exeter Township	H. David Miller	EMC	X	08/27/07	08/26/13
Fleetwood Borough	Jesse Zerbe	EMC	X	07/09/07	08/12/13
Greenwich Township	Cheri Keim	EMC	X	N/A	5/5/14
Hamburg Borough	Marisa C. Valkosak	Borough Manager	X	06/11/07	05/28/13
Heidelberg Township	Mike Palm	EMC	X	06/28/07	05/30/13
Hereford Township	Norann Warmkessel	Secretary/Treasurer	X	08/07/07	08/06/13
Jefferson Township	James Moyer, Sr.	EMC	X	N/A	12/14/13
Kenhorst Borough	Jeri L. Diesinger, P.G.	Borough Manager	X	06/07/07	07/02/13
Kutztown Borough	Daniel H. Eslinger	Director of Community Development	X	06/22/07	05/23/13
Laureldale Borough	Patrick O'Brien	EMC	X	06/11/07	11/11/13
Leesport Borough	Dane Miller	EMC	X	07/18/07	09/18/13
Lenhartsville Borough	William Willington	Mayor	X	N/A	11/06/13



**TABLE 3-2  
(CONTINUED)**

MUNICIPALITY	NAME	TITLE	PLANNING PARTICIPATION <sup>2</sup>	ADOPTION DATE	
				ORIGINAL PLAN	UPDATE PLAN
Longswamp Township	Neil Conrad	EMC	X	05/22/07	07/23/13
Lower Alsace Township	Richard D. Gerhart Jr	Code Enforcement Officer/Fire Marshal	X	06/27/07	10/23/13
Lower Heidelberg Township	Cherly Johnson	Council Chair	X	05/21/07	05/20/13
Lyons Borough	Randy Schlegel	EMC	X	N/A	12/02/13
Maidencreek Township	Diane Hollenbach	Open Records Officer	X	07/26/07	06/13/13
Marion Township	Curtis Ganster	EMC	X	09/27/07	06/05/13
Maxatawny Township	Cheri Keim	EMC	X	05/24/07	06/05/13
Mohnton Borough	Jen Roy	Secretary/Treasurer	X	08/13/08	11/13/13
Mount Penn Borough	Dennis Swartz	EMC	X	06/12/07	08/13/13
Muhlenberg Township	Dennis Walton	EMC	X	06/18/07	05/20/13
New Morgan Borough	Jill A. Greene	Assistant Borough Manager	X	03/11/08	3/11/14
North Heidelberg Township	James Moyer, Sr.	EMC	X	06/27/07	10/23/13
Oley Township <sup>1</sup>	Todd M. Kegerise	EMC	X	06/21/07	06/10/13
Ontelaunee Township	Dane Miller	EMC	X	N/A	05/06/14
Penn Township	James Moyer, Sr.	EMC	X	06/25/07	05/20/13
Perry Township	Alison Epting	Secretary/Treasurer	X	06/05/07	1/14/14
Pike Township	Brian Hess	EMC	X	N/A	12/18/13
Richmond Township	Joshua Young	EMC	X	08/13/07	12/09/13
Robeson Township	Galen Brown	EMC	X	09/18/08	05/22/13
Robesonia Borough	Mike Palm	EMC	X	07/12/07	09/03/13
Rockland Township	Karen Krall	Secretary/Treasurer	X	06/12/07	11/12/13
Ruscombmanor Township	Thomas Rhoads	EMC	X	07/05/07	06/06/13
Shillington Borough	Jan M. Boyd	Secretary/Treasurer	X	12/31/07	09/12/13
Shoemakersville Borough	Jarrold Emes	EMC	X	06/05/07	06/04/13
Sinking Spring Borough	Thomas Bausher	EMC	X	06/07/07	06/06/13
South Heidelberg Township	Sean McKee	Township Manager	X	06/14/07	05/09/13
Spring Township	Thomas Bausher	EMC	X	05/29/07	05/13/13
St. Lawrence Borough	Allison Leinbach	Manager/Treasurer	X	09/13/07	05/09/13
Tilden Township	Cheryl Haus	Township Manager	X	07/07/07	06/13/13
Topton Borough	Steve Kline	EMC	X	11/12/07	08/12/13
Tulpehocken Township	Kathy Boltz	Secretary/Treasurer	X	06/11/07	01/06/14
Union Township	Jason Wagner	Township Manager	X	09/24/07	12/16/13
Upper Bern Township	Bryan Althouse	EMC	X	07/11/07	10/09/13
Upper Tulpehocken Township	Russel Yerger	EMC	X	07/10/07	5/14/13
Washington Township	Rich Sichler	Township Manager	X	07/26/07	06/27/13
Wernersville Borough	Mike Palm	EMC	X	08/01/07	06/06/13
West Reading Borough	Thomas Bausher	EMC	X	07/17/07	06/18/13
Windsor Township	Troy Hatt	EMC	X	08/08/07	06/12/13



**TABLE 3-2  
(CONTINUED)**

MUNICIPALITY	NAME	TITLE	PLANNING PARTICIPATION <sup>2</sup>	ADOPTION DATE	
				ORIGINAL PLAN	UPDATE PLAN
Womelsdorf Borough	Donald Ebling	EMC	X	07/03/07	11/06/13
Wyomissing Borough	Thomas Bausher	EMC	X	07/10/07	06/11/13
Berks County <sup>1</sup>	Donnie Swope	Berks County DES	X	03/08/07	04/25/13

**NOTES:**

- 1 Municipality directly represented on the Mitigation Steering Committee
- 2 Planning participation includes meeting attendance and receipt of planning materials

**3.5 MULTI-JURISDICTIONAL PLANNING**

A number of organizations and individuals (including Berks County DES, Berks County Planning Commission [BCPC], Berks County Conservation District [BCCD], PEMA, FEMA, Pennsylvania Department of Conservation and Natural Resources [PA DCNR], Pennsylvania Department of Community and Economic Development [PA DCED], and National Weather Service [NWS]) provided support through the development of the plan. This support included provision of background materials, coordination with local municipalities and businesses, and administrative support with mailings and other information distribution efforts.

The Berks County Hazard Vulnerability Assessment and Mitigation Plan Update was developed in support of and using information from a number of other plans, studies, and technical reports specific to Berks County and Pennsylvania in general. These documents include Pennsylvania’s All-Hazard Mitigation Planning Standard Operating Guide, Commonwealth of Pennsylvania’s Multi-Hazard Identification and Risk Assessment, Berks County’s recently issued (July 2012) Flood Insurance Study (FIS) and updated Flood Insurance Rate Mapping (FIRM), the Berks Vision 2020 County Comprehensive Plan (and by extension the Draft Berks County Comprehensive Plan 2030), the Berks County Hazard Vulnerability Analysis, numerous watershed-based Berks County Act 167 Stormwater Management Plans, and neighboring county hazard mitigation plans. Appendix J contains a more complete listing of the technical references that were used to assist in the development of this Plan Update.

At the outset of the planning study, the Commonwealth of Pennsylvania’s Multi-Hazard Identification and Risk Assessment was used to initially identify those natural hazards that were previously reported as having affected Berks County as well as those natural hazards which were considered to have mitigation potential within the County. This information was used to help



develop Table 4-1 (Berks County Disaster History) and Table 4-2 (Berks County Hazard Identification Summary) of the Plan Update. Once the initial hazard identification was completed, more detailed hazard event profiling specific to Berks County (as outlined in Chapter 4) was developed using information from the Berks County Hazard Vulnerability Analysis and Berks County's recently issued FIS and updated FIRM.

In developing the multi-jurisdictional hazard mitigation strategy (i.e., Chapter 6), the Mitigation Steering Committee reviewed and considered the Berks Comprehensive Plan 2030. Specifically, the five-county planning regions outlined in the Comprehensive Plan were carried forward in this Hazard Mitigation Plan for consistency purposes. Additionally, much of the Chapter 2, Background Information (i.e., location and setting, physical geography, geology, and environmental/natural features) in the Comprehensive Plan was used to support the hazard event profiling in Chapter 4 of this Hazard Mitigation Plan. Further, a number of the Preventive Measure (PM) and Natural Resource (NR) Protection hazard mitigation measures outlined in Chapter 6 of this Hazard Mitigation Plan were developed in support of and to be consistent with the Environmental Hazard Area goals and policies outlined in Chapter 4, Policy Plan of the Comprehensive Plan. As such, this Hazard Mitigation Plan incorporates – not merely by reference, but by direct application – the County Comprehensive Plan.

Finally, the Mitigation Steering Committee reviewed the Schuylkill County Hazard Mitigation Plan (2007) to identify potential hazards in Schuylkill County that could have an impact on Berks County. The Mitigation Steering Committee chose to review the Schuylkill County Plan because the largest watercourse in Berks County, the Schuylkill River, flows from Schuylkill County into Berks County just north of Hamburg. While the Schuylkill County Plan clearly identified flooding from the Schuylkill River as one of its primary natural hazards of concern, the presence of two high-hazard dams in the Little Schuylkill River Watershed was also of notable interest. These dams include the 98-foot high Locust Creek Dam in Tuscarora State Park in Rush Township and the 86-foot high Still Creek Dam in Rush Township. Both of these reservoirs drain into the Little Schuylkill River near Hometown, Pennsylvania, and have been rated by the Pennsylvania Department of Environmental Protection (PA DEP) as having the potential for substantial loss of life and excessive economic impacts in the event of a catastrophic failure. Fortunately, these high-hazard dams are located approximately 20 miles north of Hamburg, allowing for advance warning opportunities in the event of failure. Much like the recommendations for the dams in Berks County, Schuylkill County identified ongoing maintenance and routine inspections as the primary means for ensuring that a catastrophic dam failure never occurs.

## **4.0 RISK ASSESSMENT**

## 4.0 RISK ASSESSMENT

### 4.1 UPDATE PROCESS SUMMARY

Based on historical occurrences specific to Berks County and the surrounding area, the Mitigation Steering Committee developed a listing of known natural hazards to be addressed in this plan. These known natural hazards were identified through an extensive process that involved the following:

- input from the individual Mitigation Steering Committee members, local officials, and the public;
- coordination with various federal, state, and local agencies;
- a review of past disaster declarations at the federal and state levels specific to Berks County (see Table 4-1);
- analysis of hazard identification and risk assessment publications at the state and local levels;
- limited field reconnaissance; and
- Internet research.

**TABLE 4-1  
BERKS COUNTY DISASTER HISTORY**

DATE	HAZARD EVENT	ACTION
February 1958	Heavy Snow	Governor's Proclamation
September 1963	Drought	Governor's Proclamation and President's Declaration of Major Disasters
August 1965	Drought	Governor's Proclamation and President's Declaration of Major Disasters
January 1966	Heavy Snow	Governor's Proclamation and President's Declaration of Major Disasters
February 1972	Heavy Snow	Governor's Proclamation and President's Declaration of Major Disasters
June 1972	Flood (Agnes)	Governor's Proclamation and President's Declaration of Major Disasters
July 1973	Flood	President's Declaration of Major Disasters
April 1975	High Winds	None
September 1975	Flood (Eloise)	Governor's Proclamation and President's Declaration of Major Disasters
January 1978	Heavy Snow	Governor's Proclamation
February 1978	Blizzard	Governor's Proclamation
November 1980	Drought Emergency	Governor's Proclamation
September 1987	Flood	SBA – Physical Disaster Loans and Economic Injury Disaster Loan
September 1989	Flood	SBA – Physical Disaster Loans and Economic Injury Disaster Loan
March 1993	Blizzard	Governor's Proclamation and President's Declaration of Major Disasters
January 1994	Severe Winter Storms	Governor's Proclamation and President's Declaration of Major Disasters

**TABLE 4-1  
(CONTINUED)**

DATE	HAZARD EVENT	ACTION
September 1995	Drought	Governor's Proclamation
January 1996	Flooding	Governor's Proclamation and President's Declaration of Major Disasters
January 1996	Severe Winter Storms	Governor's Proclamation and President's Declaration of Major Disasters
June 1998	Severe Storms/ Tornadoes	Governor's Proclamation; Presidential Major Disaster for Individual Assistance for Pike, Berks, Allegheny, Beaver, Somerset, Wyoming, and Susquehanna Counties
July 1999	Drought	Governor's Proclamation, Individual Assistance, Hazard Mitigation Grant Program - Amended to include all 67 counties for an agricultural disaster
September 1999	Hurricane Floyd	Governor's Proclamation and President's Declaration of Major Disasters - Individual Assistance - Berks County; Individual Assistance and Public Assistance - Bucks, Chester, Adams and Philadelphia Counties; Individual Assistance and Public Assistance, Categories A and B - Lancaster and York Counties
March 2001	Fire	SBA
May 2001	Fire	SBA
June 2001	Flash Flood (Tropical Storm Allison)	Governor's Proclamation and President's Declaration of Major Disasters
August 2001	Flooding	SBA – Economic Injury Disaster Loan
February 2002	Drought and Water Shortage	Governor's Proclamation
February 2003	Severe Winter Storm	Governor's Proclamation of Disaster Emergency
September 2005	Proclamation of Emergency (Hurricane Katrina)	Governor's Proclamation
June 2006	Flooding	Governor's Proclamation and President's Declaration of Major Disasters
September 2006	Tropical Depression (Ernesto)	Governor's Proclamation
February 2007	Severe Winter Storm	Governor's Proclamation of Disaster Emergency
April 2007	Severe Storm	Governor's Proclamation
November 2007	Fire	SBA – Physical Damage and Economic Injury
August 2008	Fire	SBA – Physical Damage and Economic Injury
September 2008	Fire	SBA – Physical Damage and Economic Injury
January 2009	Fire	SBA – Physical Damage and Economic Injury
August 2009	Storms and Flooding	SBA – Physical Damage and Economic Injury
February 2010	Severe Winter Storms	Governor's Proclamation
March 2010	Severe Winter Storms	Governor's Proclamation
January 2011	Severe Winter Storms	Governor's Proclamation
March 2011	Severe Winter Storms	Governor's Proclamation
August 2011	Hurricane Irene	Governor's Proclamation
September 2011	Tropical Storm (Lee)	President's Declaration of Emergency Disasters and Declaration of Major Disasters
October 2012	Hurricane Sandy	Governor's Proclamation and President's Declaration of Emergency Disasters
June 2013	Severe Storms, Flooding, Tornadoes	Major Disaster Declaration
February 2014	Severe Winter Storms	Governor's Proclamation, Major Disaster Declaration, Emergency Declaration
January 2015	Severe Winter Storms	Governor's Proclamation
June 2015	Severe Storms	Governor's Proclamation
January 2016	Severe Winter Storms	Governor's Proclamation and Major Disaster Declaration
March 2017	Severe Winter Storms	Governor's Proclamation

Source: PEMA and FEMA



In addition, Berks County’s GIS database was used as an important resource in identifying and mapping the County’s infrastructure, critical facilities, and land uses. Data from this source and GIS data made available from other project participants (i.e., FEMA and PA DCNR) were used to determine those hazards that present the greatest risk to the County.

#### 4.2 HAZARD IDENTIFICATION

Table 4-2 summarizes the identification of the hazards that present the greatest risk to the County. The known natural hazards to be addressed in this plan include:

- dam failure,
- drought,
- flooding,
- hurricanes,
- land subsidence,
- landslides,
- earthquakes,
- severe storms,
- tornadoes,
- wildfires, and
- radon.

**TABLE 4-2  
BERKS COUNTY HAZARD IDENTIFICATION SUMMARY**

HAZARD	HOW IDENTIFIED	WHY IDENTIFIED
Dam Failure	<ul style="list-style-type: none"> <li>• Input from PA DEP, Division of Dam Safety</li> <li>• United States Geological Survey (USGS)</li> </ul>	<ul style="list-style-type: none"> <li>• Presence of Blue Marsh Dam and Ontelaunee Dam near major population centers within the County</li> <li>• Antietam Dam near population centers and elementary school and Kernsville Dam upstream from Hamburg</li> </ul>
Drought	<ul style="list-style-type: none"> <li>• Review of past disaster declarations</li> <li>• Analysis of the County’s Vulnerability Assessment</li> <li>• Input from PA DEP</li> </ul>	<ul style="list-style-type: none"> <li>• Severity and frequency of past events</li> <li>• Numerous County residents and agricultural operations dependent on constant water sources</li> </ul>
Flooding	<ul style="list-style-type: none"> <li>• Review of past disaster declarations</li> <li>• Review FIRM</li> <li>• Identification of National Flood Insurance Program (NFIP) repetitive loss properties</li> <li>• Analysis of post-disaster/risk assessment reports</li> </ul>	<ul style="list-style-type: none"> <li>• Severity and frequency of past events</li> <li>• Acknowledged as a potentially devastating natural hazard event</li> <li>• Presence of the Schuylkill River and its many tributary streams</li> </ul>
Hurricanes/ Tropical Storms	<ul style="list-style-type: none"> <li>• Review of past disaster declarations</li> <li>• Analysis of the County’s Vulnerability Assessment</li> <li>• Input from the National Oceanic and Atmospheric Administration (NOAA)</li> </ul>	<ul style="list-style-type: none"> <li>• Severity of the flood-related damages caused by the 1972 (Agnes), 1975 (Eloise), 1999 (Floyd), 2001 (Allison), and 2012 (Sandy) events</li> </ul>
Land Subsidence	<ul style="list-style-type: none"> <li>• Input from the Pennsylvania Geological Survey</li> <li>• Analysis of geologic mapping</li> </ul>	<ul style="list-style-type: none"> <li>• Presence of carbonate rock units</li> <li>• Known sinkhole locations within the County</li> </ul>
Landslides	<ul style="list-style-type: none"> <li>• Input from the Pennsylvania Geological Survey</li> <li>• Input from the Pennsylvania Department of Transportation (PennDOT)</li> </ul>	<ul style="list-style-type: none"> <li>• Mountainous topography within the County</li> </ul>





**TABLE 4-2  
(CONTINUED)**

<b>HAZARD</b>	<b>HOW IDENTIFIED</b>	<b>WHY IDENTIFIED</b>
Earthquakes	<ul style="list-style-type: none"> <li>Input from the Pennsylvania Geological Survey</li> </ul>	<ul style="list-style-type: none"> <li>Severity and frequency of past events</li> </ul>
Severe Storms (thunderstorms, hailstorms, and blizzards)	<ul style="list-style-type: none"> <li>Review of past disaster declarations</li> <li>Input from NOAA</li> <li>Local knowledge/public input</li> </ul>	<ul style="list-style-type: none"> <li>Severity and frequency of past events</li> <li>Identified as a significant threat Countywide</li> </ul>
Tornadoes	<ul style="list-style-type: none"> <li>Analysis of the County's Vulnerability Assessment</li> <li>Review of past disaster declarations</li> <li>Input from NOAA</li> </ul>	<ul style="list-style-type: none"> <li>Severity and frequency of past events</li> </ul>
Wildfires	<ul style="list-style-type: none"> <li>Analysis of the County's Vulnerability Assessment</li> <li>Input from PA DCNR</li> </ul>	<ul style="list-style-type: none"> <li>Frequency of past events</li> <li>Presence of forested tracts within the County</li> </ul>
Radon	<ul style="list-style-type: none"> <li>Input from PA DEP Bureau of Radiation Protection, Radon Design</li> <li>Review of U.S. Environmental Protection Agency (U.S. EPA) radon guidelines</li> </ul>	<ul style="list-style-type: none"> <li>Presence in soil, rock, and water</li> <li>Known elevated levels in Pennsylvania</li> </ul>

Natural hazards including avalanches, coastal storms, coastal erosion, expansive soils, tsunamis, and volcanoes are not addressed in this plan due to the nonexistence or infrequency of these events in Berks County.

### **4.3 HAZARD EVENT PROFILES**

#### **4.3.1 Dam Failure**

- The foundation fails due to seepage, settling, or earthquake
- The design, construction, materials, or operation were deficient
- Flooding exceeds the capacity of the dam's spillway

Proper design, regular maintenance, and routine inspection can go a long way in preventing a dam failure.

Dam failure presents a potential flooding hazard for Berks County due to the presence of a number of regulated dams. These dams are being considered "high" hazard due to the size of the impoundments and the potentially large populations downstream that could be affected by a dam breach. Five of these high-hazard dams were specifically identified by the Mitigation Steering Committee as having the potentially greatest impact. These include Blue Marsh Dam on Tulpehocken Creek located northeast of the City of Reading, Ontelaunee Dam on Maiden Creek located northwest of the City of Reading, Kernsville Dam on the Schuylkill River one mile northwest of the Borough of Hamburg, Lake Antietam Dam on Antietam Creek in Lower Alsace Township (see Figure 4-1.1), and Trout Run Dam on Trout Run located west of Boyertown. There



are many smaller dams throughout the County; however, these smaller-scale dams/impoundments do not represent as great of a hazard due to their smaller capacities and inundation areas and therefore were not analyzed. The following paragraphs describe Berks County's four key high-hazard dams in detail.

Blue Marsh Dam was constructed in the mid-1970s for the purpose of flood control. The dam is owned and operated by the U.S. Army Corps of Engineers (USACE), Philadelphia District. The dam's summer flood control storage is 27,109 acre-feet while winter flood control storage is 32,383 acre-feet. According to the Blue Marsh Dam Safety Plan (September 1989), dam failure at normal pool would produce a peak flow of 217,000 cubic feet per second (cfs) with the worst-case scenario being spillway design flood with dam failure producing a peak flow of 493,000 cfs. The Blue Marsh Dam Safety Plan was finalized in March 2014. The USACE estimates that if a Spillway Design Flood with dam failure were to occur, the flood waters would reach the Schuylkill River (approximately 6 miles from the dam) 2 hours after the event and peak 1.5 hours later at an elevation of 257 feet. Just south of Reading on the Schuylkill River, flooding would begin 2.5 hours after the event, producing peak flows only 5 hours after the event and reaching an elevation of 234 feet. These elevations exceed the 500-year flood by 30 feet and would be considered a catastrophic event in the highly populated areas in and around Reading for two reasons: the significant inundation of a highly residential area and the short notification and evacuation times (under two hours). As such, the Mitigation Steering Committee selected the Spillway Design Flood with dam failure event as the maximum magnitude dam failure hazard to be studied in the plan for the Blue Marsh Dam.

Ontelaunee Dam is a concrete dam and spillway owned by the City of Reading and operated and maintained by the Reading Area Water Authority. At present, the water supply for the City of Reading is obtained solely from Lake Ontelaunee. Lake Ontelaunee was constructed in 1926 and is located about eight miles north of the City. The dam itself is 54 feet high and 550 feet long. Lake Ontelaunee has a water surface area of 1,350 acres and a capacity of 11,600 acre-feet with maximum flood capacity of 24,200 acre-feet. According to the Emergency Action Plan for the Ontelaunee Dam (December 1995; revised May 2012), the Probable Maximum Flood (PMF) would produce peak water flow of 215,270 cfs with a peak water level just downstream of the dam at an elevation of 312 feet. The PMF would correspond to a flood in excess of the 500-year flood at this location. The water treatment plant and a number of residences are located downstream on Maiden Creek and would be within the inundation area. As such, the Mitigation Steering Committee selected the PMF event as the maximum magnitude dam failure hazard to be studied in the plan for the Ontelaunee Dam.



Kernsville Dam is owned by PA DEP, is operated along with the Rausch Creek Treatment Plant, and was constructed for the purpose of trapping sediment. The dam is a 44-foot high, 1,600-foot long concrete gravity overflow dam. According to the Kernsville Emergency Action Plan (May 2002), the normal pool is 583 acre-feet with a 1,260-acre-foot impoundment area. The inundation area resulting from a sudden dam failure would extend 20 miles down the Schuylkill River to Muhlenberg Township, just north of Reading. The inundation area would range in width from 1,000 feet to 3,000 feet and would affect Hamburg, Shoemakersville, Dauberville, and Leesport. The inundation area, if the dam were to breach, would include approximately 3,000 residences, 800 homes, and 90 businesses. No schools, hospitals, nursing homes, or day care centers are located within the inundation area. As such, the Mitigation Steering Committee selected this sudden dam failure event as the maximum magnitude dam failure hazard to be studied in the plan for the Kernsville Dam. In April 2017, PA DEP proposed removing the dam, dependent on state funding.

Lake Antietam Dam is owned by Berks County and operated by the Reading Area Water Authority. According to the Lake Antietam Dam Emergency Action Plan (January 1999; revised August 2004), the dam is a 60-foot high, 230-foot long stone masonry structure. The normal pool elevation is 264 acre-feet with the maximum pool elevation at 430 acre-feet. The inundation area resulting from a sudden failure includes portions of Stony Creek Mills, St. Lawrence, Lower Alsace, and Exeter Townships. This inundation area includes approximately 200 homes, 6 businesses, and a school with approximately 560 persons. The population affected could total 1,200 residents. As such, the Mitigation Steering Committee selected this sudden dam failure event as the maximum magnitude dam failure hazard to be studied in the plan for the Lake Antietam Dam.

Trout Run Dam is owned by Boyertown Borough and is operated by Severn Trent Environmental Services. Trout Run Dam is a 105-foot high, 460-foot long earthen embankment dam and contains 1,169 acre-feet of water with a maximum capacity of 1,652 acre-feet. The inundation area resulting from a sudden dam failure includes portions of Earl, Amity, and Douglass Townships in Berks County and West Pottsgrove Township and the Borough of Pottstown in Montgomery County. The immediate inundation area encompasses 150 to 175 homes, with an estimated total population of 500 people. As such, the Mitigation Steering Committee selected this sudden dam failure event as the maximum magnitude dam failure hazard to be studied in the plan for the Trout Run Dam.

#### **4.3.1.1 Future Occurrence – Dam Failure**

As previously stated, Berks County has five high-hazard dams as well as a number of smaller dams throughout the County. There are no recorded incidents of dam failures in Berks County, and future occurrences are not likely as long as dam maintenance and inspections continue on a regular basis to prevent failure. There are a number of ways a dam can fail, such as foundation failure due to seepage, settling, or earthquake; the design, construction, materials, or operation were deficient; or flooding exceeds the capacity of the dam's spillway. These are all possible scenarios for Berks County's dams; however, most can be prevented with regular maintenance and repair. Dam failures, in general, are not common and are usually caused by flooding from severe storms, hurricanes, and prolonged periods of precipitation.

In the past few years, Pennsylvania has been actively removing obsolete, low-head dams across the state that do not provide drinking water or create reservoirs for flood control. Berks County has had 11 dams removed since 2000, 2 of which were removed in the past 5 years (American Rivers). In addition, one of Berks County's high-hazard dams, the Kernsville Dam, is planned to be removed by PA DEP in the near future. No new dams are planned to be constructed in Berks County, and the Commonwealth will continue to remove obsolete dams, therefore reducing the already-low chance of dam failure in the future.

#### **4.3.2 Drought**

Much like the rest of Pennsylvania, Berks County is subject to periodic droughts that impact the County's ability to meet all of its water needs. As defined by FEMA, a drought is the consequence of a natural reduction in the amount of precipitation expected over an extended period of time, usually a season or more in length. Unlike some hazards, droughts are not specific to certain parts of the County. Rather, a drought is likely to impact the County in a relatively uniform fashion with only minor localized variations in rainfall amounts of specific storm events. As such, it is not practical to map drought occurrence at the County level.

The effects of a drought can be far-reaching and typically include reduced productivity of aquatic resources, mandatory water use restrictions, well failures, cutbacks in industrial production, agricultural losses, and limited recreational opportunities. Numerous indices have been developed to define the severity of droughts. Some of the more commonly used indices include the Palmer Drought Severity Index, Crop Moisture Index, departure from normal precipitation, accumulated departure from normal stream flow, low-flow frequency estimates,

groundwater levels, and lake/water storage levels. Ultimately, the severity of a drought event is determined by its aerial extent when combined with its intensity and duration. Similarly, the frequency or probability of occurrence of a given drought event is calculated as a function of its intensity and duration (i.e., how bad was it and for how long). As such, the statistical analysis for determining the probability of drought events is similar to that used for calculating the return interval of flood events and results in a “percent chance” for a more severe event to occur.

Analysis of Berks County’s disaster history (see Table 4-1) indicates that there have been six disaster declarations since 1958 as the result of drought. These events occurred in 1963, 1965, 1980, 1995, 1999, and 2002. In January 1999, the Delaware River Basin Commission (DRBC) declared a conditional drought emergency due to low reservoir levels. Later that year (July 20, 1999), Pennsylvania’s Governor declared a drought emergency in 55 counties in the Commonwealth, including Berks County. The USGS operates 14 wells in the Delaware River Basin portion of Pennsylvania; in August, 12 wells were reporting below-normal levels, including BE-623 in Berks County, which set a new record low level for August and for the period of record (January 1975 to date), regardless of month. Across the state, agricultural losses were reported between 40% and 70% that summer. On August 9, Governor Ridge requested a federal drought disaster declaration, which would open the door for farmers to recoup losses. According to the Berks County Farm Service Agency, 1999 was the worst drought for Berks County in the recent past. As such, the Mitigation Steering Committee selected the 1999 drought event as the maximum magnitude of drought hazard for study in this plan.

#### **4.3.2.1 Future Occurrence – Drought**

There have been six disaster declarations for drought since 1958 (Table 4-1) in Berks County, indicating that droughts occur frequently. The chance of drought is dependent on seasonal weather patterns, although most droughts in Pennsylvania begin with minimal snowfall through the winter, thus decreasing the groundwater table index. Meteorologists believe increases in drought will be reflected by the increases in vast climate change, as described below (TWC). Dry weather is common in Berks County during the mid- to late-summer months and sometime early fall. As such, future occurrences of drought are likely to be common and frequent.

The drought of 2015 reminded residents of Berks County how important water conservation can be during times of below-average precipitation. Residents recalled how February 2015 had above-average temperatures, initiating spring in the middle of meteorological winter. These increased durations of above-average temperatures and delayed spring precipitation resulted in

the eventual drought of 2015. Relief from the drought was resolved by tropical rains in September 2015.

Climate change also plays a role in predicting future occurrences of drought. Although climate change is predicted to increase precipitation events, elevated temperatures will also cause increased evapotranspiration (warmer air can hold more water vapor). According to the National Weather Service, climate change will cause an accelerated hydrologic cycle which will result in more severe droughts. The future of drought frequency cannot be predicted, but recent weather conditions indicate that the start of Summer 2018 will not likely to experience a drought due to the frequent late-spring rain.

Continued adherence to the mitigation items provided in this plan will help reduce the potential effects of droughts in Berks County.

### **4.3.3 Flooding**

As with many communities in Pennsylvania, Berks County is susceptible to the problems and hazards associated with flooding. Within Berks County, most flooding typically occurs when a channel (i.e., a river, creek, stream, or ditch) receives too much water and the excess flows over its banks onto the adjacent floodplain. This type of flooding is known as riverine (or overbank) flooding and is generally a problem only where there has been development in the floodplain. Riverine flooding in an undisturbed floodplain is a natural process that has been occurring for millennia with little or no adverse consequences. It is only in recent history that natural floodplains have been altered by human encroachment, giving rise to flooding as a potentially devastating natural hazard. Within Berks County, there are numerous places where homes, businesses, and even industries have been constructed in a floodplain. As such, flooding is a potentially significant natural hazard that Berks County must face.

In addition to basic riverine/overbank flooding (such as what occurs on the Schuylkill River, Maiden Creek, Tulpehocken Creek, and Manatawny Creek), Berks County is also susceptible to a modified form of riverine/overbank flooding known as flash flooding. Unlike larger rivers, which may take up to two or more days to rise and crest, many of the County's streams and water-courses are subject to flash flooding. Flash floods occur in hilly and mountainous areas where surface water runoff enters a drainage channel during and/or immediately following a significant storm event or in urban areas where pavement and drainage improvements speed runoff to a stream. As such, flash flooding is characterized by a rapid rise in water levels and higher-velocity flows. Flash floods tend to be particularly dangerous and destructive because there is typically



**2004 Flooding on Manatawny Creek**

little or no warning time and people are caught unaware. All flash floods strike quickly and end swiftly. Berks County experienced a severe flash flooding event in June 2001 that caused an estimated \$15 million in damage. The County was declared a federal disaster. Storm precipitation estimates were between six and eight inches across the northern and southwestern portions of the County. In Reading, a 20-foot section of the Angelica Lake Dam collapsed, washing away Morgantown Road (S.R. 0010). Seven people were evacuated from their homes, and several water rescues were necessary. Another flash flood event in July 2004 hit Berks County rather hard, leaving \$2.1 million in damages with storm totals between five and six inches. Over 13 inches of precipitation fell in July at Reading Regional Airport, the wettest July on record and the third wettest month on record.

Figure 4-1.1 indicates that Berks County has a well-developed drainage network consisting of numerous first-, second-, and third-order streams. Several larger watercourses (e.g., Tulpehocken Creek, Maiden Creek, Manatawny Creek, and the Schuylkill River) also traverse the County. As evidenced by Figure 4-1.1, most of these watercourses have delineated




floodplains established by FEMA through the NFIP. These delineated floodplains show the estimated area of inundation associated with the 100- and 500-year storm events.

As part of the updated plan, Figure 4-1.2 was developed to compare the updated FEMA 100-year floodplain, adopted by Berks County in March 2017, to the previous FEMA 100-year floodplain (2012). Figure 4-1.2 illustrates the changes to the updated 2017 100-year floodplain in green for Zone AE and in purple for Zone A, as defined in the legend. The original FEMA 100-year floodplain (2012) is shown in blue. The purpose of the new Figure 4-1.2 is to highlight the areas where the 2017 updated 100-year floodplain was expanded. Figure 4-1.1 only includes the current (2017) 100-year floodplain for reference.

Review of FEMA's Provisionally Accredited Levees (PALs) identified three levees within Berks County that were reviewed for PAL status. According to FEMA, whenever a community with an existing levee updates its FIRMs, the levee owner is required to provide proper documentation to certify that the levee still meets the minimum federal requirements. The PAL process allows levee owners to document the conditions of the levee without using a professional engineer. Of the three levees within Berks County that were reviewed under the PAL conditions survey, only the Bernville Levee System was found to be an accredited levee. The Schuylkill River Floodwall System was determined ineligible, and the Trout Run Floodwall System was listed as de-accredited. Figures 4-1.1 and 4-1.2 illustrate the locations of the referenced levees.

For most communities that participate in the NFIP (see Table 4-3), FEMA has prepared a detailed FIS. The FIS presents water surface elevations for floods of various magnitudes, including the flood that has a 1% probability of being equaled or exceeded in any given year (also called the 100-year flood or base flood) and the flood that has a 0.2% probability of being equaled or exceeded in any given year (also called the 500-year flood). The water surface elevation of the 100-year flood event is called the base flood elevation (BFE). BFEs and the boundaries of the 100- and 500-year floodplains are shown on the participating community's FIRMs. For participation in the NFIP, FEMA has established the 100-year floodplain as the regulatory standard for local floodplain management purposes. As such, the Mitigation Steering Committee selected the 100-year floodplain (see Figure 4-1.1) as the maximum magnitude of flood hazard for study in this plan.



**Legend**

- Emergency Action Plan Approved Dams
- Blue Marsh Dam
- Lake Antietam Dam
- Lake Ontelaunee Dam
- New Kernsville Dam
- Trout Run Dam
- 100-Year Floodplains (2012)

**100-Year Floodplains (2017)**

- Flood Zone**
- A
  - AE
  - Streams
  - State Roads
  - Interstates
  - US Routes
  - Township
  - Borough
  - City
  - Bernville Levee System - Provisionally Accredited Levee
  - Schuylkill River Floodwall System - Provisionally Ineligible Levee
  - Trout Run Floodwall System - Provisionally De-accredited Levee



*Disclaimer: This map was created for planning purposes only and is not intended for other uses.*

SKELLY and LOY, Inc.	AUGUST 2017	Figure 4-1.2
<b>Berks County Hazard Vulnerability Assessment and Mitigation Plan Update</b> <b>FLOODING HAZARDS COMPARISON</b> Berks County, Pennsylvania		
Job No: R16-0176.000	Scale: 1" = 20,000'	

**TABLE 4-3  
BERKS COUNTY NFIP PARTICIPATION STATUS BY MUNICIPALITY**

MUNICIPALITY	COMMUNITY ID#	DATE OF ENTRY	CURRENT EFFECTIVE MAP	POLICIES IN FORCE	INSURANCE IN FORCE (\$)	WRITTEN PREMIUMS IN FORCE
Albany Township	421046	09/30/88	07/03/12	26	2,397,900	11,632
Alsace Township	421376	04/01/81	07/03/12	2	205,800	2,497
Amity Township	420124	07/18/77	07/03/12	44	9,803,000	49,327
Bally Borough	420125	08/01/01	07/03/12	0	0	0
Bechtelsville Borough	420126	05/15/84	07/03/12	26	5,188,000	34,952
Bern Township	421050	11/19/80	07/03/12	6	1,639,100	7,743
Bernville Borough	421051	12/06/83	03/21/17	2	560,000	791
Bethel Township	421052	07/15/88	07/03/12	3	700,000	1,072
Birdsboro Borough	420127	12/18/79	07/03/12	18	3,784,600	25,326
Boyertown Borough	420128	06/25/76	07/03/12	0	0	0
Brecknock Township	421053	06/15/81	07/03/12	5	902,500	3,951
Caernarvon Township	421055	01/16/81	07/03/12	9	4,755,100	23,859
Centerport Borough	420129	07/16/82	07/03/12	3	386,300	2,254
Centre Township	421056	12/16/80	03/21/17	10	2,136,200	8,244
Colebrookdale Township	421057	05/01/84	07/03/12	17	4,046,700	17,803
Cumru Township	420130	10/03/79	07/03/12	29	7,335,100	37,167
District Township	421378	08/19/85	07/03/12	1	26,600	509
Douglass Township	420131	08/15/77	07/03/12	32	6,077,900	62,924
Earl Township	420132	07/18/77	07/03/12	13	2,366,600	11,480
Exeter Township	421063	03/15/82	07/03/12	72	14,689,800	71,050
Fleetwood Borough	420133	02/02/89	07/03/12	5	1,410,000	5,727
Greenwich Township	421067	02/17/89	07/03/12	14	2,233,800	16,335
Hamburg Borough	420134	02/15/80	07/03/12	80	9,022,100	93,735
Heidelberg Township	421069	05/03/90	03/21/17	11	4,421,400	17,939
Hereford Township	421379	05/03/90	07/03/12	4	953,400	6,136
Jefferson Township	421071	09/01/87	03/21/17	4	548,200	2,134
Kenhorst Township	420135	02/15/78	07/03/12	1	206,700	883
Kutztown Borough	420136	05/02/77	07/03/12	52	11,974,500	141,506
Laureldale Borough	422646	11/30/78	NSFHA	0	0	0
Leesport Borough	420138	05/16/77	07/03/12	18	3,415,500	31,026
Lenhartsville Borough	420139	02/17/89	07/03/12	1	350,000	415
Longswamp Township	421380	07/03/90	07/03/12	6	1,750,000	2,307
Lower Alsace Township	420140	07/05/77	07/03/12	25	4,304,400	16,559
Lower Heidelberg Township	421077	08/16/82	03/21/17	13	3,295,200	6,227
Lyons Borough	N/A	N/A	N/A	N/A	N/A	N/A
Maidencreek Township	421078	03/16/81	07/03/12	13	3,570,000	4,908
Marion Township	421079	03/02/89	07/03/12	6	1,350,700	3,831
Maxatawny Township	421381	11/05/80	07/03/12	13	2,395,400	16,231
Mohnton Borough	420142	07/02/80	07/03/12	10	3,276,200	15,511



**TABLE 4-3  
(CONTINUED)**

MUNICIPALITY	COMMUNITY ID#	DATE OF ENTRY	CURRENT EFFECTIVE MAP	POLICIES IN FORCE	INSURANCE IN FORCE (\$)	WRITTEN PREMIUMS IN FORCE
Mount Penn Borough	420143	07/31/78	NSFHA	0	0	0
Muhlenberg Township	420144	09/01/77	07/03/12	99	21,657,100	158,150
New Morgan Borough	422755	04/20/98	07/03/12	0	0	0
North Heidelberg Township	421086	03/18/83	03/21/17	4	1,020,000	2,405
Oley Township	420965	09/14/90	07/03/12	26	5,559,100	30,238
Ontelaunee Township	420966	06/01/77	07/03/12	20	5,139,000	36,769
Penn Township	421091	07/15/88	03/21/17	1	132,000	2,075
Perry Township	421093	08/16/82	07/03/12	23	3,253,300	21,110
Pike Township	421382	07/18/83	07/03/12	10	1,337,300	6,968
Reading City	420145	09/29/78	07/03/12	51	27,053,600	240,328
Richmond Township	421096	09/17/82	07/03/12	14	2,603,400	11,869
Robeson Township	420146	09/03/80	07/03/12	53	12,095,800	70,615
Robesonia Borough	420147	06/18/90	07/03/12	9	2,256,600	7,340
Rockland Township	421098	09/02/88	07/03/12	4	1,120,000	2,672
Ruscombmanor Township	421099	02/02/89	07/03/12	3	323,000	2,811
Shillington Borough	420148	08/01/77	07/03/12	3	1,850,000	7,328
Shoemakersville Borough	420149	06/15/79	07/03/12	19	3,310,500	27,276
Sinking Spring Borough	420150	08/16/82	07/03/12	6	1,011,500	4,590
South Heidelberg Township	421107	05/17/90	07/03/12	16	4,141,100	9,014
Spring Township	421108	04/18/83	07/03/12	28	10,850,000	34,485
St. Lawrence Borough	420151	12/16/80	07/03/12	2	476,000	1,121
Strausstown Borough	420152	02/11/83	07/03/12	0	0	0
Tilden Township	421112	07/16/80	07/03/12	1	80,300	1,010
Topton Borough	420154	07/16/90	07/03/12	4	681,000	3,178
Tulpehocken Township	421115	08/04/88	07/03/12	3	656,000	1,376
Union Township	420155	08/15/77	07/03/12	37	8,291,500	42,647
Upper Bern Township	421118	11/05/82	03/21/17	0	0	0
Upper Tulpehocken Township	421120	07/16/82	03/21/17	2	425,000	1,421
Washington Township	421383	06/01/84	07/03/12	4	1,117,400	5,960
Wernersville Borough	421374	08/02/82	07/03/12	2	40,500	407
West Reading Borough	420156	03/16/76	07/03/12	17	6,496,800	69,902
Windsor Township	421125	12/16/80	07/03/12	5	1,452,600	5,040
Womelsdorf Borough	420157	10/15/85	07/03/12	2	400,000	775
Wyomissing Borough	4221375	04/18/83	07/03/12	11	4,134,800	24,731

Source: NFIP Community Status Book: <https://www.fema.gov/cis/PA.html>

\* Data current through May 2017

\*\* NSFHA: No special flood hazard area – All Zone C



In regard to past flood events, Berks County experienced flooding as a result of tropical storms/hurricanes, severe thunderstorms, and snowmelt events. Tropical storms and hurricanes typically occur between the months of June and November, with the peak season being September to October. These storms bring torrential rains and high winds and often cause flash flooding as well as overbank flooding of inland streams and rivers. Snowmelts typically occur between the months of January and April. Because the ground often remains frozen under snow, it cannot absorb the water from the melt, and large volumes of surface water runoff are produced. Extreme flooding events can occur during snowmelts when additional rainfall combines with the snowmelt runoff.

The first recorded flooding events reported in Berks County date back to the late 1700s. In 1786, an event described as the Pumpkin Freshet occurred on the Schuylkill River. Thousands of pumpkins were lifted out of the fields and taken downstream. It has been suggested that the river rose 27 feet during this flood. In the 1800s, two floods in 1850 brought the Schuylkill River up over 21 feet; the second of which, in September, sent the Penn Street covered bridge downstream. The river crested at 26.2 feet during that flood. Damages were set at \$500,000 in 1850 dollars and included 500 destroyed or damaged homes (Bernhart).

In the 20th century, several substantial flooding events were recorded in Berks County, starting with the winter of 1902. A combination of large amounts of snow, an increase in temperature, and over six inches of rain gave way to a flood that brought the Schuylkill River to 24.5 feet. The next time the Schuylkill River crested over 20 feet was on May 23, 1942, due to a series of thunderstorms; at Reading, the river crested at 22.2 feet. The Schuylkill River remained relatively quiet for the next several decades until 1972 when, along with the rest of Pennsylvania, Berks County was overwhelmed by the flooding and the associated hazards brought on by Hurricane Agnes. Hurricane Agnes is the storm of record for the Schuylkill River in Berks County. Remnants of Agnes hit the County in June 1972 just after an earlier rainfall had saturated the ground. Agnes brought as much as 18 inches of rain to some places in Pennsylvania, with Reading receiving a reported eight inches in 24 hours. The Schuylkill River crested at 4:30 A.M. on June 23, 1972, at 31.5 feet in Reading, almost three times the normal base flow of the river. Only two roads in Reading remained open; 30 city blocks were submerged, causing \$30 million in damages in Reading alone (Bernhart, p. 11).

In 1996, snowmelt, combined with rainfall, led to a large-scale flash flooding event across Pennsylvania. The combination of heavy snow, unseasonably warm temperatures, and one to two inches of rain caused severe flooding. Ten people were evacuated along the Schuylkill River



**2006 Flooding in Reading City along the Schuylkill River**

in Muhlenberg Township, and several homes were damaged. The Schuylkill River crested at 14.32 feet in Berne and 15.85 at Reading, approximately two feet higher than flood stage (NOAA).

In September 1999, Hurricane Floyd entered eastern Pennsylvania, bringing with it torrential rains and damaging winds. Flash floods were experienced throughout the area, and storm totals averaged around six inches in Berks County. The flooding from the hurricane caused several deaths and over \$2 million in damages in southeastern Pennsylvania. Hundreds of people were rescued from trapped cars and flooded creeks. The Schuylkill River crested at 13.3 feet at Berne and 14.9 at Reading, both over flood stage.

Remnants of Hurricane Ivan in September 2004 caused flooding throughout the County. Precipitation totals ranged from 2.5 to 5 inches throughout the County; the storm total in Reading was 4.18 inches. The Schuylkill River crested at 16.1 feet at Reading, the fifth highest since Hurricane Agnes. Interestingly, as illustrated when reviewing flooding events in Berks County over the last three decades, there is a marked decrease in flood elevations on the Schuylkill River. In 1955, the U.S. Congress authorized a study of the Delaware River basin. The USACE recommended building several reservoirs/dams, two of which would be in Berks County. The

Flood Act of 1962 laid the foundation for the dams to be built, the purpose of which included flood control, water quality, water supply, and recreation. Blue Marsh Lake was the only dam/reservoir to be built in Berks County (construction started in 1974); the other project was discontinued due to public opposition.

Hurricane Irene caused flooding throughout Berks County and resulted in 3.26 inches above-normal rainfall for the month of August 2011 in Reading. The majority of rainfall occurred on August 27 and 28, when 3.04 inches were received in Reading ([www.nws.noaa.gov](http://www.nws.noaa.gov)). The Governor issued a Proclamation of Emergency as a result of the flooding and wind damage. Hurricane Irene was identified as one of the top ten most damaging storms along the east coast due to the cost of repairs. As storm damage victims were recovering from the remnants of Hurricane Irene, a second – more damaging – storm was developing over the Atlantic Ocean. Berks County soils were both saturated and, to some extent, inundated prior to the arrival of Tropical Storm Lee; therefore, the majority of rainfall received resulted in stormwater runoff.

Berks County started to receive rainfall from Tropical Storm Lee on September 4, 2011, and the precipitation continued through September 8, 2011. As a result, Tropical Storm Lee was the fourth-greatest rainfall total in Berks County since 1869. The greatest rainfall totals were received in western Berks County in the range of ten inches of rain during this five-day period. Reading Regional Airport received 11.69 inches of rain for the month of September; 7.81 inches were received from Tropical Storm Lee alone.

Hurricane Sandy in October 2012 also caused flooding and severe wind damage throughout Berks County. The rainfall totaled only 2.01 inches in Reading, Pennsylvania ([www.wunderground.com](http://www.wunderground.com)), but as the eye of the hurricane traveled from east to west near the Mason Dixon line, wind gusts exceeded 60 miles per hour (mph) within Berks County. A Governor's Proclamation and the President's Declaration of Emergency Disasters were issued for this storm as severe damage was experienced as far south as North Carolina and as far north as the New England states.

June 2013 was the wettest month of the year in Berks County. Flash flooding occurred from a nearly stationary front that caused heavy rain and thunderstorms combined with extremely wet antecedent conditions on June 30. Two to three inches of rain were recorded throughout the County, and small creeks and roadways were flooded. This event prompted a Major Disaster Declaration for the County.

Heavy rain on April 30, 2014, caused widespread poor drainage and creek flooding throughout the County. The Manatawny Creek crested above flood stage, and the Schuylkill River had its highest crest since Tropical Storm Floyd in September 1999. The heaviest precipitation fell in the eastern part of the County, and totals were recorded between three and six inches.

The heavy rain was caused by a combination of a strong high-pressure system that built over the Canadian Maritimes and initiated onshore flow and a strong, but slow-moving, low-pressure system.

#### **4.3.3.1 Future Occurrence – Flooding**

As previously noted, Berks County, much like many other communities in Pennsylvania, is susceptible to the problems and hazards associated with flooding. Riverine (or overbank) flooding, including flash flooding, is the type of flooding that is most common in Berks County. Generally speaking, riverine flooding is only a problem where buildings (i.e., homes, businesses, industries, etc.) have been constructed within the floodplain. Riverine flooding of a natural, undeveloped floodplain is generally not a problem and does not pose a significant threat to life and property. Therefore, the most logical way to reduce or minimize the impacts of future flood events is to restrict or limit development in the floodplain.

Fortunately, Table 4-3 indicates that the majority of Berks County's constituent municipalities participate in the NFIP and subsequently enforce local floodplain management regulations that effectively restrict or limit development in the floodplain. As such, it is reasonable to conclude that the future impacts of flooding, when such an event occurs, would not be substantively different from those of past or historical flood events. In other words, homes and businesses that have been constructed in the floodplain (prior to the implementation of floodplain management regulations) and have been impacted by flooding in the past will likely be impacted by flooding again in the future. Conversely, all new development should be constructed in accordance with the applicable local zoning, subdivision and land development, building code, and floodplain management regulations such that vulnerability and susceptibility to flooding are significantly reduced, if not avoided altogether. Therefore, the impacts of future occurrences of flooding are less related to changes in land use and more related to the possibility of an increased frequency of occurrence.

For the purposes of this Hazard Mitigation Plan Update, it is important to note that Berks County has not been subject to any substantive changes in regional geography, physiography, land use, population, or socioeconomic conditions that would render the county any more or less susceptible to flooding than five years ago. Therefore, the key factor in determining the potential for an increased future occurrence of flooding is that of climate change. Most of the world's climate scientists agree that climate change is happening, that it is caused by human burning of fossil fuels, and that it has the potential to alter the world's weather patterns. While there is no



general consensus on exactly how climate change will impact weather patterns on a local level, the potential for increased storms, including hurricanes, does exist. This has the potential to negatively impact Berks County by increasing the future occurrence of flooding. Implementation of the mitigation strategies outlined in this hazard plan will seek to offset these future impacts.

#### **4.3.4 Hurricanes/Tropical Storms**

As previously mentioned, Berks County experienced some of its worst flooding as the result of hurricanes/tropical storms. While Berks County is located too far inland to be impacted by all of the common hazards associated with a hurricane/tropical storm event (i.e., coastal storm surge), it is susceptible to the high winds, significant rainfall, and associated flooding that can sometimes occur. Analysis of Berks County's disaster history (see Table 4-1) indicates that there have been seven disaster declarations since 1958 due to flooding associated with hurricane/tropical storm events. These events occurred in 1972 (Agnes), 1975 (Eloise), 1999 (Floyd), 2001 (Allison), 2005 (Katrina), 2011 (Lee), and 2012 (Sandy). More detailed information on hurricane/tropical storm-related flooding can be found in Section 4.3.3.

##### **4.3.4.1 Future Occurrence – Hurricanes and Tropical Storms**

As mentioned above, Berks County is located too far inland to be impacted by all of the common hazards associated with a hurricane/tropical storm event, and it does not experience the same frequency of hurricanes as more coastal regions. Hurricanes and tropical storms are not uncommon in Berks County. An increase in hurricanes and tropical storms has been trending for the East Coast in the past few years and is expected to keep increasing as a result of climate change. Berks County will most likely experience an increase in high winds, significant rainfall, and associated flooding from hurricanes and tropical storms in the future.

#### **4.3.5 Land Subsidence**


Subsidence is defined as the downward movement of surface material with little or no horizontal movement. Subsidence can occur naturally due to the physical and chemical weathering of certain types of bedrock or can be human-induced due to underground mining or excessive pumping of groundwater. Regardless of the reason for occurrence, the overall effect of a subsidence event is the same; that is, the development and eventual failure of a sinkhole, which can cause significant structural damage of buildings and/or infrastructure are present.



**Sinkhole in Sinking Spring Borough**

Berks County is susceptible to land subsidence in two regions. According to PA DCNR, there is a band of known sinkholes and surface depressions that spans the central region of Berks County. This area is within the Allentown, Ontelaunee, Epler, and Rickenbach Geologic Formations that are dolomite and limestone formations that span the County throughout Longswamp, Maxatawny, Rockland, Richmond, Maiden creek, Ontelaunee, Muhlenberg, Bern, Spring, Lower Heidelberg, South Heidelberg, Heidelberg, and Marion Townships. There is also another area south of that belt, mainly in Oley Township, where known sinkholes and surface depressions are located.

Figure 4-2 shows these sinkholes and surface depressions in Berks County. The limestone belt, as it begins in the far eastern portion of the County, is in agricultural and rural areas of the County. The same is true for the sinkhole area located in Oley Township. However, the sinkhole-prone “limestone belt” area does continue through the County just north of the City of Reading and continues west of the City where development exists. As such, the Mitigation Steering Committee identified the limestone belt and carbonate bedrock area of the County as the maximum physical extent of subsidence hazard for study in this plan.



- Legend**
- Sinkhole
  - ▲ Earthquake Epicenters
  - ✕ Quarries
  - State Roads
  - Interstate
  - US Routes
  - Streams
  - Slopes Greater Than 15%
  - Carbonate Bedrock Geology
  - Poor Cut Slope Stability

SKELLY and LOY, Inc.	AUGUST 2017	Figure 4-2
<b>Berks County Hazard Vulnerability Assessment and Mitigation Plan Update</b>		
<b>GEOLOGIC HAZARDS</b>		
Berks County, Pennsylvania		
Job No: R16-0176.000	Scale: 1" = 20,000'	

*Disclaimer: This map was created for planning purposes only and is not intended for other uses.*

#### **4.3.5.1 Future Occurrences – Land Subsidence**

Sinkholes exist within Berks County and will continue in the future given the amount of carbonate bedrock and karst geology that exists in the central and southeastern portions of Berks County. In addition, with above-average rain events, karst limestone geology can experience above-average subsidence rates. There is no physical advanced mitigation that can be completed where development (i.e., housing, transportation infrastructure, and commercial buildings) has occurred in carbonate bedrock; rather, only repair of subsidence once it occurs.

However, advanced outreach and further avoidance of land subsidence areas can prove to be beneficial for residents of Berks County. At the municipal level, avoiding the permitting of development in these areas can be controlled by zoning and subdivision ordinances. Further planning and research of the geologic resources can be completed for further avoidance.

#### **4.3.6 Landslides**

As defined by FEMA, a landslide is the downward and outward movement of earth materials reacting under the force of gravity. As such, “landslide” can be used to describe a number of different types of events displaying different movement characteristics and involving different materials. Rockslides, rock falls, mudflows, mudslides, debris flows, and debris avalanches are all types of landslide events that involve different materials moving in a different manner. Landslides typically occur when some factor (e.g., increased water content or change in load) causes the force of gravity to outweigh the forces working to hold material in place, resulting in the downslope movement of the subject material. Several natural and human factors may contribute to or influence landslides. These factors include topography, geology, precipitation, steepness of cut and fill slopes, and cut-slope stability.

According to PA DCNR:

“landslides cause damage to transportation routes, utilities, and buildings and create travel delays and other side effects. Fortunately, deaths and injuries due to landslides are rare in Pennsylvania. Almost all of the known deaths due to landslides have occurred when rock falls or other slides along highways have involved vehicles. Storm induced debris flows are the only other type of landslide likely to cause death and injuries. As residential and recreational development increases on and near steep mountain slopes, the hazard from these rapid events will also increase.”

Coordination with the PA DCNR Bureau of Topographic and Geologic Survey indicated that most landslide events in Pennsylvania tend to be human-induced. Cut and fill slopes for roadways, septic fields on sloped areas, seeps from detention areas/reservoirs, and clearing of vegetation in sloped areas are all human-induced causes of landslide events. Within Berks County, the local maintenance district of PennDOT identified one known location of previous landslide events. This area was located in a steep roadway cut along S.R. 0724, River Road, between I-176 and Route 10 (just south of Reading along the Schuylkill River near Fritz Island). A concrete wall and fence have been built to mitigate this hazard, and it is no longer considered an issue by PennDOT. Similarly, no other known landslide event locations were reported.

Figure 4-2 also shows areas in the County that have bedrock geology with poor cut-slope stability and areas with slopes greater than 15%. The combination of these two factors results in the identification of potential landslide hazard areas at the County level. As is to be expected, the vast majority of these potential landslide hazard areas are located in the northern/southern mountainous part of the County. The Mitigation Steering Committee identified these potential landslide hazard areas as the maximum physical extent of landslide hazard for study in this plan.

#### **4.3.6.1 Future Occurrence – Landslides**

Landslides are not common in Berks County and are usually due to human-induced activity. There are mountainous regions of the County that are more susceptible to landslides; if development increases in these areas in the future, it can be assumed that the risk for landslide occurrence will also increase. Rock falls and rock slides are typical landslides that occur from road cuts in mountainous areas. Clearing of vegetation in sloped areas for development can also cause landslides, especially during precipitation events. The effects of climate change are predicted to increase precipitation in the future, thus increasing the chance of landslides.

#### **4.3.7 Earthquakes**

FEMA defines an earthquake as a sudden motion or trembling caused by an abrupt release of accumulated strain on the tectonic plates that comprise the Earth's crust. Seismic activity, or activity related to earthquakes, is measured by two components: magnitude and intensity. Magnitude represents the energy released while intensity measures the effects to a particular location. While an earthquake can only have one magnitude, there can be varying intensities depending on the impact to people and property. Magnitude is most commonly

measured by the Richter Scale, where the magnitude is expressed in whole numbers and decimals. In the United States, intensity is commonly measured by the Modified Mercalli Intensity Scale that is composed of 12 increasing levels of intensity from imperceptible to catastrophic.

Compared to other regions of the world and the United States, Pennsylvania would not be considered a high earthquake activity area. However, earthquakes do occur in Pennsylvania, and Pennsylvania is also susceptible to the effects of earthquakes that have epicenters in other states like Missouri and South Carolina. According to PA DCNR, “earthquakes in Pennsylvania are most common in the southeastern and northwestern parts of the state. In the southeast, they are most frequent in the Lancaster and Reading areas, and to a lesser extent around Philadelphia.” Therefore, it is worth considering the hazard that earthquakes present to Berks County.

Earthquakes in Berks County are clustered around the Reading area; epicenters obtained from PA DCNR are depicted on Figure 4-2 and listed in Table 4-4. According to the USGS article *Earthquake History of Pennsylvania*:

“the area around Sinking Spring, west of Reading, experienced minor damage from an earthquake on January 7, 1954. Plaster fell from walls (VI), dishes and bottles tumbled from shelves, and furniture was upset. Other slight damage to several brick and frame buildings was reported. The tremor was felt in western Berks County and eastern Lancaster County. During the rest of the month, many smaller shocks were felt in the vicinity of Sinking Spring.”

**TABLE 4-4  
KNOWN EARTHQUAKES IN BERKS COUNTY THROUGH SEPTEMBER 2017**

DATE/TIME	LOCATION	MAGNITUDE	REMARKS
May 28, 1906	Geigertown	Unknown	
June 8, 1937	Reading	Unknown	
January 7, 1954	Sinking Spring	3.2 (estimate)	Aftershocks for one year
June 25, 1972	Wyomissing	Unknown	Start of a series of earthquakes that lasted a few days
August 12, 1973	Wyomissing	Unknown	
May 10, 1993	Spring Township	2.8	
January 15, 1994	Spring Township	4.0, 4.6	Two events about one hour apart; long after-shock sequence into the late 1990s
October 28, 1996	Wyomissing	2.5	May be delayed aftershock of 1994 earthquake
April 16, 2006	Sinking Spring	2.3	
August 23, 2011	Virginia	5.8	No damage

Source: PA DCNR Earthquake Hazards in Pennsylvania, ES 10 and PEMA



More recently, on January 15, 1994, an earthquake was recorded in Wyomissing Hills that registered 4.6 on the Richter Scale, the highest recorded in southeastern Pennsylvania. To profile this hazard in HAZUS, FEMA's loss estimation model, an earthquake of magnitude 5.0 is the minimum magnitude that can be analyzed. As such, the Mitigation Steering Committee has identified this earthquake as the maximum magnitude of earthquake hazard for study in this plan.

A moderately significant earthquake occurred in Virginia on August 23, 2011. The 5.8-magnitude quake was felt throughout Berks County. Although there were several office buildings evacuated, no significant damage occurred due to the Virginia earthquake.

#### **4.3.7.1 Future Occurrence – Earthquakes**

Berks County is not considered a high earthquake activity area; however, earthquakes do occur occasionally. Southern Berks County is part of the Lancaster Seismic Zone, which is caused by faults that formed around 200 million years ago when Pangea began to break apart, an event known as rifting. Given there are no active plate boundary faults in Pennsylvania such as those on the West Coast, it is anticipated that earthquakes will occur at the same rate in the future. There are no environmental or human-induced factors, such as mining or injection wells, to cause an increase in earthquakes in Berks County.

#### **4.3.8 Severe Storms**

Severe storms include thunderstorms, hailstorms, and blizzards. Thunderstorms and hailstorms are generated when a warm, moist air mass rises rapidly into the atmosphere as a result of some lifting force (e.g., colliding weather fronts, sea breezes, or orographically due to mountains). As the warm, moist air rises, it cools and the moisture condenses, forming towering cumulonimbus clouds, thunder, and lightning. When compared to hurricanes/tropical storms and winter storms, thunderstorms affect relatively small areas. The typical thunderstorm is only 15 miles in diameter and lasts an average of 30 minutes. However, despite their small size, every thunderstorm should be considered dangerous. Every thunderstorm produces lightning, which kills more people each year than tornadoes. Heavy rain from thunderstorms can also lead to flash flooding. Strong winds, hail, and tornadoes are also dangers associated with some thunderstorms. Of the estimated 100,000 thunderstorms that occur each year in the United States, only about 10% are classified as severe. A thunderstorm is considered to be severe if it produces hail at least  $\frac{3}{4}$  inch in diameter, wind 58 mph or higher, or tornadoes. Hailstorms are an outgrowth of severe thunderstorms and cause nearly \$1 billion in damage to property and crops on an annual basis in the United States.

According to NOAA, between 1950 and 2017, Berks County reported 264 occurrences of thunderstorm-high wind events and 57 occurrences of thunderstorm-related hail in excess of  $\frac{3}{4}$  inch in diameter. The largest hail ever reported in Berks County was approximately 2.5 inches in diameter (May 22, 2014). One of the most damaging thunderstorms Berks County has ever experienced occurred in June 1998, which resulted in wind gusts of 68 mph and approximately \$150,000 in damages. Amity and Oley Townships were hit hardest with about six homes damaged by falling trees. About 12,000 homes and businesses were without power. An inch of rain fell and flooded portions of Reading, submerging one car. As such, the Mitigation Steering Committee selected this thunderstorm event as the maximum magnitude severe storm hazard to be studied in this plan.

Berks County is also susceptible to blizzards and other severe winter storms (i.e., heavy snows and ice storms). Blizzards are severe winter storms that pack a combination of blowing snow and wind, resulting in very low visibilities. While heavy snowfalls and severe cold often accompany blizzards, they are not required. Sometimes strong winds pick up snow that has already fallen, creating a blizzard. Officially, the NWS defines a blizzard as large amounts of falling or blowing snow with winds in excess of 35 mph and visibilities of less than  $\frac{1}{4}$  mile for an extended period of time (greater than three hours). Blizzards and other severe winter storms can create a variety of dangerous conditions. Traveling by automobile can become difficult or even impossible due to “whiteout” conditions and drifting snow. The strong winds and cold temperatures accompanying these storms can be dangerous if people are exposed for any length of time. Threats such as hypothermia and frostbite can lead to loss of fingers and toes and can cause permanent kidney, pancreas, and liver damage and even death.

Analysis of Berks County’s disaster history (see Table 4-1) indicates that there have been 18 disaster declarations since 1958 due to severe winter storms (heavy snow and blizzards). According to NOAA, Berks County has experienced 231 snow and/or ice events between 1950 and 2017. Berks County experienced a severe winter storm in February 2003 that resulted in 22 inches of accumulated snowfall and a disaster declaration by the Governor. As such, the Mitigation Steering Committee selected this winter storm event as the maximum magnitude severe winter storm hazard for study in this plan.

The Valentine’s Day winter snow/ice storm of February 14, 2007, was one of the most memorable snow storms in Berks County. Seven inches of snow were topped with three inches of ice that day, which closed down parts of I-78, along with portions of I-81 and I-80, throughout the state. Within Berks County, there were hundreds of tractor trailers, amongst other motorists, stuck in the snow on the slopes of I-78. Fuel shortages and frozen fuel lines were part of the



challenges faced that day. Although the winter storm started on a Wednesday, PennDOT did not close down on-ramps until 8:00 A.M. on Thursday, February 15. Furthermore, the State Police did not close all the on-ramps between Exit 19 and Exit 49 of I-78 until 5:00 P.M. on February 15. Traffic continued to stack along I-78 and gain access on some on-ramps that were not closed along I-78. The National Guard and police provided food, fuel, blankets, and other supplies to the trapped motorists. With the aid of 141 pieces of heavy equipment used to clear the snow and ice, the I-78 corridor was re-opened on February 17, 2007, at 4:00 P.M.

A major nor'easter from January 22 to 24, 2016, produced record snowfall for eastern Pennsylvania. Berks County experienced some of the greatest snowfall totals in eastern Pennsylvania. Some parts of the County recorded up to 33.5 inches of snow. Wind gusts over 35 mph caused blizzard conditions and reduced visibility to one-quarter of a mile or less. One fatality in Berks County occurred as an indirect result from this event; a Muhlenberg Township man died from carbon monoxide poisoning after his idling vehicle was buried by snow from a passing plow. This event was declared a State of Emergency by the Governor on January 21 for the duration of the event. A Federal Disaster Declaration was also made for this event by President Obama.

Unlike some hazards, severe storms are not specific to select parts of the County. Rather, a severe storm could strike in any part of the County, and at any time, and could cause as much or as little damage as possible for the given magnitude event. As such, it is not appropriate to map severe storm occurrence as a method of profiling the hazard.

#### **4.3.8.1 Future Occurrence – Earthquakes**

Berks County is not considered a high earthquake activity area; however, earthquakes do occur occasionally. Southern Berks County is part of the Lancaster Seismic Zone, which is caused by faults that formed around 200 million years ago when Pangea began to break apart, an event known as rifting. Given there are no active plate boundary faults in Pennsylvania such as those on the West Coast, it is anticipated that earthquakes will occur at the same rate in the future. There are no environmental or human-induced factors, such as mining or injection wells, to cause an increase in earthquakes in Berks County.

#### **4.3.9 Tornadoes**

A tornado is a rapidly rotating column of air extending from a thunderstorm to the ground that has the potential to cause significant damage to anything in its path. Although tornadoes

occur in many parts of the world, these destructive forces of nature are found most frequently in the United States east of the Rocky Mountains during the spring and summer months. In an average year, 800 tornadoes are reported nationwide, resulting in 80 deaths and over 1,500 injuries. With wind speeds in excess of 250 mph, tornadoes are considered nature's most violent storms. Damage paths can be as wide as one mile and over 50 miles long.

Tornadoes are related to larger vortex formations and often form in convective cells such as thunderstorms or in the right forward quadrant of a hurricane, far from the hurricane eye. Tornadoes in the winter and early spring are often associated with strong frontal systems that form in the central states and move east. Occasionally, large outbreaks of tornadoes occur with this type of weather pattern. Several states may be affected by numerous severe thunderstorms and tornadoes. It is interesting to note that tornadoes may appear nearly transparent until dust and debris are picked up or a cloud forms in the funnel.

Analysis of Berks County's disaster history indicated that the County experienced a tornado in May 1998 with enough force to warrant a disaster declaration. Coordination with NOAA revealed that this particular tornado event was categorized as an F3 (158-206 mph wind speeds) according to the Fujita Tornado Scale and resulted in an estimated \$1.4 million in damage. Seven people were injured (five within the Borough of Lyons). About 40 homes were either destroyed



**1998 Tornado Damage in Lyons Borough**

or damaged in Lyons, Maiden creek, Maxatawny, and Richmond Townships. About 10,250 homes and businesses lost power. This was the first tornado of that strength to occur in southeast Pennsylvania since the Limerick Tornado on July 27, 1994, and the first F3 tornado to occur within Berks County since November 4, 1950. According to NOAA data, there have been 22 additional documented tornadoes from 1950 through 2017 in Berks County. Of the 21 documented tornadoes that have occurred in Berks County (before 2007), 2 have been categorized as F3, 8 have been categorized as F2 (117-157 mph wind speeds), 9 have been categorized as F1 (73-112 mph wind speeds), and 2 have been categorized as F0 (40-72 mph wind speeds). In 2007 the Enhanced Fujita Scale (EF) was adopted by the United States. Since 2007, there have been two recorded tornadoes in Berks County. An EF1 (86-110 mph wind speeds) occurred on July 9, 2015, in Tilden Township and an EF0 (65-85 mph wind speeds) occurred on June 19, 2017, in Shartlesville. Neither tornado was declared a disaster; however, the 2015 EF1 caused \$750,000 in damage to the Blue Mountain Elementary School and resulted in one injury.



**2015 Tornado Damage to the Blue Mountain Elementary School**

Unlike some hazards, tornadoes are not specific to select parts of the County. Rather, a tornado could strike in any part of the County, and at any time, and could cause as much or as little damage as possible for the given magnitude event. As such, it is not appropriate to map tornado occurrence as a method of profiling the hazard. Since an F3 has been the largest tornado ever recorded in Berks County, the Mitigation Steering Committee selected this magnitude as the maximum tornado hazard to be studied in this plan. According to the Fujita Tornado Scale, a

typical F3 tornado would result in severe damage including roofs and some walls torn off well-constructed houses, trains overturned, most trees in forests uprooted, heavy cars lifted off the ground and thrown, and weak pavement blown off roads.

#### **4.3.9.1 Future Occurrence – Tornadoes**

Berks County rarely experiences tornadoes. In fact, since the original Hazard Mitigation Plan was prepared for Berks County in 2007 (11.5 years ago), there have been only two recorded tornadoes. The most common tornadoes in Berks County are related to larger vortex formations and often form in convective cells such as thunderstorms. It is not uncommon for tornadoes to form on the right forward quadrant of a hurricane approaching from the Atlantic Ocean, but this scenario is very rare for Berks County.

Climate change is predicted to cause more severe weather in the future and thus increase the chances for tornadoes. It is not anticipated Berks County will become part of “Tornado Alley” anytime soon; however, emergency responders and residents need to remain prepared for potential tornadoes.

#### **4.3.10 Wildfires**


On average, Pennsylvania experiences approximately 1,000 wildfires every year. The vast majority of these wildfires (90%) are caused by people and could be easily prevented by applying simple common-sense safety practices when using fire. Fortunately, it is rare in Pennsylvania for a wildfire to consume structures. Rather, most Pennsylvania wildfires affect forested areas in rural settings that have a minimal number of permanent structures. This is not to say, however, that Pennsylvania is not susceptible to a wildfire event that could destroy a significant number of structures. This is true now more than ever, as development encroaches further into the rural countryside, often taking place in wooded mountainous settings. This concept is particularly applicable to northern and southern Berks County with its wooded, mountainous setting and its ever-increasing development potential.

Structures that are built in the wooded (and typically mountainous) settings adjacent to more urbanized areas are in the wildfire danger zone known as the Wildland/Urban Interface. As its name implies, the Wildland/Urban Interface is that general land area considered to be the fringe of suburban development where houses and other structures are typically built in or at least bordered by extensive tracts of undeveloped woodlands. Within Berks County, these extensive


tracts of undeveloped woodlands (many of which are State Game Land and State Forest Land) are primarily located in the northern part of the County (see Figure 4-3) and are considered to be wildfire hazard areas due to their mountainous topography and availability of fuel. As such, structures built in the Wildland/Urban Interface are more at risk of being destroyed by wildfire due to their close proximity to wildfire hazard areas.

Coordination with the PA DCNR Bureau of Forestry indicated that Berks County has averaged approximately 13 wildfires per year over the past 25 years. On average, these wildfires account for approximately 39 acres of burned area per year, which equates to an estimated average burned area of three acres per fire. The largest wildfire in Berks County in the last 100 years, known as the Hopewell Wildfire, resulted in approximately 740 acres of burned woodland as described below. Figure 4-3 shows the likely areas of Berks County that would be most susceptible to wildfires due to their forested land cover. This figure also shows the Wildland/Urban Interface structures throughout the County that would be subject to the greatest risk of destruction by wildfire. As such, the Mitigation Steering Committee identified this wildfire hazard area as the maximum physical extent of Berks County's wildfire hazard to be studied in this plan.

The Hopewell Wildfire, which started on April 9, 2012, in southern Berks County, required over 200 firefighters from surrounding municipalities for it to be contained. The Hopewell Wildfire was centered around French Creek State Park and spread to parts of Union Township, Berks County, and North Coventry and Warwick Townships, Chester County. High winds, combined with dry conditions and fuel loading from downed trees from the October 2011 snow storm, resulted in perfect conditions for a wildfire that was uncontained for nearly a week. An After Action Review meeting was held on May 2, 2012, at the North Coventry Fire Company. Stakeholders from the U.S. Forest Service, PA DCNR, PEMA, local volunteer fire departments, and various other participants that helped contain the wildfire met to discuss the outcome of the fire. The stakeholders acknowledged that communications between the various participants was the greatest challenge. It was noted that eight different radio frequencies were used, and the topography of the site caused communication limitations. In addition, problems with direct oral communication were experienced because group leaders could not be identified due to uniforms lacking identification. High winds prevented an aerial assault on the first day of the fire. Communication with the bull dozer operator was also discussed. Obtaining aerial mapping of the site was also a challenge at the beginning of the fire. Despite the challenges, there were no significant injuries upon containment of the wildfire. Figure 4-4 summarizes the boundary of the wildfire.




Disclaimer: This map was created for planning purposes only and is not intended for other uses.



**Legend**

- Streams
- State Roads
- Interstates
- US Routes
- Townships
- Forested Area
- Wildland/Urban Interface Structures

SKELLY and LOY, Inc.	AUGUST 2017	Figure 4-3
<b>Berks County Hazard Vulnerability Assessment and Mitigation Plan Update</b>		
<b>WILDFIRE HAZARDS</b>		
Berks County, Pennsylvania		
Job No: R16-0176.000	Scale: 1" = 20,000'	



UNION TOWNSHIP

BERKS COUNTY  
CHESTER COUNTY

NORTH COVENTRY TOWNSHIP

French  
Creek  
State Park

WARWICK TOWNSHIP


SKELLY and LOY, Inc.      AUGUST 2017      Figure 4-4

Berks County Hazard Vulnerability  
Assessment and Mitigation Plan Update

**HOPEWELL FIRE LOCATION MAP**

Berks County, Pennsylvania

*Legend*

 Perimeter Boundary of Hopewell Fire

Approximate Area Burnt = 740 acres  
Image Source: ArcGIS Map Service  
[http://goto.arcgisonline.com/maps/NatGeo\\_World\\_Map](http://goto.arcgisonline.com/maps/NatGeo_World_Map)

Job No: R16-0176.000

Scale: 1" = 2000'

A more recent forest fire occurred on November 21, 2016, on Mount Penn in Reading. The fire started above Hampden Park, near Reading High School, and a combination of dry conditions and high winds caused the fire to spread quickly up the mountain. More than 100 firefighters from the region responded, including some from as far away as Pottstown in Montgomery County. More than 50 acres of forest on Mount Penn burned. The PA DCNR Bureau of Forestry declared the fire completely extinguished one week after it began. No injuries or property/structure damages were reported. There were no evacuations needed, and no homes were in danger.

#### **4.3.10.1 Future Occurrence – Wildfires**

As discussed above, Berks County has averaged approximately 13 wildfires per year over the past 25 years. On average, these wildfires account for approximately 39 acres of burned area per year, which equates to an estimated average burned area of three acres per fire. For comparison, Pennsylvania experiences approximately 1,000 wildfires every year. The vast majority (90%) of these wildfires are caused by people and could easily be prevented by applying simple, common-sense safety practices when using fire.

There are no indicators that another large wildfire, such as the Hopewell fire, will consume 740 acres of forest. However, as climate changes seem to be occurring more frequently and land use changes occur with more urban development in the Wildland/Urban Interface, the risk of wildfires is not likely to decrease. As part of this Berks County Hazard Mitigation Plan Update, the importance of continued education and public outreach will dictate the severity and frequency of future wildfires. The mitigation provided in this plan will help to alleviate the risk of future wildfires.

#### **4.3.11 Radon**

Radon is a radioactive, colorless, odorless, tasteless gas. Radon can occur in some spring waters, but its greatest hazard is found in concentrations that accumulate in attics and basements of buildings. It is caused by the natural breakdown of uranium that can be found in soil, rocks, and water. Studies have found that breathing high concentrations of radon can cause an increased risk of lung cancer. According to the U.S. EPA, radon is the leading cause of lung cancer, causing 21,000 deaths per year in the United States for non-smokers. The U.S. EPA estimates that 1 in 15 homes in the United States have elevated levels of radon.



Given that radon is a gas, it is often overlooked as a threat to personal well-being. The purchase of a home is usually when residential structures are tested for radon; however, testing should occur periodically. Home test kits for short-term tests are inexpensive and can be completed in only a few minutes. The test kits measure picocuries per liter (pCi/L) of air and can be purchased at a local hardware store. A qualified radon tester could also be hired to conduct a radon test. Long-term radon tests can also be completed to determine a home's yearly average of radon content. The long-term radon test lasts 90 days.

Radon test results greater than 4 (pCi/L) are classified as the U.S. EPA's action guideline. Mitigation is recommended to structures above 4 pCi/L. If the radon tests results are less than 4 pCi/L, then the PA DEP Bureau of Radiation Protection, Radon Division recommends radon testing in both residential structures and commercial structures every two years. PA DEP also recommends radon testing upon completion of any structural alterations to the residential or commercial property.

Review of the Pennsylvania 2013 All-Hazard Mitigation Plan indicates all of Berks County is located within Zone 1 for high radon potential. Counties located within the high radon potential zone have a predicted average indoor radon screening of greater than 4 pCi/L. According to PA DEP, 54% of Berks County homes have radon levels greater than 4 pCi/L. Appendix I illustrates the radon hazard levels within Berks County.

#### **4.3.11.1 Future Occurrences – Radon**

As stated above, radon is a radioactive, colorless, odorless, tasteless gas. Radon can occur in some spring waters, but its greatest hazard is found in concentrations that accumulate in attics and basements of buildings. It is caused by the natural breakdown of uranium that can be found in soil, rocks, and water. Studies have found that breathing high concentrations of radon can cause an increased risk of lung cancer.

According to PA DEP, 54% of Berks County homes have radon levels greater than 4 pCi/L. Appendix K illustrates the radon hazard levels within Berks County. Review of the Pennsylvania 2013 All-Hazard Mitigation Plan indicates all of Berks County is located within Zone 1 for high radon potential. Counties located within the high radon potential zone have a predicted average indoor radon screening of greater than 4 pCi/L.


Future occurrences of radon can be managed by testing structures at the time of purchase to inform new homeowners of the radon levels and to ensure mitigation is completed. Given the colorless, odorless, and tasteless gas that is radon, individuals will continue to ignore warnings

and testing requirements as it is an “out of sight, out of mind” type of hazard. It is unlikely the effect of radon will decrease over time given the increased rates of residential construction in Berks County and the fact that effects do not occur in short time periods (i.e., less than a year).

### 4.3.12 Technological Hazards

Technological Hazards originate from technological or industrial accidents, dangerous procedures, infrastructure failures, or specific human activities that may cause the loss of life or injury, property damage, social and economic disruption or environmental degradation. In 2007 Berks County identified several hazards that fit into this category, such as nuclear radiation associated with the Limerick Nuclear Generating Station, dam failures (Hazard Event Profile 4.3.1) and inundation areas for five of the County’s high-hazard dams, and terrorism. Technological Hazards has been added to the 2018 Hazard Mitigation Plan to encompass a broader range of existing hazards not uncommon to Pennsylvania or Berks County. Transportation emergencies or incidents affecting infrastructure are common and relatable technical hazards. From 2007 to 2017 Berks County experienced 314 reported incidents related to transportation and infrastructure. Of these 314 incidents, 119 involved some form of motor vehicle accident significant enough in nature to cause road closures (see the following chart for accidents with fatalities).

### Traffic fatalities



Highcharts

(Reading Eagle, August 24, 2017)



Large volumes of hazardous materials are transported through Berks County by highway, rail, and pipeline. The most serious transportation concern involves various highway routes throughout the County. The greatest risk and most challenging of these highways is Interstate 78 due to the limited access. Interstates 78 and 176 contribute to long backlogs and the potential for additional accidents, with exits in sparsely populated areas. These roadways are inadequate to handle large volumes of commercial traffic.

#### **4.3.12.1 Cyber Security and Cyber Attacks**

Cyber security attacks respect no boundaries. Victims and perpetrators can be anywhere on the globe as long as they are connected to the Internet. Though many of the cyber attacks are initiated by criminals seeking to make money through some scheme, hackers with no criminal intent may create attacks for the intellectual thrill of it. Also, attacks to cyber security may be initiated as part of a terrorist action or other form of protest. In all cases, they are criminal acts that can result in significant damage or theft of money or identity. Significant damage to any computer systems with access to the Internet can be initiated by remote sources that intrude into operating systems to erase data, extract data, manipulate data, implant malicious software codes that further control operating system functions, or destroy the operating system and associated software. Attacks come in various forms and respect no boundaries, originating from anywhere in the world. Even attacks that do not penetrate a computer's operating system can cause disruptions if multiple service requests sent to a victim's computer overwhelms the system, causing it to freeze, reboot, and ultimately not able to carry out regular tasks. Other forms of attacks involve various deceptive schemes or social engineering which induce people to do things they would not do ordinarily.

As more business is transacted through the Internet and more people rely on Internet access, the potential for cyber disruption becomes more of a concern. Cyber security incidents may include, but are not limited to, the following events (regardless of platform or computing environment).

- Unauthorized access to a network, system, and/or data
- Repeated attempts at unauthorized access (from either internal or external sources)
- System changes not authorized by nor known to the system owner

- Denial of Service (DoS) attack or other disruptions to service
- Evidence of tampering with, removal of, or loss of data
- Website defacement
- Social engineering incidents
- Theft of, or non-accidental physical damage to, information systems
- Malware attacks adversely affecting servers or workstations

Since the development of the Internet, various forms of disruptive attacks have been made for a variety of reasons. Initially, many of attacks appeared to result from an odd sense of intellectual curiosity in which hackers were trying to outwit new forms of technology for sheer thrill. As the economic power of the Internet became evident, more attacks were initiated to steal money and information. Today, Internet crime is a billion-dollar enterprise operating at all points of the globe.

Large-scale cyber incidents may overwhelm government and private-sector resources by disrupting the Internet and/or taxing critical infrastructure information systems. In most cases, temporary disruption and inconvenience may be the result.

Significant attacks may threaten lives, property, the economy, and national security. For example, the loss of computer control on various mechanical and environmental systems could lead to system failures and potential pollution threat. More critically, the loss of computer support for critical security, defense, or medical systems could result in injury or death.

#### **4.3.12.2 Future Occurrences – Technological Hazards**

As documented as part of the Hazard Mitigation Plan, technological hazards are on the rise across Berks County and beyond. Computer hacking crimes have increased through cyber-hacking and other related cybercrimes. While technology advances, so does the security required to maintain computer operating systems within the local governments of Berks County.

On a larger scale, traffic-related incidents are on the rise in Berks County as motorists travel through the Keystone State to and from New York City and the New England states. As of 2015, over 48,000 vehicles travel across I-78 through Berks County on a daily basis. Significantly high amounts of truck traffic (30%, or 14,400 trucks) travel along I-78 through Berks County on a daily basis; therefore, the potential for severe accidents has continued to increase. Some of these

trucks haul hazardous material, such as petroleum products, while the rest is shipped in trains and pipelines. Increased construction of warehouses and inexperienced truck drivers continue to demonstrate their lack of driving skills, as evidenced by the accidents that result in road closures.

Future cyberattacks can be avoided only by continuing to upgrade antivirus software and firewalls to prevent viruses. Traffic accidents cannot be prevented due to human nature and increased traffic speeds with only minor improvements to the transportation infrastructure. Increased digital message boards to communicate with motorists is defined mitigation that seems to work well related to weather and stopped traffic ahead. Other mitigation opportunities will continue to be explored to reduce technological hazards.

#### **4.4 HAZARD VULNERABILITY SUMMARY**

##### **4.4.1 Methodology**

Asset identification is a critical step in the hazard mitigation planning process. Inventorying existing structures and identifying critical facilities provide insight into the County's vulnerability to select hazards and the magnitude of the potential damages from those hazards. As such, asset identification was conducted as a phased process that involved municipal coordination, public input, GIS data analysis, Internet research, review of local emergency management plans, and limited field reconnaissance.

The first task of the asset identification focused on the identification and mapping of critical facilities throughout the County. These facilities are often structures in which vital community operations are performed and are therefore very important to protect against the impacts of natural hazards. There is not a specific definition of "critical facility" by FEMA; rather, communities are encouraged to evaluate their own facilities and determine which would be necessary during an emergency event. As such, critical facilities typically fall into two general categories:

1. buildings or locations vital to the hazard response effort (i.e., Emergency Operations Centers [EOCs], police, fire and EMS stations, hospitals/mass care centers, evacuation centers/emergency shelters, communications facilities, schools, etc.); and
2. buildings or locations that, if impacted, would create secondary disasters (i.e., hazardous materials facilities, water/wastewater treatment plants, etc.).

After the critical facilities were identified and mapped (updated August 2017), the focus of the asset identification shifted to assessing vulnerability on a per-hazard basis. Based on the hazard event profiling that was described in the previous section, GIS data analysis was used to inventory the total number of structures as well as the critical facilities that are potentially vulnerable to the identified hazards. As previously mentioned, natural hazards such as drought, hurricanes/tropical storms, tornadoes, earthquakes, and severe storms are not appropriate to be mapped at the County level as they are likely to impact the entire County or undefined locations within the County. As such, the entire County must be considered vulnerable to these hazards. In regard to the other identified hazards (i.e., dam failure, flooding, land subsidence, landslides, and wildfires), Table 4-5 lists the total number of vulnerable structures and vulnerable critical facilities by municipality for the profiled hazard event. Information reported in Table 4-5 was used to estimate potential losses from the profiled hazard events.

In addition to critical facilities, Berks County contains “at risk” populations that must be factored into the vulnerability assessment. These include a relatively large population of elderly residents with limited mobility located in several dozen senior centers throughout the County, the inmate populations of the Berks County Prison and Berks County Youth Center in Bern Township, and the resident patients at Wernersville State Hospital in South Heidelberg Township.

In regard to the future development of additional critical facilities, the BCPC indicated in the Berks County Comprehensive Plan “Berks County Comprehensive Plan 2030” that the County is expected to experience continued growth over the next 12 years. Growth areas were developed to include a range of services and facilities as well as commercial, residential, institutional, and industrial land uses that should accommodate the growth anticipated. The growth areas are focused around areas already developed with existing infrastructure services including sewer, water, highways, police, fire protection, schools, parks, and other services. While any future development will be susceptible to drought, hurricanes/tropical storms, tornadoes, and severe storms, the contents of this Hazard Mitigation Plan (once adopted) can be incorporated into the Comprehensive Plan to help ensure less hazard-prone development. In addition, enforcement of local codes and ordinances as recommended to be amended herein should minimize vulnerability to flooding and other hazards.

**TABLE 4-5  
BERKS COUNTY ASSET VULNERABILITY BY MUNICIPALITY**

MUNICIPALITY	DAM FAILURE*		FLOODING*		LAND SUBSIDENCE		LANDSLIDES		WILDFIRES	
	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES
Albany Township			114	0	0	0	0	0	80	1
Alsace Township			21	0	193	0	60	0	183	0
Amity Township			210	1	728	1	580	1	660	0
Bally Borough			0	0	179	0	2	0	0	0
Bechtelsville Borough			158	3	372	3	45	0	19	0
Bern Township			74	0	1,278	11	0	0	140	1
Bernville Borough			46	4	0	0	0	0	7	0
Bethel Township			50	0	13	0	0	0	265	0
Birdsboro Borough			180	5	0	0	387	1	135	0
Boyertown Borough			2	0	206	1	76	1	1	0
Brecknock Township			36	2	0	0	43	0	351	1
Caernarvon Township			24	0	989	5	149	0	224	0
Centerport Borough			9	0	0	0	0	0	0	0
Centre Township			102	0	185	1	0	0	87	0
Colebrookdale Township			115	3	453	0	161	0	143	0
Cumru Township			168	1	2,304	10	233	4	619	4

**TABLE 4-5  
(CONTINUED)**

MUNICIPALITY	DAM FAILURE*		FLOODING*		LAND SUBSIDENCE		LANDSLIDES		WILDFIRES	
	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES
District Township			11	0	11	0	67	0	107	0
Douglass Township			171	0	189	0	296	1	84	0
Earl Township			60	0	492	0	66	0	227	0
Exeter Township			434	2	4,232	12	1,303	1	1,273	1
Fleetwood Borough			19	0	2,150	15	0	0	10	0
Greenwich Township			154	0	0	0	0	0	116	0
Hamburg Borough			366	3	0	0	0	0	13	0
Heidelberg Township			37	0	510	2	1	0	86	0
Hereford Township			97	1	103	1	103	0	313	0
Jefferson Township			24	0	44	0	0	0	71	0
Kenhorst Borough			31	0	1,748	3	0	0	0	0
Kutztown Borough			174	3	2,105	12	0	0	1	0
Laureldale Borough			0	0	1,288	9	0	0	0	0
Leesport Borough			115	3	719	5	0	0	45	0
Lenhartsville Borough			16	0	0	0	0	0	2	0
Longswamp Township			79	0	1,164	7	24	0	170	0



**TABLE 4-5  
(CONTINUED)**

MUNICIPALITY	DAM FAILURE*		FLOODING*		LAND SUBSIDENCE		LANDSLIDES		WILDFIRES	
	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES
Lower Alsace Township			134	2	2,032	6	70	0	45	0
Lower Heidelberg Township			57	0	1,097	0	0	0	133	0
Lyons Borough			0	0	285	5	0	0	0	0
Maidencreek Township			63	0	3,653	6	0	0	159	0
Marion Township			47	0	594	4	0	0	15	0
Maxatawny Township			240	0	1,395	12	0	0	32	0
Mohnton Borough			50	0	0	0	24	0	136	0
Mt Penn Borough			0	0	1,658	7	0	0	15	0
Muhlenberg Township			725	1	9,216	21	17	0	273	1
New Morgan Borough			0	1	0	0	13	0	8	1
North Heidelberg Township			33	0	110	2	0	0	46	0
Oley Township			208	0	1,108	4	23	0	36	0
Ontelaunee Township			200	1	570	7	0	0	22	0
Penn Township			20	0	134	0	0	0	33	0
Perry Township			195	0	53	0	0	0	34	0

**TABLE 4-5  
(CONTINUED)**

MUNICIPALITY	DAM FAILURE*		FLOODING*		LAND SUBSIDENCE		LANDSLIDES		WILDFIRES	
	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES
Pike Township			86	0	209	0	33	0	152	0
Reading City			693	16	41,642	84	38	0	64	0
Richmond Township			126	0	1,113	9	0	0	77	1
Robeson Township			333	2	6	0	266	1	511	1
Robesonia Borough			39	0	1,082	8	0	0	13	0
Rockland Township			31	0	86	0	36	0	375	1
Ruscombmanor Township			20	0	99	0	21	0	314	0
Shillington Borough			18	1	2,949	10	0	0	2	0
Shoemakersville Borough			127	1	0	0	0	0	4	0
Sinking Spring Borough			38	0	1,774	4	0	0	123	0
South Heidelberg Township			81	1	1,966	5	139	0	218	0
Spring Township			135	3	10,340	30	81	0	707	1
St. Lawrence Borough			22	0	755	4	0	0	31	0
Tilden Township			73	0	0	0	0	0	55	0
Topton Borough			19	0	1,053	5	0	0	4	0
Tulpehocken Township			20	0	71	0	0	0	52	0

**TABLE 4-5  
(CONTINUED)**

MUNICIPALITY	DAM FAILURE*		FLOODING*		LAND SUBSIDENCE		LANDSLIDES		WILDFIRES	
	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES	TOTAL VULNERABLE STRUCTURES	VULNERABLE CRITICAL FACILITIES
Union Township			227	2	0	0	200	3	154	0
Upper Bern Township			13	0	0	0	0	0	71	1
Upper Tulpehocken Township			11	0	0	0	0	0	68	0
Washington Township			124	0	530	4	114	0	275	0
Wernersville Borough			4	0	1,185	7	0	0	1	0
West Reading Borough			29	1	2,537	10	0	0	0	0
Windsor Township			38	2	0	0	0	0	39	0
Womelsdorf Borough			10	0	1,303	6	0	0	24	0
Wyomissing Borough			33	1	4,290	17	0	0	25	0
<b>Total*</b>			<b>7,419</b>	<b>66</b>	<b>116,550</b>	<b>375</b>	<b>4,671</b>	<b>13</b>	<b>9,781</b>	<b>15</b>

\* Total number of vulnerable structures is based on the 2017 100-year FEMA Floodplain data. The total number of vulnerable critical facilities is based on December 2017 Berks County GIS data.

#### **4.4.2 Ranking Results**

Ranking Hazards aids communities in setting goals and priorities for mitigation based on their vulnerabilities. A risk factor (RF) is a tool used to measure the degree of risk for identified hazards in a particular planning area. The RF can also assist local community officials in ranking and prioritizing hazards that pose the most significant threat to a planning area based on a variety of factors deemed important by the planning team and other stakeholders involved in the hazard mitigation planning process. See Table 4-6.

#### **4.4.3 Potential Loss Estimates**

Estimating potential losses/damages from natural hazard events at the County level can be a very difficult task to complete with limited data. As such, the Mitigation Steering Committee relied on the detailed hazard event profile mapping (and associated GIS data) and reported damage estimates from past hazard events. Damage estimates from past hazard events were used specifically for those natural hazards that are not applicable to be mapped at the County level (e.g., droughts, hurricanes/tropical storms, tornadoes, and severe storms). For those natural hazards that are specific to certain parts of the County (e.g., dam failure, flooding, land subsidence, landslides, and wildfires), the GIS data analysis conducted for the asset identification and reported in Table 4-5 served as the primary means for estimating potential losses from the profiled hazard events. In addition, NFIP claims data and 100-year flood loss estimates calculated for a number of representative floodplain structures identified throughout the County were used to supplement the loss estimation for regional flooding. FEMA's HAZUS loss estimation program was used to calculate approximate earthquake losses for the profiled event throughout the County. A summary of the estimated potential losses from the profiled hazard events is provided below.

##### **4.4.3.1 Potential Dam Failure Losses**

As indicated in the hazard event profiling, the failure of Blue Marsh Dam and Ontelaunee Dam would result in nearly instantaneous downstream flows that exceed the 500-year flood event in varying degrees of magnitude. The mass destruction and widespread loss of life that would be experienced as a result of these events could best be characterized as devastating.

**TABLE 4-6  
BERKS COUNTY HAZARD RISK ASSESSMENT MATRIX**

FREQUENCY		IMPACT
Annual Event	5	Catastrophic
Every 5 Years or less	4	Extensive
Every 10 Years or less	3	High
Every 30 Years or less	2	Moderate
Greater than 30 Years	1	Low

$$\text{Risk Factor} = \text{Frequency} \times (.25 \times (\text{Critical Facilities}) + .40 \times (\text{Social}) + .25 \times (\text{Economic}) + .10 \times (\text{Environmental}))$$

RISK FACTOR INDEX	
.2500 - 6.00	Acceptable without review
6.10 - 12.00	Acceptable with review
12.10 - 18.00	Undesirable
18.10 - 25.00	Unacceptable

HAZARD	FREQUENCY OF OCCURRENCE AND LOCATION	IMPACT				RISK FACTOR	VULNERABILITY						
		CRITICAL FACILITIES (25% VULNERABILITY FACTOR)	SOCIAL (40% VULNERABILITY FACTOR)	ECONOMIC (25% VULNERABILITY FACTOR)	ENVIRONMENTAL (10% VULNERABILITY FACTOR)		(A) HEALTH AND SAFETY OF PERSONS IN THE AFFECTED AREA AT THE TIME OF THE INCIDENT (INJURY AND DEATH)	(B) HEALTH AND SAFETY OF ESSENTIAL PERSONNEL	(C) CONTINUITY OF GOVERNMENT	(D) PROPERTY, FACILITIES, AND INFRASTRUCTURE	(E) DELIVERY OF SERVICES	(F) THE ENVIRONMENT	(G) ECONOMIC AND FINANCIAL CONDITION
<b>Civil Disorder</b> - Vulnerabilities and impacts are contingent upon numerous factors including issues, politics, and method of response. Some type of civil disorder occurs every day with minimal impact.	2 Small events occur frequently; however, larger events are not as common.	1	1	1	1	2.000	Nominal impact to the health and safety of people in the affected area	Nominal impact to first responders; minor injury from missiles and physical confrontations	Nominal and short-term impact on continuity of county government operations	Impact on property, facilities, and infrastructure will likely result from acts of vandalism and will be nominal in scope	Nominal impact on the delivery of services resulting from work stoppages	Limited environmental impact unless acts of sabotage are performed	Economic and financial impact to the community will be nominal
<b>Cyber Security/Attacks</b> - Vulnerabilities and impacts are dependent on the theft or damage to hardware, software, and to information on them as well as from disruption or misdirection of the services they provide. Malicious code to alter computer code, logic, or data, resulting in disruptive consequences that can compromise data and lead to cybercrimes such as information and identity theft.	5 The cost of cyber attacks is increasing annually; the occurrence and sophistication of such attacks also are on the rise.	3	2	3	1	12.000	Low impact on health and safety	Low to moderate impact to first responders; redundancy in systems reduces the impact but will not eliminate the threat	Low to moderate impact on continuity of government operations if computer systems are restored in a reasonable amount of time and depends on what systems are affected; critical to have current and updated malware and firewalls in place	Low to moderate impact to property, facilities, and infrastructure; business and industry may suffer financial losses, inventory control, ability to pay employees, billing, and meeting the needs of consumers	Moderate disruption of basic life support systems; typically of short duration	Low impact to environment unless control of critical systems is taken over with malicious intent	Economic and financial impact to the community can range from nominal to catastrophic and will be contingent upon the type of attack or security breach for an extended period of time

**TABLE 4-6  
(CONTINUED)**

HAZARD	FREQUENCY OF OCCURRENCE AND LOCATION	IMPACT				RISK FACTOR	VULNERABILITY							
		CRITICAL FACILITIES (25% VULNERABILITY FACTOR)	SOCIAL (40% VULNERABILITY FACTOR)	ECONOMIC (25% VULNERABILITY FACTOR)	ENVIRONMENTAL (10% VULNERABILITY FACTOR)		(A) HEALTH AND SAFETY OF PERSONS IN THE AFFECTED AREA AT THE TIME OF THE INCIDENT (INJURY AND DEATH)	(B) HEALTH AND SAFETY OF ESSENTIAL PERSONNEL	(C) CONTINUITY OF GOVERNMENT	(D) PROPERTY, FACILITIES, AND INFRASTRUCTURE	(E) DELIVERY OF SERVICES	(F) THE ENVIRONMENT	(G) ECONOMIC AND FINANCIAL CONDITION	
<b>Dam Failure</b> - Vulnerabilities and impacts are dependent on the type of release (whether gradual or catastrophic), volume released, its impact to the environment, and meteorology.	5	With 123 dams (including 30 high-hazard dams) in Berks County, there have been no major failures that caused loss of life or significant property damage. Small dam failures occur annually with little impact.	1	2	2	1	8.250	Generally low impact on health and safety; however, catastrophic, unannounced breach of a high-hazard dam could result in a substantial number of deaths and injuries	Low impact to first responders; primary threat comes from debris and possible hazardous materials contamination	Low impact on continuity of government operations unless located in the inundation curve	Vital lifelines (roads, gas and water pipelines) may be damaged as a result of released waters	Moderate impact on the delivery of services to the affected area	Limited environmental impact that is contingent upon the nature of the inundation area; urban environments will have a higher potential to release hazardous materials	Impact is contingent upon the nature of the event
<b>Drought</b> - Vulnerability and impacts are contingent upon the duration of the drought period and area of impact.	3	Berks County has experienced many droughts. The County has also seen its share of unseasonably dry weather. These events are known to cause wildfires and water shortages.	1	2	2	2	5.250	Limited impact; severe drought conditions may require water rationing and distribution to affected communities	N/A	Low impact to government; prolonged drought periods may require suspension of services such as public schools	Low impact to property, facilities, and infrastructure; water utilities may lose pressure; hydroelectric power generation could suffer	Low impact to the delivery of services; hospitals may be required to make use of alternate water supplies	Low impact; reduction to groundwater supplies creates situations conducive to sinkholes; non-domestic animals may be impacted	Long-term water shortages will have a high impact on agribusiness, public utilities, and other industries reliant on water for production (i.e., plastics) or services (i.e., landscaping)
<b>Earthquake</b> - Vulnerabilities and impacts are contingent upon numerous factors including geographic location, magnitude, and method of response. The earth is dynamic, and some earthquake events occur every day with minimal impact.	3	Earthquakes are a frequent occurrence but are generally not felt. From 1906 to 1996, eight earthquake epicenters were located in Berks County.	1	1	1	1	3.000	Low impact exists for fatalities and injuries; area of impact is generally small	Moderate impact; actions required to protect responders from fire hazards and environmental concerns	Low impact; unlikely to cause relocation of government operations	Low impact to the transportation infrastructure, structures burned, and displaced populations	Low impact to the delivery of services; services likely to be temporarily interrupted in the area of impact	Low impact to area of operations, including animal life, due to limited extent of hazards	Low impact to the economic and financial community; primary impact will be to the repair or replacement of structures in the area of operations

**TABLE 4-6  
(CONTINUED)**

HAZARD	FREQUENCY OF OCCURRENCE AND LOCATION		IMPACT				RISK FACTOR	VULNERABILITY						
			CRITICAL FACILITIES (25% VULNERABILITY FACTOR)	SOCIAL (40% VULNERABILITY FACTOR)	ECONOMIC (25% VULNERABILITY FACTOR)	ENVIRONMENTAL (10% VULNERABILITY FACTOR)		(A) HEALTH AND SAFETY OF PERSONS IN THE AFFECTED AREA AT THE TIME OF THE INCIDENT (INJURY AND DEATH)	(B) HEALTH AND SAFETY OF ESSENTIAL PERSONNEL	(C) CONTINUITY OF GOVERNMENT	(D) PROPERTY, FACILITIES, AND INFRASTRUCTURE	(E) DELIVERY OF SERVICES	(F) THE ENVIRONMENT	(G) ECONOMIC AND FINANCIAL CONDITION
<b>Flooding</b> - Vulnerabilities and impacts are dependent upon the type and location of flooding.	5	Flooding occurs every year in Berks County. Berks County has experienced 59 flood events since 1993. Floods are caused by a variety of factors; the most significant cause is heavy rain.	2	3	3	2	13.250	High impact; potential for loss of life and injuries, especially in urbanized areas prone to flash flooding	Potentially high impact to first responders involved in swift water rescue activities; actions required to protect responders from hazards and environmental concerns	Low impact; unlikely to cause relocation of government operations	Moderate impact; utility outages, transportation infrastructure closures, and isolated populations; varying levels of damage to structures, particularly mobile homes	Moderate disruption of basic life support systems; typically of short duration	Environmental impact should be limited to the release of hazardous substances	Depending on scope and magnitude of flooding, long-term economic disruption is possible, especially among small businesses
<b>Hazardous Materials</b> - Vulnerabilities and impacts are dependent on the type of chemical, volume released, impact to the environment, and meteorology.	5	According to the National Response Center, Berks County has experienced 347 hazardous material spills since 1990.	1	2	1	2	7.500	High impact to health and safety of people living in the impact area	Actions required to protect responders from hazardous materials exposure	Low impact to continuity of operations	Moderate impact to property, facilities, and infrastructure	Low impact to delivery of services	Moderate impact to the areas of highest concentration	Low impact to economic and financial community of the impacted area
<b>Hurricane/Tropical Storms</b> - Vulnerability and impacts a factor of storm strength and area of impact.	5	Berks County has witnessed many hurricanes and tropical storms that often result in property damage or flooding.	2	3	3	1	12.750	High impact; potential for large numbers of injuries and loss of life	Actions required to protect responders from hazards and environmental concerns	Moderate impact; impacted local government operations required to activate their COG Plans	High impact; numerous failures in electrical and other critical infrastructure	High impact on affected area; widespread disruptions in basic life support services	Some hazardous material releases will occur	Moderate impact; short- and long-term disruption of local economy; statewide impacts on government services unlikely
<b>Landslides</b> - Vulnerabilities and impacts are contingent upon numerous factors including geographic location and nature of the slope failure.	2	PennDOT estimates that it spends \$10 million annually on repair contracts for roadways damaged by landslides throughout the Commonwealth. Landslides are not common in Berks County.	1	1	1	1	2.000	Nominal impact to the health and safety of people in the affected area unless the landslide is both sudden and catastrophic	Nominal impact to first responders	Little or no impact on continuity of government operations	Vital lifelines (roads, gas, and water pipelines) may be cut as a result of landslides	Limited impact on delivery of services	Limited environmental impact unless the landslide shears pipelines or damages hazardous material storage facilities (above- or below-ground tanks, etc.)	Limited economic and financial impact to the community unless road networks are extensively damaged

**TABLE 4-6  
(CONTINUED)**

HAZARD	FREQUENCY OF OCCURRENCE AND LOCATION	IMPACT				RISK FACTOR	VULNERABILITY						
		CRITICAL FACILITIES (25% VULNERABILITY FACTOR)	SOCIAL (40% VULNERABILITY FACTOR)	ECONOMIC (25% VULNERABILITY FACTOR)	ENVIRONMENTAL (10% VULNERABILITY FACTOR)		(A) HEALTH AND SAFETY OF PERSONS IN THE AFFECTED AREA AT THE TIME OF THE INCIDENT (INJURY AND DEATH)	(B) HEALTH AND SAFETY OF ESSENTIAL PERSONNEL	(C) CONTINUITY OF GOVERNMENT	(D) PROPERTY, FACILITIES, AND INFRASTRUCTURE	(E) DELIVERY OF SERVICES	(F) THE ENVIRONMENT	(G) ECONOMIC AND FINANCIAL CONDITION
<b>Nuclear Power Plant</b> - Vulnerabilities and impacts are contingent upon the type of radiation released, duration of release, direction and speed of winds, and volume of release.	1 Pennsylvania is home to Three Mile Island (TMI), the only nuclear power plant in the United States to reach the emergency classification level of General Emergency. Since then, significant improvements have been made regarding plant safety.	2	3	3	4	2.850	Potential for significant impact to the health and safety of residing in the 10-mile emergency planning zone or 50-mile ingestion pathway zone	Potential for significant impact; protective actions and special equipment are required to protect responders from radiation exposure	Low impact to continuity of operations, depending on the location of the incident; a design basis accident at TMI would have a catastrophic impact on state government operations	Potentially catastrophic impact to property, facilities, and infrastructure resulting from radionuclide contamination	Potentially high impact on delivery of services in and to the affected area	High impact to the areas of highest concentration of radiological particulates	High impact to economic and financial community of the impacted area; potentially catastrophic impact on agribusiness resulting from radionuclide ingestion and product embargoing
<b>Power Failure</b> - Vulnerabilities and impacts are contingent upon numerous factors including time of year, population density, scope of outage area, and duration of the event.	5 Power failures occur every year, although generally with minimal impact. Widespread power failures occur with unusual weather events.	2	2	2	1	9.500	Generally low impact on health and safety; however, long-term outages during extremely hot or cold weather can have secondary health consequences	Nominal impact to first responders	Low impact on continuity of government operations if emergency backup power sources are available	Limited impact on property or infrastructure	Prolonged outages may result in disruption of water/sewage treatment operations	Environmental impact should be limited to the release of hazardous substances	Protracted outages could result in substantial disruption of commerce and financial activities as well as loss of revenue
<b>Public Health Emergency</b> - Communal and noncommunal diseases.	3 A 1986 Avian Bird Flu outbreak in Schuylkill, Northumberland, and Snyder counties led to the killing of around 307,000 chickens and turkeys, costing the Commonwealth an estimated \$650,000.	1	3	3	1	6.900	Potential for significant impact on the general population	Potential for significant impact on essential personnel; however, with precaution, low impact is expected	Low impact on continuity of government	Potential for high impact on property, facilities, and infrastructure, including points of dispensing for Strategic National Stockpile pharmaceuticals	Low impact on delivery of services	Low impact on the environment unless an outbreak or public health emergency reaches animal populations and requires culling	A large outbreak could have a high impact on the economy of the County



**TABLE 4-6  
(CONTINUED)**

HAZARD	FREQUENCY OF OCCURRENCE AND LOCATION	IMPACT				RISK FACTOR	VULNERABILITY							
		CRITICAL FACILITIES (25% VULNERABILITY FACTOR)	SOCIAL (40% VULNERABILITY FACTOR)	ECONOMIC (25% VULNERABILITY FACTOR)	ENVIRONMENTAL (10% VULNERABILITY FACTOR)		(A) HEALTH AND SAFETY OF PERSONS IN THE AFFECTED AREA AT THE TIME OF THE INCIDENT (INJURY AND DEATH)	(B) HEALTH AND SAFETY OF ESSENTIAL PERSONNEL	(C) CONTINUITY OF GOVERNMENT	(D) PROPERTY, FACILITIES, AND INFRASTRUCTURE	(E) DELIVERY OF SERVICES	(F) THE ENVIRONMENT	(G) ECONOMIC AND FINANCIAL CONDITION	
<b>Radon</b> - Berks County is located in Pennsylvania's highest risk area for radon and radon product emissions.	5	No home is considered safe from radon until tested. In the first two years of radon testing in Pennsylvania, approximately 59% of all homes tested were found to be contaminated by radon and radon products.	1	3	1	2	9.500	Over time, impact can be severe; excessive exposure to radon is a known cause of lung cancer	Low impact to first responders; primary threat comes exposure over an extended period of time	Low impact on continuity of government	Low physical impact on property and facilities; however, untreated high radon levels can greatly lessen property values	Low impact on delivery of services	Radon can have a high impact on the environment if untreated	Low impact unless high levels of radon are detected and go untreated, which can severely decrease property values
<b>Severe Weather</b> - Vulnerability and impacts are a factor of type of event, strength of event, and area of impact.	5	Berks County is vulnerable to severe weather, including heavy fog, hail, heavy precipitation (rain), high winds, ice storms, unseasonable temperature extremes, and severe thunderstorms.	1	3	2	1	10.250	Minimal local impact; minimal potential for loss of life and injuries	Actions require to protect responders from hazards, particularly downed power lines	Limited impact; unlikely to cause relocation of government operations	Moderate impact; utility outages, transportation infrastructure closures, and isolated populations; varying levels of damage to structures, particularly mobile homes	Low impact; local disruption of basic life support systems, typically of short duration	Low impact on ecosystems	Limited impact on financial and commercial systems
<b>Severe Winter Weather</b> - Vulnerability and impacts are dependent upon the time and intensity of the event.	4	Berks County is vulnerable to an array of winter weather. This weather has the ability to close businesses, cancel classes, and disrupt roadways throughout the County.	2	3	3	1	10.200	Severe winter weather and freezing temperatures can result in hypothermia and other cold-related injuries, especially among the elderly; snow removal activities can lead to an increase in mortality caused by coronary failure	Low impact to emergency workers; primary impact from prolonged exposure to cold temperatures, secondary danger from vehicular accidents	Low impact to government; prolonged severe cold weather periods may require suspension of services such as public schools (This situation occurred during the winter of 1995-1996.)	Low impact; the primary consequence of prolonged severe cold weather is loss of power related to excessive demand and downed power lines resulting from ice storms	Limited impact; impact to service delivery would be to medical facilities, nursing homes, and assisted living facilities; some government offices may be required to shut down	Moderate impact; limited overall impact to the electric grid	Prolonged periods of extreme cold weather could have a major impact on business-related heating costs and could lead to short-term fuel shortages and inflation of heating oil and natural gas prices

**TABLE 4-6  
(CONTINUED)**

HAZARD	FREQUENCY OF OCCURRENCE AND LOCATION	IMPACT				RISK FACTOR	VULNERABILITY							
		CRITICAL FACILITIES (25% VULNERABILITY FACTOR)	SOCIAL (40% VULNERABILITY FACTOR)	ECONOMIC (25% VULNERABILITY FACTOR)	ENVIRONMENTAL (10% VULNERABILITY FACTOR)		(A) HEALTH AND SAFETY OF PERSONS IN THE AFFECTED AREA AT THE TIME OF THE INCIDENT (INJURY AND DEATH)	(B) HEALTH AND SAFETY OF ESSENTIAL PERSONNEL	(C) CONTINUITY OF GOVERNMENT	(D) PROPERTY, FACILITIES, AND INFRASTRUCTURE	(E) DELIVERY OF SERVICES	(F) THE ENVIRONMENT	(G) ECONOMIC AND FINANCIAL CONDITION	
<b>Subsidence</b> - Vulnerabilities and impacts are contingent upon numerous factors, including geographic location, whether it is gradual or catastrophic, and method of response.	4	Subsidence-related events occur several times each year, usually with minimal impact.	1	2	1	1	5.600	Nominal impact to the health and safety of people in the affected area as most events are not catastrophic in nature	Nominal impact to first responders	Little or no impact on continuity of government operations	Vital lifelines (roads, gas, and water pipelines) may be damaged as a result of subsidence	Limited impact on delivery of services	Limited environmental impact unless the subsidence shears pipelines or damages hazardous material storage facilities (above- or below-ground tanks, etc.)	Limited economic and financial impact to the community unless road networks are extensively damaged
<b>Terrorism</b> - Vulnerabilities and impacts are contingent upon the method of the attack, amount of force applied, and population density of the attack location.	1	On September 11, 2001, the United States was attacked by foreign terrorists. Flight 93 was a casualty of this attack. Pennsylvania has many targets of opportunity for terrorists: political, industrial, historical, and military.	3	3	3	3	3.000	Moderate impact to the health and safety of people in the affected area	Protective actions required to protect responders from chemical, nuclear, and biological hazard exposure	Impact on continuity of operations can range from nominal to catastrophic and would be contingent upon the type and location of the terrorism event	Impact on property, facilities, and infrastructure can range from nominal to catastrophic and would be contingent upon the type and location of the terrorism event	Impact on delivery of services can range from nominal to catastrophic and would be contingent upon the type and location of the terrorism event	Environmental impact can range from nominal to catastrophic and would be contingent upon the type and location of the terrorism event	Economic and financial impact to the community can range from nominal to catastrophic and would be contingent upon the type and location of the terrorism event
<b>Tornado</b> - Vulnerability and impacts are contingent upon the strength of the tornado, time of day, time on the ground, and area of impact.	4	According to the National Climatic Data Center, Berks County experienced 21 tornadoes between 1950 and 2002 which caused more than \$15 million in damage. While usually of a lower magnitude, Berks County can witness larger tornadoes as well.	2	3	3	1	10.200	Extensive impact in the affected area; potential for mass fatalities and a large number of injured	Moderate impact; personal protective equipment (PPE) required for emergency worker safety from downed utility lines, hazardous materials, and debris	Low/limited impact because of the decentralized nature of Pennsylvania's state government; however, some locally affected government agencies may be forced to relocate some mission-critical operations	Extensive local impact; massive failures in electrical, communications, and other critical infrastructure	Extensive impact; in the area of impact, widespread, short-term disruptions in basic life support services in affected areas; 911 systems temporarily overwhelmed	Low impact on ecosystems	Limited impact on financial and commercial systems

**TABLE 4-6  
(CONTINUED)**

HAZARD	FREQUENCY OF OCCURRENCE AND LOCATION	IMPACT				RISK FACTOR	VULNERABILITY							
		CRITICAL FACILITIES (25% VULNERABILITY FACTOR)	SOCIAL (40% VULNERABILITY FACTOR)	ECONOMIC (25% VULNERABILITY FACTOR)	ENVIRONMENTAL (10% VULNERABILITY FACTOR)		(A) HEALTH AND SAFETY OF PERSONS IN THE AFFECTED AREA AT THE TIME OF THE INCIDENT (INJURY AND DEATH)	(B) HEALTH AND SAFETY OF ESSENTIAL PERSONNEL	(C) CONTINUITY OF GOVERNMENT	(D) PROPERTY, FACILITIES, AND INFRASTRUCTURE	(E) DELIVERY OF SERVICES	(F) THE ENVIRONMENT	(G) ECONOMIC AND FINANCIAL CONDITION	
<b>Transportation</b> - Vulnerabilities and impacts are contingent upon numerous factors including location, timing and method of response. Some type of transportation event occurs every day with minimal impact.	5	Transportation accidents occur every day with minimal individual impact. The worst accidents will involve multiple vehicles or hazardous materials. These accidents are not as common. Also, airline, railway, and pipeline accidents can occur but are not frequent.	1	3	3	2	12.000	Fatal accidents occur on a daily basis	Nominal risk to first responders	Low impact on continuity of government operations	Moderate impact on property or infrastructure	Nominal impact on delivery of services	Environmental impact should be limited to the release of hazardous substances	Nominal impact
<b>Urban Fire</b> - Vulnerabilities and impacts are contingent upon numerous factors including geographic location, whether it is gradual or catastrophic and method of response. Some type of urban fire occurs every day with minimal impact.	5	Urban fires that involve one structure occur often with minimal impact. Major fires that involve more than one structure occur several times a year. The City of Reading is the most vulnerable to urban fires.	1	2	2	1	8.250	Urban structure fire-related deaths occur monthly	Moderate risk to emergency responders as a result of training and PPE	Low impact on continuity of government operations	Moderate impact on property or infrastructure	Nominal impact on delivery of services	Environmental impact should be limited to the release of hazardous substances	Nominal impact
<b>Wildfire</b> - Vulnerabilities and impacts are dependent on the location and climatologically/meteorological conditions.	1	Berks County has experienced two wildfires since 1950. These events took place in Douglas Township and Pine Forge. Due to the nature of woody vegetation and relatively high moisture content, fire extent is typically limited. However, periods drought or dry weather may create conditions where vulnerability is elevated.	1	1	1	1	1.000	Low potential exists for fatalities and injuries	Moderate impact; actions required to protect responders from fire hazards	Low impact; unlikely to cause relocation of government operations	Low impact to transportation infrastructure, structures burned, and displaced populations	Low impact to delivery of services; services likely to be temporarily interrupted in the area of impact	Low impact to area of operations, including animal life, due to limited extent of fires	Low impact to the economic and financial community; primary impact will be to the replacement of structures in the area of operations

In this capacity, the profiled dam failure events for these structures would be considered catastrophic to Berks County and beyond measurable calculation. As such, no dollar loss estimates were attempted for these hazard events, as to do so would not effectively capture the severity and magnitude of such an event.

Analysis of the Kernsville Emergency Action Plan indicated that 800 residences would be flooded and 90 businesses would be inundated by a “sudden dam failure.” Based on assessment data for the County, an average residence value of \$100,000 was used to calculate hazard losses. Similarly, an average commercial structure value of \$350,000 was used. As such, the following losses can be estimated for Berks County’s Kernsville Dam failure hazard.

Residential = 800 Structures X \$100,000 average value per structure X 30% impact\* = \$24,000,000  
Commercial = 90 Structures X \$350,000 average value per structure X 30% impact\* = \$9,450,000  
Total = \$33,450,000 (does not include potential content losses)  
\*30% impact assumes some structural damage due to high velocity flood flows, with many structures in close proximity to the Schuylkill River.

Analysis of the Lake Antietam Dam Emergency Action Plan indicated that 200 residences, 6 businesses, and 1 school would be inundated by a “sudden dam failure.” Based on assessment data for the County, an average residence value of \$100,000 was used to calculate hazard losses. Similarly, an average commercial structure value of \$350,000 and approximately \$7 million for the Antietam School was used. As such, the following losses can be estimated for Berks County’s Lake Antietam Dam failure hazard.

Residential = 200 Structures X \$100,000 average value per structure X 30% impact\* = \$6,000,000  
Commercial = 6 Structures X \$350,000 average value per structure X 30% impact\* = \$630,000  
Institutional = 1 Structure X \$7 million average value per structure X 30% impact\* = \$2,100,000  
Total = \$8,730,000 (does not include potential content losses)  
\*30% impact assumes some structural damage due to high velocity flood flows, with many structures in close proximity to Antietam Creek.

#### **4.4.3.2 Potential Drought Losses**

The 1999 drought event resulted in low groundwater levels, low stream flow levels, and record low reservoir/lake levels. Many local farmers suffered crop losses. Through coordination with the Berks County Farm Service Agency, it was determined that 908 requests for drought crop loss assistance were filed and \$3,763,010 (2005) was paid out to impacted farmers in Berks County.



#### 4.4.3.3 Potential Flooding Losses

GIS data analysis indicates that there are approximately 4,467 occupied structures in the 100-year floodplain in Berks County. Based on available GIS data and a windshield survey, assuming that 90% (4,020) of these structures are residences, 8% (357) are commercial establishments, and 2% (90) are industrial buildings, the following losses can be estimated for Berks County's flooding hazard.

Residential = 4,020 Structures X \$100,000 average value per structure X 10% impact\* = \$40,200,000  
Commercial = 357 Structures X \$350,000 average value per structure X 10% impact\* = \$12,495,000  
Industrial = 90 Structures X \$1.1 million average value per structure X 10% impact\* = \$9,900,000  
Total = \$62,595,000 (does not include potential content losses)  
\*10% impact is based on average value of flood insurance claims payments through the NFIP and assumes some structural damage due to high velocity flows and/or depth of floodwaters

In addition to estimating potential future flood losses, NFIP policy claims data were used to determine recorded flood losses from past flood events. Table 4-7 shows the total number of flood loss claims, total claims payments, and repetitive loss claims payments for each municipality in the County. A repetitive loss property is defined as any property for which two or more flood insurance claims have been paid for more than \$1,000 in a 10-year period. Analysis of Table 4-7 indicates that the 86 identified repetitive loss properties within Berks County account for 21% of the total NFIP flood loss claims to date. Table 4-7 also indicates that the NFIP has paid over \$14 million in flood insurance claims payments to Berks County residents for reported flood losses. Finally, Table 4-7 indicates that 34 (47%) of Berks County's 72 municipalities have identified repetitive loss properties. This has not changed since 2012 except that there are now 72 municipalities in Berks County instead of 73. Review of repetitive loss properties in 2007 indicated only 16 (21%) of Berks County's 73 municipalities had identified repetitive losses. Flooding events experienced in 2011 explain the 25% increase with identified repetitive loss properties per municipality. Figure 4-5 geographically shows the density of Repetitive Loss Properties by Municipality.

As previously mentioned, 13 representative floodplain structures (8 residential and 5 commercial/industrial) from throughout the County were also used to estimate 100-year flood losses via FEMA's Flood Depth-Damage Function (DDF) tables. These 100-year flood losses were used to determine the benefit-cost ratios for implementing various property protection measures (see Section 6.3.3) but can also be used to supplement the regional flood loss estimate.

**TABLE 4-7  
BERKS COUNTY NFIP CLAIMS DATA BY MUNICIPALITY**

MUNICIPALITY	FLOOD LOSS CLAIMS	TOTAL CLAIMS PAYMENTS (\$) 1978-PRESENT	RESIDENTIAL REPETITIVE LOSS PROPERTIES	NON-RESIDENTIAL REPETITIVE LOSS PROPERTIES	TOTAL REPETITIVE LOSS PROPERTIES	NUMBER OF CORRESPONDING NFIP CLAIMS	AVERAGE NUMBER OF NFIP CLAIMS PER REPETITIVE LOSS PROPERTY	AMOUNT OF CORRESPONDING NFIP CLAIMS (\$)	AVERAGE AMOUNT OF NFIP CLAIMS PER REPETITIVE LOSS PROPERTY (\$)
Albany Township	22	147,483	2	0	2	5	2.5	54,392	10,878
Alsace Township	4	8,028	0	0	0	0	0	N/A	N/A
Amity Township	59	389,051	6	2	8	21	2.6	137,982	6,571
Bechtelsville Borough	5	101,064	1	0	1	3	3	98,875	32,958
Bern Township	13	103,834	1	0	1	2	2	66,373	33,187
Bernville Borough	0	0	0	0	0	N/A	N/A	N/A	N/A
Bethel Township	3	44,513	0	0	0	N/A	N/A	N/A	N/A
Birdsboro Borough	29	299,993	0	1	1	3	3	136,431	45,477
Boyetown Borough	5	20,803	2	0	2	6	3	51,572	8,595
Brecknock Township	1	1,470	0	0	0	N/A	N/A	N/A	N/A
Caernarvon Township	1	5,957	0	0	0	N/A	N/A	N/A	N/A
Centerport Borough	0	0	0	0	0	N/A	N/A	N/A	N/A
Centre Township	5	39,885	1	0	1	2	2	25,232	12,616
Colebrookdale Township	7	13,924	1	0	1	2	2	4,859	2,429
Cumru Township	7	41,180	0	0	0	N/A	N/A	N/A	N/A
District Township	0	0	0	0	0	N/A	N/A	N/A	N/A
Douglass Township	41	762,206	7	0	7	14	2	511,063	36,505
Earl Township	37	561,236	3	1	4	12	3	341,021	28,418
Exeter Township	51	75,034	4	0	4	13	3.3	41,702	3,208
Fleetwood Borough	2	645	0	0	0	N/A	N/A	N/A	N/A
Greenwich Township	23	118,894	2	0	2	6	3	58,783	9,797
Hamburg Borough	26	85,730	2	0	2	4	2	17,347	4,337
Heidelberg Township	7	73,878	1	0	1	3	3	29,144	9,715
Hereford Township	2	6,525	0	0	0	N/A	N/A	N/A	N/A
Jefferson Township	1	17,945	0	0	0	N/A	N/A	N/A	N/A
Kenhorst Borough	4	2,215	0	0	0	N/A	N/A	N/A	N/A

**TABLE 4-7  
(CONTINUED)**

MUNICIPALITY	FLOOD LOSS CLAIMS	TOTAL CLAIMS PAYMENTS (\$) 1978-PRESENT	RESIDENTIAL REPETITIVE LOSS PROPERTIES	NON-RESIDENTIAL REPETITIVE LOSS PROPERTIES	TOTAL REPETITIVE LOSS PROPERTIES	NUMBER OF CORRESPONDING NFIP CLAIMS	AVERAGE NUMBER OF NFIP CLAIMS PER REPETITIVE LOSS PROPERTY	AMOUNT OF CORRESPONDING NFIP CLAIMS (\$)	AVERAGE AMOUNT OF NFIP CLAIMS PER REPETITIVE LOSS PROPERTY (\$)
Kutztown Borough	55	663,295	0	1	1	5	5	222,615	44,523
Laureldale Borough	3	3,248	0	0	0	N/A	N/A	N/A	N/A
Leesport Borough	18	249,375	0	0	0	N/A	N/A	N/A	N/A
Lenhartsville Borough	10	88,725	0	0	0	N/A	N/A	N/A	N/A
Longswamp Township	2	2,315	0	0	0	N/A	N/A	N/A	N/A
Lower Alsace Township	6	9,928	0	0	0	N/A	N/A	N/A	N/A
Lower Heidelberg Township	4	336,677	1	0	1	2	2	27,200	13,600
Lyons Borough	N/A	N/A	0	0	0	N/A	N/A	N/A	N/A
Maidencreek Township	11	53,435	1	0	1	2	2	8,929	4,465
Marion Township	8	156,841	0	0	0	N/A	N/A	N/A	N/A
Maxatawny Township	12	127,392	2	0	2	5	2.5	113,813	22,763
Mohnton Borough	12	28,191	2	0	2	6	3	25,672	42,079
Mount Penn Borough	2	4,363	0	0	0	N/A	N/A	N/A	N/A
Muhlenberg Township	105	510,565	14	2	16	40	2.5	577,867	14,447
New Morgan Borough	0	0	0	0	0	N/A	N/A	N/A	N/A
North Heidelberg Township	2	7,204	0	0	0	N/A	N/A	N/A	N/A
Oley Township	6	16,385	1	0	1	2	2	6,662	3,331
Ontelaunee Township	43	189,559	0	0	0	N/A	N/A	N/A	N/A
Penn Township	0	0	0	0	0	N/A	N/A	N/A	N/A
Perry Township	35	725,539	3	0	3	8	2.7	172,753	21,594
Pike Township	2	1,997	0	0	0	N/A	N/A	N/A	N/A
Reading City	117	5,345,991	1	4	5	10	2	394,962	39,496
Richmond Township	19	51,777	0	0	0	N/A	N/A	N/A	N/A
Robeson Township	40	606,028	1	0	1	4	4	102,193	25,548
Robesonia Borough	5	18,305	0	0	0	N/A	N/A	N/A	N/A
Rockland Township	6	60,604	1	0	1	2	2	18,614	9,307


**TABLE 4-7  
(CONTINUED)**

MUNICIPALITY	FLOOD LOSS CLAIMS	TOTAL CLAIMS PAYMENTS (\$) 1978-PRESENT	RESIDENTIAL REPETITIVE LOSS PROPERTIES	NON-RESIDENTIAL REPETITIVE LOSS PROPERTIES	TOTAL REPETITIVE LOSS PROPERTIES	NUMBER OF CORRESPONDING NFIP CLAIMS	AVERAGE NUMBER OF NFIP CLAIMS PER REPETITIVE LOSS PROPERTY	AMOUNT OF CORRESPONDING NFIP CLAIMS (\$)	AVERAGE AMOUNT OF NFIP CLAIMS PER REPETITIVE LOSS PROPERTY (\$)
Ruscombmanor Township	0	0	0	0	0	N/A	N/A	N/A	N/A
Shillington Borough	4	41,356	0	0	0	N/A	N/A	N/A	N/A
Shoemakersville Borough	18	328,726	2	0	2	4	2	50,543	12,636
Sinking Spring Borough	0	0	1	0	1	2	2	30,711	15,356
South Heidelberg Township	3	700	0	0	0	N/A	N/A	N/A	N/A
Spring Township	10	16,363	1	0	1	2	2	9,780	4,890
St. Lawrence Borough	4	7,040	0	0	0	N/A	N/A	N/A	N/A
Strausstown Borough	0	0	0	0	0	N/A	N/A	N/A	N/A
Tilden Township	8	61,276	1	0	1	4	4	56,255	14,064
Topton Borough	4	28,143	0	1	1	2	2	27,540	13,770
Tulpehocken Township	2	6,595	0	0	0	N/A	N/A	N/A	N/A
Union Township	38	836,171	3	2	5	12	2.4	688,693	57,391
Upper Bern Township	3	186,137	1	0	1	2	2	186,137	93,069
Upper Tulpehocken Township	0	0	0	0	0	N/A	N/A	N/A	N/A
Washington Township	0	0	0	0	0	N/A	N/A	N/A	N/A
Wernersville Borough	2	1,395	0	0	0	N/A	N/A	N/A	N/A
West Reading Borough	13	743,635	0	0	0	N/A	N/A	N/A	N/A
Windsor Township	5	9,348	1	0	1	2	2	8,945	4,473
Womelsdorf Borough	5	18,486	0	0	0	N/A	N/A	N/A	N/A
Wyomissing Borough	29	111,769	2	0	2	5	2.3	40,257	8,051
<b>Berks County Total</b>	<b>1,049</b>	<b>14,581,879</b>	<b>72</b>	<b>14</b>	<b>86</b>	<b>217</b>	<b>2.5</b>	<b>4,344,917</b>	<b>20,023</b>

Note: Column 1 and 2 data current through 1/31/2006

Source: HUDX Report, Policy and Loss Data by Community <http://bsa.nfipstat.com/reports/reports.htm> and NFIP Repetitive Loss Correction Worksheets for the County of Berks, PA





Disclaimer: This map was created for planning purposes only and is not intended for other uses.

SKELLY and LOY, Inc.	AUGUST 2017	Figure 4-5
<b>Berks County Hazard Vulnerability Assessment and Mitigation Plan Update</b> <b>DENSITY OF REPETITIVE LOSS PROPERTIES BY MUNICIPALITY</b> Berks County, Pennsylvania		
Job No: R16-0176.000	Scale: 1" = 20,000'	

Flood DDF tables were developed by FEMA to estimate structural damage to buildings, building contents, displacement time, and other losses from flood events. DDF tables list typical damages to various residential building types based on the depth of flooding in relation to the structure's first floor elevation. Two of the DDF tables used to prepare 100-year flood loss estimates for the 13 Berks County representative floodplain structures are shown in Appendix C. The complete loss estimate results and supporting documentation for these 13 representative floodplain structures are included in the appendices.

In addition, a HAZUS report was generated for potential flood losses for the 2017 plan update. The analysis used a 100-year storm event and analyzed building exposure to floodplains. Total economic loss, which includes building loss (building, content, and inventory loss/damage) and business interruption (income, relocation, rental income, and wage), was estimated to be \$574 million. Building loss was estimated to be only \$571 million. The HAZUS report can be found in the appendices.

#### **4.4.3.4 Potential Hurricane/Tropical Storm Losses**

According to NOAA, Hurricane Floyd in 1999 caused over \$1.1 million (2005) in flooding damages to Berks County. Given that such damages are not geographically specific within the County and the intensity of the storms can vary significantly, this value is used as a reasonable estimate of future damages from this hazard.

HAZUS reports were generated for potential hurricane/tropical storm losses for the 2017 plan update. Reports were generated for storms with a 10-, 50-, and 100-year return period. The 10-year storm did not generate any economic loss. The 50-year hurricane generated \$16 thousand in economic losses, and the 100-year hurricane generated \$6.3 million in economic losses. The HAZUS reports can be found in the appendices.

#### **4.4.3.5 Potential Land Subsidence Losses**

GIS data analysis conducted for the asset identification indicated that there are approximately 116,356 structures in the profiled land subsidence hazard area of Berks County. Given the prevalence of land subsidence in the past, an estimate has been made that up to 5% of these structures (of which 90% are residences, 8% are commercial, and 2% are industrial [based on GIS data and a windshield survey of the profiled land subsidence hazard area]) could be impacted by subsidence events over time. Therefore, the following losses can be estimated for Berks County's subsidence hazard.

Residential = 5,236 Structures X \$100,000 average value per structure X 10% impact\* = \$52,360,000  
Commercial = 465 Structures X \$350,000 average value per structure X 5% impact\* = \$8,137,500  
Industrial = 116 Structures X \$1.1 million average value per structure X 1% impact\* = \$1,276,000  
Total = \$61,773,500 (assumes no content losses)  
\*% impact is based upon the average cost to structurally mitigate a subsidence feature in relation to the average value per structure

#### **4.4.3.6 Potential Landslide Losses**

GIS data analysis conducted for the asset identification indicated that there are approximately 4,661 structures in the profiled landslide hazard area of Berks County. Based on a windshield survey and the history of past landslide events, it is estimated that only up to 5% (233) of these structures are expected to incur losses due to a landslide event over time. As such, assuming that 95% (221) of these structures are residences and 5% (12) are commercial establishments, the following losses are estimated for Berks County's landslide hazard.

Residential = 221 Structures X \$100,000 average value per structure X 10% impact\* = \$2,210,000  
Commercial = 12 Structures X \$350,000 average value per structure X 5% impact\* = \$210,000  
Total = \$2,420,000 (assumes no content losses)  
\*10% impact assumes some structural damage due to a landslide event

#### **4.4.3.7 Potential Earthquake Losses**

Using HAZUS-MH, a loss estimation model developed by FEMA, loss estimates were calculated for earthquakes in Berks County. Using a scenario that assumed an earthquake of magnitude 5.0 with an epicenter located in Cumru Township, just north of Mohnton (historic epicenter of the 1954 earthquake), HAZUS generated a report that indicated the economic loss associated with this hazard totaled \$48 million (2005) in structural damages. An updated HAZUS report was generated for the 2017 plan update for a 5.0 magnitude earthquake with an epicenter in the middle of the county (Muhlenberg Township). The total economic loss estimated for this earthquake was \$4.5 billion. The HAZUS report can be found in the appendices.

#### **4.4.3.8 Potential Severe Storm Losses**

The best available historic damage estimate associated with severe storms is for the June 1998 severe thunderstorm event, where NOAA reported losses at \$174,000 (2005) for Berks County. Given that such damages are not geographically specific within the County and the intensity of the storms can vary significantly, this value is used as a reasonable estimate of future damages from this hazard.

#### **4.4.3.9 Potential Tornado Losses**

The best available historic damage estimate associated with tornadoes is from the May 1998 F3 tornado event where NOAA reported losses at \$1.6 million (2005) for Berks County. Given that such damages are not geographically specific within the County and the intensity of tornadoes can vary significantly, this value is used as a reasonable estimate of future damages from this hazard.

#### **4.4.3.10 Potential Wildfire Losses**

GIS data analysis conducted for the asset identification indicated that there are approximately 9,736 vulnerable structures in the profiled wildfire hazard area of Berks County. Based on a windshield survey of the geographic area, it is reasonable to assume that the vast majority of these vulnerable structures consist of residences. As previously mentioned, the largest wildfire to occur in Berks County in the past 25 years resulted in approximately 95 acres of burned area (i.e., the Hopewell Wildfire). Using this largest recorded event and assuming a worst-case scenario of one burned residence per acre of burned area, the following losses can be estimated for Berks County's wildfire hazard.

Residential = 95 Structures X \$100,000 average value per structure X 100% impact\* = \$9,500,000  
Total = \$9,500,000 (does not include content losses)  
\*100% impact assumes total loss of structure due to wildfire event

### **4.4.4 Future Development and Vulnerability**


Berks County is located in the southeastern portion of the state and consists of a diverse mixture of land uses. The prominent population center in Berks County is the City of Reading, centrally located in the County along the Schuylkill River. Many of the townships and outlying areas surrounding Reading have experienced, and are continuing to experience, ample suburban development. Designated growth areas depicted in the Berks County Comprehensive Plan 2030 exist adjacent to current developed areas and were identified as currently vacant land that is appropriate for future urban high-density and suburban median-density development requiring a full range of public services and facilities and including a balance of residential, commercial, industrial, institutional, and recreational uses. The designated growth areas are mainly located north, south, and west of Reading along Routes 422, 222, and 61; primarily in Spring, Bern, and Ontelaunee Townships. Designated growth areas continue down Route 422 along the Schuylkill

River mainly in Exeter and Amity Townships, and a pocket of development is focused along Route 100 in Washington Township. In addition to designated growth areas, Berks County has delineated areas outside the designated growth areas as future growth areas. Future growth areas are also dispersed across the County with no great concentration of growth in any one area. This development consists of residential subdivisions, commercial complexes, and industrial parks. Figure 4-6 identifies the regional growth areas as mentioned above. Within Figure 4-6, the updated 2012 FEMA 100-year floodplain was used to assess the impacts which the proposed regional growth would have on the 100-year floodplain. Flood hazard areas are shown in red on Figure 4-6, and GIS analysis determined there are 596 areas of Zone A and AE 100-year floodplain located within the regional growth areas.

Land use and development trends in the far northern, eastern, and southern areas of the County are very different than metropolitan Reading. Other than the small boroughs and development along major thoroughfares, the County is quite rural. Several permanent open space recreation areas can be found throughout the County which includes federal, state, county, and municipal parkland, recreation facilities, and open space areas, including Blue Marsh Lake and Lake Ontelaunee to the west and north of Reading. The remaining rural area land uses include forested, agricultural, and rural residential uses.

In regard to assessing the vulnerability of the County's future development to natural hazards, several generalizations can be made. Natural hazards such as flooding, drought, hurricanes/tropical storms, severe storms, and tornadoes have the potential to impact all future development as they are not defined to specific locations of the County. As evidenced by the regional hazard event profile mapping, future development along or near streams and the Schuylkill River have the potential for flooding or, depending on their location, dam failure inundation damage. Future development near Reading and the central portion of the County may be susceptible to sinkholes and earthquakes while the southern municipalities should be aware of landslide potential and wildfires.

From a natural hazard perspective, none of the County's municipalities exhibits special features or unique characteristics that make them noticeably more or less susceptible to the profiled hazards. As previously mentioned, natural hazards such as drought, hurricanes/tropical storms, severe storms, and tornadoes are not specific to certain parts of the County but rather impact the entire County or any location in the County. Conversely, natural hazards such as dam failures, flooding, land subsidence, earthquakes, landslides, and wildfires are specific to certain locations and jurisdictions within the County as shown on the regional hazard event profile mapping and described in the preceding text.



**Legend**

- Regional Growth Areas\*
- Flood Hazard Areas
- 100-Year Floodplains (2012)
- Township
- Borough
- City




SKELLY and LOY, Inc.	August 2017	Figure 4-6
<b>Berks County Hazard Vulnerability Assessment and Mitigation Plan Update</b> <b>REGIONAL GROWTH AREAS IMPACTED BY 100-YEAR FLOODPLAINS</b> Berks County, Pennsylvania		
Job No: R12-0072.000	Scale: 1" = 20,000'	


*Disclaimer: This map was created for planning purposes only and is not intended for other uses.*

*\*Regional Growth Areas are identified as Designated and Future Growth areas in the "Berks Vision 2020" County Comprehensive Plan, prepared by the Berks County Planning Commission in January 2003.*

Coordination completed with the Steering Committee revealed a need to map present day preserved areas throughout Berks County in comparison to existing development and known hazards. The purpose of this map, Figure 4-7, is to identify where the County can focus future conservation efforts to minimize the occurrence of natural hazards in relation to existing development. The mapping includes all conservation areas, open space, trail corridors, agricultural preservation areas and conservation easements as identified by the County. When compared to known hazard areas targeted for protection, the mapping reveals how efforts made in the past, such as Agricultural Conservation Easements surround and protect areas that are prone to flooding. This is one example of how the County can focus to conserve valuable farmland, while minimizing additional flooding by not having these rural agricultural lands developed.

**Legend**

-  Agricultural Conservation Easements
-  Other Easements
-  Known Hazard Areas Targeted for Protection
-  FUTURE LAND USE (2030 UPDATE)  
Existing Development
-  FUTURE LAND USE (2030 UPDATE)  
Permanent Open Space and Recreation
-  State Roads
-  Interstates
-  US Routes
-  Township
-  Borough
-  City



SKELLY and LOY, Inc.	DECEMBER 2017	Figure 4-7
<b>Berks County Hazard Vulnerability Assessment and Mitigation Plan Update</b>		
<b>HAZARD PRESERVATION AREAS</b>		
Berks County, Pennsylvania		
Job No: R16-0176.000	Scale: 1" = 20,000'	

*Disclaimer: This map was created for planning purposes only and is not intended for other uses.*



## **5.0 CAPABILITY ASSESSMENT**

## **5.0 CAPABILITY ASSESSMENT**

### **5.1 INTRODUCTION**

A capability assessment involves an evaluation of the County in regard to its governmental structure, political framework, legal jurisdiction, fiscal status, policies and programs, regulations and ordinances, and resource availability. These factors are evaluated with respect to their strengths and weaknesses in preparing for, responding to, and mitigating the effects of the profiled natural hazards. By doing so, the Mitigation Steering Committee can draw reasonable conclusions as to the relative appropriateness of various hazard mitigation action items that may be identified as part of the hazard mitigation strategy. As such, the capability assessment plays an important role in the hazard mitigation planning process.

Within Pennsylvania, no county-level capability assessment would be complete without considering the constituent municipalities. Local municipalities have their own governing bodies, enforce their own rules and regulations, purchase their own equipment, maintain their own infrastructure, and manage their own resources. In many ways, the County is only as good as the capabilities of its constituent municipalities. As such, this capability assessment does not consider Berks County as a lone entity but evaluates it in light of the various characteristics and differences of and among its 72 constituent municipalities.

### **5.2 CAPABILITY ASSESSMENT FINDING**

#### **5.2.1 Institutional Capability**

Berks County's 72 constituent municipalities include 1 city, 27 boroughs, and 44 townships. Each of these municipalities carries out its daily operations and provides various community services according to its local needs and limitations. Some of these municipalities have formed cooperative agreements and work jointly with their neighboring municipalities to provide such services as police protection, fire and emergency response, solid waste disposal, recreational opportunities, wastewater treatment, infrastructure maintenance, and water supply management while others choose to operate on their own. They vary in staff size, resource availability, fiscal status, service provision, constituent population, overall size, and vulnerability to the profiled hazards.

Certain municipalities in Berks County have fewer residents; less staff; and, by default, a more limited supply of available resources than other municipalities in the more urbanized part of

the County. This is not to say, however, that hazard mitigation is not an important factor for the less populated municipalities. It simply may require a more unified or coordinated approach and/or more efficient utilization of a limited supply of available resources (e.g., financial, technical, and human). For example, Lenhartsville Borough, with its resident population in 2010 of 165 persons, would not be expected, nor would it be appropriate, to engage in hazard mitigation activities on a scale similar to that of Reading City, with its resident population of 88,082 persons in 2010. Rather, Lenhartsville Borough would be expected to engage in hazard mitigation activities according to its local needs and available resources, which may prove to be as valuable to its residents as that of some other municipality's hazard mitigation activities.

In addition to the institutional capability of the municipal government structure described above, the County itself is capable of engaging in hazard mitigation activities. The County has its own staff, resources, budget, equipment, and objectives, which may or may not be similar to those of its constituent municipalities. As such, the County itself has its own capabilities to mitigate the profiled hazards. When partnered with the local municipalities, the state, federal government, local COGs, watershed groups, environmental groups, or some other entity, the results could be limitless.

### **5.2.2 Legal Capability**

Within Pennsylvania, municipalities have the authority to govern more restrictively than state and county minimum requirements as long as they are in compliance with all criteria established in the Pennsylvania Municipalities Planning Code and their respective municipal codes. Municipalities can, and typically do, develop their own policies and programs and implement their own rules and regulations to protect and serve their local residents. Local policies and programs are typically identified in a comprehensive plan, implemented via local ordinance, and enforced through the governmental body or its appointee.

Municipalities regulate development via the adoption and enforcement of zoning, subdivision and land development (SLD), building code, building permit, floodplain management, and/or stormwater management ordinances. Within the development, adoption, and enforcement of these ordinances, there is an opportunity for hazard mitigation in the form of PMs. Most notably is the municipal adoption of NFIP and Pennsylvania Floodplain Management Act (Act 166 of 1978) minimum floodplain management criteria. A municipality must adopt and enforce these minimum criteria to be eligible for participation in the NFIP. As such, municipalities have the option of adopting a single-purpose ordinance or incorporating these provisions into their zoning,

SLD, or building code ordinances, thereby mitigating the potential impacts of local flooding in a preventive manner.

Berks County is committed to regional planning and intergovernmental cooperation. In 1997, the Berks County Board of Commissioners adopted an Intergovernmental Cooperation Policy which reinforced this commitment. Four programs have been implemented at the County level: the Joint Local Comprehensive Planning Program, Joint Zoning Program, Agricultural - Zoning Incentive Program (AZIP), and Existing Developed Areas Program (EDAP). These programs allow municipalities with limited resources to work together while also encouraging regional cooperative efforts.

The Capability Assessment Matrix, included in the appendices, has been prepared to document the County's and its constituent municipalities' existing legal capabilities to mitigate the profiled hazards in a preventive manner. This matrix identifies the municipalities' existing planning documents, thereby indicating their level of hazard mitigation planning. PM hazard mitigation recommendations are based on the information contained in this matrix.

### **5.2.3 Fiscal Capability**

Finances can be an important factor in the capability of any jurisdiction to implement hazard mitigation activities. Every jurisdiction, including those in Berks County, must operate within the constraints of limited financial resources. As such, the key factor in determining fiscal capability is to analyze how tight these constraints are. This could involve a detailed auditing process to tally all revenues and expenditures, or could involve an assessment of existing financial ratings as identified and reported by the PA DCED. For the purposes of this planning program, the Mitigation Steering Committee elected to use the existing financial ratings reported by the PA DCED as a base indicator of fiscal capability at the municipal level.

The Pennsylvania Municipalities Financial Recovery Act (Act 47 of 1987) identified fiscally distressed municipalities based on established criteria and authorized the PA DCED to assist in developing financial recovery plans in these areas. Analysis of the Act 47 fiscally distressed municipality list indicated the City of Reading was the only Berks County's municipality identified on November 12, 2009, as being fiscally distressed according to the established rating criteria.

It is important to remember that finances are not the only factor in determining fiscal capability. There are numerous partnering opportunities and grant programs available to assist in offsetting the expenses of local hazard mitigation efforts. Thanks to PA DEP's Growing Greener grant program, there are numerous watershed associations available for municipalities to partner

with to accomplish hazard mitigation activities. Within Berks County, watershed associations have been formed for:

- Allegheny Creek,
- Cocalico Creek,
- Furnace Creek,
- Hay Creek,
- Little Swatara Creek,
- Maiden Creek,
- Mill Creek,
- Pine Creek,
- Perkiomen Watershed Conservancy,
- Schuylkill Action Network,
- Tulpehocken Creek and Blue Marsh Lake,
- Trout Unlimited – Perkiomen Valley Chapter, and
- Trout Unlimited – Tulpehocken Chapter.

In addition, there are partnering opportunities at the local level with the BCCD, BCPC, DRBC, Berks County DES, and the Western Berks Council of Governments (WBCOG). Grant programs that may be utilized to accomplish hazard mitigation objectives include the PA DCED's Land Use Planning and Technical Assistance (LUPTAP), Shared Municipal Services (SMS), Community Revitalization (CR), and Floodplain Land Use Assistance Programs; PA DEP's Growing Greener, Act 167 Stormwater Management, Source Water Protection, and Flood Protection Programs; PA DCNR's Community Conservation Partnership Program; PEMA's Pre-Disaster Mitigation (PDM) Grant and Flood Mitigation Assistance Programs (FMAP); the Pennsylvania Infrastructure Investment Authority's (PennVEST) low-interest loan and grant program; and various other federal and state programs.

#### **5.2.4 Political Capability**

Political capability refers to a jurisdiction's incentive or willingness to accomplish hazard mitigation objectives. Local decision makers may not rank hazard mitigation as a high-priority task if there has not been a disaster in recent history or if there are other more immediate political concerns. Unfortunately, there is no better way to get people thinking about hazard mitigation than to have a disaster occur. Responding to and recovering from a disaster event can exhaust local resources, thereby elevating hazard mitigation to the forefront of political agendas. This

reactionary effort, while somewhat nominal in value during the aftermath of a disaster event, can go a long way in preparing for and mitigating future events.

Within Berks County, many long-term residents and business owners remember the devastation that was caused by Hurricane Agnes in June 1972. The Agnes flood event is the flood of record for the Schuylkill River in Berks County. If not the Agnes event, most Berks County residents can recall the June 1998 F3 tornado that swept through Lyons Borough and Maiden creek, Maxatawny, and Richmond Townships, leaving behind \$1.4 million in damages. The 2011 floods left portions of Berks County under water in September 2011. In addition, Berks County experienced the Hopewell Wildfire in April 2012, the largest wildfire in Berks County's history. Given these relatively significant recent events and the severity of the 1972 Agnes event, the political capability of Berks County should not be an issue when planning for and implementing local hazard mitigation activities as long as the activities are generally accepted by the public and perceived to be relatively cost-beneficial.

### **5.2.5 Technical Capability**

Technical capability refers to a jurisdiction's availability of resources (other than financial) and knowledge/skill level to accomplish hazard mitigation objectives. Necessary resources typically include personnel (paid or volunteer), equipment/machinery, and materials/supplies. Without the necessary resources, all other measurements of a jurisdiction's capability (i.e., institutional, legal, fiscal, and political) to accomplish hazard mitigation are moot. Conversely, resource availability is moot if the jurisdiction does not have the knowledge/skill level necessary to effectively accomplish the designated hazard mitigation objective. As such, technical capability (i.e., resource availability and knowledge/skill level) is an important factor when analyzing a jurisdiction's ability to accomplish hazard mitigation objectives.

Within Berks County, technical capability varies amongst the municipalities. Even neighboring municipalities may exhibit extreme variations in technical capability. Generally speaking, the more financial resources a municipality has, the more technically capable it will probably be from a resource availability perspective. This is not necessarily the case, however, when analyzing technical capability from a knowledge/skill level perspective. As such, technical capability must be analyzed by each individual municipality prior to implementing any hazard mitigation activities. It is important to note, however, that much like fiscal capability, shortfalls in technical capability may be overcome by cooperative arrangements, coordinated efforts, and/or resource efficiency.

In the case of Berks County, municipal staffing, while highly variable, is supported by a network of professional personnel through the BCPC, BCCD, Berks County DES, and other organizations and offices of the County. Many of these offices also draw upon extensive volunteer support. Such is the case for Berks County DES, which has an extensive training and support program for the EMCs who are located in each municipality of the County. These EMCs have played a key role in the development of this plan and will play pivotal roles in its implementation. Therefore, given the municipal and County staffing available and the expertise of the County's many trained volunteers, technical capability does not appear to be a limiting factor for the implementation of the hazard mitigation plan.

## **6.0 MITIGATION**



## 6.0 MITIGATION

### 6.1 UPDATE PROCESS SUMMARY

The Mitigation Steering Committee identified and prioritized project-planning goals following completion of the hazard vulnerability assessment. The findings of the hazard vulnerability assessment were used to develop possible planning goals that would be specifically focused on the County's vulnerability to the profiled natural hazard events and the potential severity (i.e., frequency and magnitude) of those hazard events. These goals, along with an opportunity to identify separate goals, were then presented to the Committee and the general public (in the form of a survey) at the first round of public meetings. The results of the surveys were then compiled and are summarized here. These project-planning goals are consistent with and build upon the goals and policies in Berks Vision 2020, the County's current Comprehensive Plan, as identified in the section addressing Environmental Hazard Areas. As such, these goals represent the County's vision for minimizing damages caused by flooding and other natural hazards.

To prioritize the goals, individual Mitigation Steering Committee members and the public were asked to assign a rank value to each goal based on a scale of 1 to 5, with 1 representing low priority and 5 representing high priority. These individual rank values were then tallied for each goal and divided by the total number of responses to come up with a composite prioritization ranking for each goal. These composite prioritization rankings were used to classify the goals as high, medium, and low priority. The project-planning goals identified for the County are listed below (in random order within each priority level) according to their calculated composite prioritization.

As part of the plan update, the Mitigation Steering Committee reviewed the existing hazard mitigation goals for content and for priority. Three new goals were added and the priority level of one goal was changed as a result of Steering Committee revisions during the 2017 plan update.

### 6.2 MITIGATION GOALS AND OBJECTIVES

#### High-Priority Hazard Mitigation Goals

- Identify measures to reduce the County's overall vulnerability to natural hazards.
- Identify mitigation recommendations aimed at minimizing the impacts of natural hazards throughout the County.

- Ensure that emergency response services and critical facility functions are not interrupted by natural hazards.
- Ensure that safe and efficient evacuation routes are available throughout the County.
- Ensure that emergency forecasting and warning programs are adequate throughout the County.
- Ensure local adequacy of existing plans and ordinances from a hazard mitigation perspective.
- Encourage and assist municipalities and emergency services organizations to equip and train for high probability hazard events. **New goal added during the 2017 plan update.**
- Ensure the maintenance of healthcare and/or public health infrastructure. **New goal added during the 2017 plan update.**

#### **Medium-Priority Hazard Mitigation Goals**

- Identify cost-beneficial measures to reduce and/or eliminate personal property losses caused by natural hazards.
- Investigate options for the permanent preservation of areas where natural hazard potential is high (i.e., steeply sloping areas, sinkhole areas, floodplains, wetlands, etc.).
- Identify opportunities and options for implementing Best Management Practices (BMPs) that minimize the County's vulnerability to natural hazards.
- Identify appropriate public information/community outreach tools to better inform the County's residents about natural hazards and ways they can protect themselves.
- Consider opportunities and appropriate venues for implementing hazard-related public information programs.
- Ensure that adequate emergency shelters are available throughout the County.
- Ensure that new construction is reasonably resistant to applicable natural hazards.
- Identify additional opportunities throughout the County for implementing preventive actions aimed at minimizing or eliminating natural hazard vulnerability.

- Ensure that emergency communications systems are available and adequate at all levels throughout the County. **The priority level of this goal was changed from “high” to “moderate” during the 2017 plan update.**
- Coordinate existing and new plans across and among major employers, industries and institutions such as colleges/universities and hospitals. **New goal added during the 2017 plan update.**

### **Low-Priority Hazard Mitigation Goals**

- Identify and make recommendations for homeowner-implemented activities to reduce vulnerability to natural hazards.
- Consider the viability of constructing additional flood-control projects throughout the County.
- Identify problem areas in the County’s existing drainage systems (pipes, culverts, channels) and make recommendations for short- and long-term improvements.
- Investigate the need for structural solutions to the County’s wildfire, drought, subsidence, and landslide hazards.

## **6.3 IDENTIFICATION AND ANALYSIS OF MITIGATION TECHNIQUES**

### **6.3.1 Preventive Measures**

PMs are designed to minimize the potential development of new natural hazard problems and are intended to keep such problems from becoming worse. They ensure that future land development projects do not increase local and/or regional natural hazard damage potential. PMs are usually administered by local building, zoning, planning, and/or code enforcement officials and typically include the following:

- land use planning/zoning efforts;
- SLD ordinances;
- building codes;
- floodplain development regulations;
- stormwater management;
- operations and maintenance (O&M) procedures;
- subsurface investigation requirements;
- public education programs;
- burning restrictions; and
- water supply monitoring

Implementation of PMs of this nature will work towards the fulfillment of the following high- and medium-priority project planning goals as identified by the Mitigation Steering Committee:

- Identify measures to reduce the County's overall vulnerability to natural hazards (High Priority)
- Identify mitigation recommendations aimed at minimizing the impacts of natural hazards throughout the County (High Priority)
- Ensure local adequacy of existing plans and ordinances from a hazard mitigation perspective (High Priority)
- Ensure that new construction is reasonably resistant to applicable natural hazards (Medium Priority)
- Identify additional opportunities throughout the County for implementing preventive actions aimed at minimizing or eliminating natural hazard vulnerability (Medium Priority)

#### **6.3.1.1 Land Use Planning/Zoning Efforts**

Comprehensive plans and other similar land use plans define how and where a community, region, or area should be developed. Similarly, zoning ordinances regulate development by dividing a community or region into zones or districts and establishing specific development criteria for each zone or district. As such, comprehensive/land use plans and zoning ordinances can be developed to include provisions for the area's known natural hazards. For example, a comprehensive/land use plan can include an assessment and associated mapping of the respective area's vulnerability to location-specific hazards (e.g., dam failure, flooding, landslides, land subsidence, earthquakes, and wildfires) and make appropriate recommendations for the planned use of these known hazard areas. Similarly, a zoning ordinance can include separate zones or districts with appropriate development criteria for these known hazard areas. As such, the Mitigation Steering Committee identified the following PM Hazard Mitigation Measures to be implemented within the County.

**PM-1: As Comprehensive Plans are developed or updated, include an assessment and associated mapping of the municipality's vulnerability to location-specific hazards and incorporate appropriate recommendations for the use of these hazard areas.**

- PM-2: As Zoning Ordinances are developed or revised, either include separate zones or districts with appropriate development criteria for known hazard areas or incorporate such criteria within existing districts where hazards are known to exist.**
- PM-3: Make available for municipal use the digital natural hazard mapping files that were developed as part of this hazard vulnerability assessment and mitigation planning effort.**
- PM-4: Continue to maintain and update the County GIS structure layer to better define hazard-prone structures.**

### **6.3.1.2 Subdivision and Land Development Ordinances**

SLD ordinances regulate how land can be subdivided into individual lots and establish certain standards/criteria for the location and construction of buildings and associated infrastructure (i.e., roads, sidewalks, utility lines, stormwater management facilities, etc.). As such, local SLD ordinances can be written to include municipality-specific, hazard mitigation-related development criteria for the location and construction of buildings and other infrastructure in known hazard areas in an effort to avoid future damages and minimize existing problems. Examples of some hazard mitigation-related development criteria include watershed-specific stormwater management regulations, land use-specific erosion and sedimentation control requirements, hazard-specific building and infrastructure location limitations, and a requirement to incorporate various pre-defined, municipality-specific hazard mitigation/prevention measures into all development plans. Along these same lines, the mandatory use of conservation subdivision design principles could also be employed to minimize/mitigate the potential impacts of natural hazards. Conservation subdivision design principles involve clustering homes/development in a proposed subdivision to avoid known hazard areas (i.e., steep slopes, floodplains, etc.) and environmentally sensitive resources (i.e., wetlands, critical wildlife habitats, etc.), thereby developing the most appropriate land while permanently establishing a network of protected open spaces (additional information on these “Growing Smarter” land use concepts is included in the appendices for reference purposes). As such, the Mitigation Steering Committee identified the following PM Hazard Mitigation Measure to be implemented within the County.

- PM-5: As SLD Ordinances are developed or revised, include municipality-specific, hazard mitigation-related development criteria and/or provisions for the mandatory use of conservation subdivision design principles in order to regulate the location and construction of buildings and other infrastructure in known hazard areas.**

**PM-6: As SLD Ordinances are developed or revised, they should include municipality-specific development criteria and/or provisions that require proper access (for emergency vehicles) to hazard-prone residential developments (i.e., Urban/Wildland Interface areas). Such criteria should be developed in cooperation with the municipal EMCs and/or emergency personnel.**

### **6.3.1.3 Building Codes**

Building codes regulate the construction, renovation, and alteration of new and existing structures by establishing minimum building standards and providing for routine inspections by a certified building code inspector. As such, local building codes can include specific standards for hazard-resistant construction. Examples of some hazard mitigation-related building standards include requiring the use of fireproof/resistant building materials, specifying particular construction practices to promote wind resistance, specifying the use of waterproof/resistant building materials in known flood hazard areas, and requiring certain foundation and structure anchoring specifications in known floodwater velocity areas. In Pennsylvania, a state law was passed in 1999 establishing a statewide Uniform Construction Code (UCC). The law establishes the BOCA National Building Code (and its successor codes) as the minimum standard for the construction, alteration, and repair of commercial and residential structures throughout the Commonwealth. While the UCC includes some general hazard mitigation-related building standards, some hazard-prone municipalities may find it appropriate to adopt more stringent building standards to ensure hazard-resistant construction. As such, the Mitigation Steering Committee recognized ongoing implementation of the UCC and the potential local adoption of more stringent standards for hazard-resistant construction as a PM Hazard Mitigation Measure for the County.

**PM-7: Enforce the minimum building standards of the Pennsylvania UCC and/or consider the potential adoption of more stringent building standards to ensure hazard-resistant construction, including greater resistance to severe weather events (namely hailstorms).**

### **6.3.1.4 Floodplain Development Regulations**

Floodplain development regulations establish regulatory criteria for the construction and/or alteration of buildings and other development located in the 100-year floodplain in an effort to minimize potential flood-related damages and ensure that new development does not exacerbate local flood hazards. Municipalities that participate in the NFIP must adopt and enforce floodplain development regulations that meet or exceed minimum NFIP standards and requirements. NFIP

floodplain development regulations prohibit obstruction of the regulatory floodway and require new buildings being constructed in the 100-year floodplain to be protected from damage by the base flood (i.e., 100-year or 1% annual chance flood). NFIP floodplain development regulations are intended to prevent loss of life and property as well as economic and social hardships that result from flooding.

In addition to these minimum federal requirements, the Pennsylvania Floodplain Management Act (Act 166 of 1978) established more restrictive floodplain development regulations. Act 166 discourages the construction of hospitals, nursing homes, jails, and mobile home parks in the floodplain and prohibits development that “may endanger human life” in the regulatory floodway. Such development includes that which would require the production or storage of hazardous and radioactive materials. Floodplain development regulations can be incorporated into a municipality’s existing codes/ordinances or can be adopted as a separate, stand-alone ordinance. As such, the Mitigation Steering Committee identified the following PM Hazard Mitigation Measures to be implemented within the County.

- PM-8: Ensure municipal compliance with, and continued enforcement of, NFIP and PA Act 166 floodplain development regulations and/or encourage more restrictive requirements, as appropriate.**
- PM-9: Develop a municipal Memorandum of Understanding with the County Floodplain Management Coordinator that allows her/his review and concurrence on plans for proposed construction or substantial improvement of existing construction in the floodplain. In the absence of a County Floodplain Management Coordinator, Berks County should appoint a temporary Coordinator or rehire a new, permanent County Floodplain Management Coordinator. PM-9 was removed at the request of Berks County DES.**
- PM-10: Confirm that existing municipal Floodplain Ordinances include a provision for all new development requiring 50-foot setbacks from top of bank in areas without defined floodway boundaries and ensure the enforcement of this provision.**

#### **6.3.1.5 Stormwater Management**

Effective management of stormwater runoff from developed areas can go a long way in minimizing local and regional drainage problems and associated flooding hazards. In addition, stormwater management practices that promote infiltration work towards the minimization of drought impacts by contributing to the base flow of local streams and watercourses. Stormwater management regulations, which are usually incorporated into a municipality’s SLD ordinance,



require developers to construct on-site stormwater management facilities that will effectively collect, convey, and store surface water runoff.

According to the BCPC, PA DEP-approved Act 167 Stormwater Management Plans have been prepared for several watersheds that exist in whole or in part in Berks County, including the Schuylkill River, Maiden Creek, Sacony Creek, Little Lehigh Creek, Swamp Creek, Conestoga River, Cocalico Creek, and Tulpehocken Creek. In 2008, PA DEP transitioned away from preparing Act 167 Stormwater Management Plans at the watershed level and began to focus on the preparation of countywide plans to take the place of individual watershed plans. Unfortunately, Berks County was not selected for the preparation of a countywide stormwater management plan as part of this early initiative. Further, PA DEP is no longer preparing countywide stormwater management plans due to a lack of program funding. However, the Mitigation Steering Committee has identified the following PM for ongoing consideration in anticipation that PA DEP will someday return to funding the preparation of countywide Act 167 Stormwater Management Plans.

**PM-11: If funding should become available through the PA DEP's Act 167 Stormwater Management Program, pursue the preparation of a countywide Act 167 Stormwater Management Plan.**

#### **6.3.1.6 Operations and Maintenance Procedures**

Effective implementation of appropriate O&M procedures at Berks County's high-hazard dams are fundamental to the prevention of a potential failure. Routine inspections, regular maintenance, and continual Emergency Action Plan review are the most critical measures that can be taken to prevent a dam failure. As such, the Mitigation Steering Committee recognized the existing O&M procedures at these dams and identified the continued implementation of these O&M procedures as a PM Hazard Mitigation Measure for the County.

**PM-12: Ensure continued implementation of appropriate O&M procedures (routine inspections, regular maintenance, and continual updates to the EAP) at the County's high-hazard dams in an effort to prevent a potential failure.**

#### **6.3.1.7 Subsurface Investigation Requirements**

Subsurface investigation requirements for new SLD projects in known land subsidence hazard areas can prevent costly, and sometimes irreparable, structural damage caused by sinkholes. Subsurface investigation requirements in the form of borings, geophysical surveys,



and/or studies conducted by a registered Professional Geologist can be incorporated into a municipality's existing zoning and/or SLD ordinances or can be adopted as a separate, stand-alone ordinance. While existing structures would continue to be susceptible, local implementation of this type of ordinance provision would successfully reduce the potential for new construction to be damaged by the land subsidence hazard. As such, the Mitigation Steering Committee identified the following PM Hazard Mitigation Measure to be implemented within the County.

**PM-13: Revise existing zoning and/or SLD ordinances or adopt a separate, stand-alone ordinance to require the completion of subsurface investigations (i.e., borings, geophysical surveys, and/or studies by a registered Professional Geologist) for all new SLD projects in known land subsidence hazard areas.**

#### **6.3.1.8 Public Education Programs**

Public education programs can be implemented as a preventive hazard mitigation measure when dealing with hazards that have the potential to be induced by human activity. Public education can counter the viability of these hazards and diminish their frequency of occurrence. A good example of a public education program that has successfully decreased the number of occurrences of human-induced incidents is the U.S. Forest Service's use of Smokey the Bear. Since the development of Smokey the Bear, the number of wildfires caused by children playing with matches has decreased dramatically. Within Berks County, the only natural hazard that has the potential to be human-induced is wildfire. As such, the Mitigation Steering Committee identified the implementation of a public education program aimed at minimizing human-induced wildfires as a PM Hazard Mitigation Measure to be implemented at the County level. This public education program is to be a joint effort between Berks County DES and the PA DCNR Bureau of Forestry and is to consist of the development and mass distribution of an informative brochure and training for local officials on Pennsylvania's Firewise Communities Program. In addition, the Mitigation Steering Committee identified municipal enrollment in the Pennsylvania Firewise Communities Program as a PM Hazard Mitigation Measure for the County.

**PM-14: Implement a wildfire-prevention public education program consisting of the development and distribution of an informative brochure and training for local officials on Pennsylvania's Firewise Communities Program.**

**PM-15: Municipalities with identified wildfire potential should enroll in the Pennsylvania Firewise Communities Program.**

### **6.3.1.9 Burn Restrictions**

Open burn restrictions and burning ordinances for municipalities in known wildfire hazard areas can reduce or prevent property damage and loss of valuable forested tracts located throughout the County. Wildfires in the Urban/Wildland Interface areas not only endanger the forest and residents but also the fire department personnel who respond to those fires, often on roads that do not allow easy access to remote areas. Municipalities concerned with wildfire hazards can create and adopt a Burn Ordinance that promotes public health, safety, and welfare by imposing bans on the open burning of debris, lawn clippings, leaves, etc. during set times throughout the year, or during unseasonably dry parts of the year. The ordinance can be created as a stand-alone ordinance that focuses on the portion of the municipality most at risk. As such, the Mitigation Steering Committee identified the following PM Hazard Mitigation Measure to be implemented within the County and as revised in accordance with the updated plan.

**PM-16: Adopt an ordinance to ban open burning as conditions warrant in wildfire hazard areas or throughout the municipality.**

### **6.3.1.10 2012 Plan Update Mitigation Measures**

As part of the review process the Mitigation Steering Committee requested that PM-9 and PM-16 be revised. Given that Berks County does not have a Floodplain Management Coordinator, it was recommended that one be temporarily appointed or that position be filled. The Committee members chose to revise the language within PM-16 to define open burning be banned “as conditions warrant” rather than as previously defined “during designated times of the year” (see above Section 6.3.1.9 for burn restrictions). There were no other specific changes to PMs.

### **6.3.1.11 2017 Plan Update New Mitigation Measures**

Mitigation Measures PM-17 and PM-18 were adapted from the FEMA Mitigation Ideas (2013) resource and agreed upon at a Mitigation Steering Committee meeting.

**PM-17: Identify local drought indicators and establish a regular schedule to monitor and report conditions.**

**PM-18: Develop agreements for secondary water sources that may be used during drought conditions.**

**PM-19: Require municipalities to adopt updates to UCCs.**

### **6.3.2 Emergency Services**

Emergency services (ES) measures protect people during and immediately following a natural hazard event. Counties and municipalities typically develop an Emergency Operations Plan (EOP) to formally document their emergency preparedness and response planning. The local EOP identifies standard operating procedures for various emergency management personnel and establishes the location and operating conditions of the EOC. As such, adopting and implementing the EOP is a critical first step in providing local ES measures in response to a natural hazard event. Berks County and all 73 of its constituent municipalities updated their EOPs in 2003. With this critical plan in place, Berks County can investigate more specific ES measures which can be implemented at the local, county, state, and/or federal level, depending on the severity of the hazard event, and typically include the following:

- hazard warning;
- hazard response;
- critical facilities protection;
- health and safety maintenance; and
- post-disaster recovery and mitigation.

Implementation of these ES measures will work towards the fulfillment of the following project-planning goals as identified by the Mitigation Steering Committee:

- Identify measures to reduce the County's overall vulnerability to natural hazards (High Priority)
- Identify mitigation recommendations aimed at minimizing the impacts of natural hazards throughout the County (High Priority)
- Ensure that emergency response services and critical facility functions are not interrupted by natural hazards (High Priority)
- Ensure that safe and efficient evacuation routes are available throughout the County (High Priority)

- Ensure that emergency communications systems are available and adequate at all levels throughout the County (High Priority)
- Ensure that emergency forecasting and warning programs are adequate throughout the County (High Priority)
- Ensure that adequate emergency shelters are available throughout the County (Medium Priority)

### 6.3.2.1 Hazard Warning

The first step in dealing with a natural hazard is to know that one is coming. Early warning of a pending hazard enables residents and business owners to secure their property to the greatest extent possible and move to safety before putting themselves at risk. Effective mitigation involves both accurate forecasting and broadly based warning procedures. In regard to flooding, forecasting and warning services are provided for Berks County by the NWS Mid-Atlantic River Forecast Center in State College, Pennsylvania. The flood forecast and warning system uses a network of gauges that measure streamflow and rainfall to provide data for forecasting river levels and issuing accurate early warnings. Flood forecasts useful to Berks County are issued for the USGS stream gauges on the Schuylkill River at Berne, Blue Marsh Dam, and Reading.

Hazard warning programs generally have two levels of notification:

- hazard watch – conditions are right for a suspected hazard, and
- hazard warning – a specific hazard has started or is expected to occur.

Under certain conditions, the NWS may issue a “flash flood watch.” This means the amount of rain expected may cause rapid increases in local stream flows and/or localized ponding. However, these events are so localized and so rapid that a “flash flood warning” is seldom issued. Warnings from the NWS are relayed to municipalities by County EMAs, who monitor weather radio and broadcast networks. County EMAs are alerted by PEMA.

After the flood forecast and warning system alerts the local EMC that a flood is coming, the next step is to notify the other local emergency management personnel and the public that a flood is imminent. The earlier and more accurate the warning, the greater the number of people who can implement protection measures. A flood or other natural hazard warning may be disseminated in a variety of ways, including the following:

- sirens;
- NOAA Weather Radio;
- commercial or public radio stations;
- commercial or public television stations;
- cable TV emergency news inserts on community bulletin boards;
- mobile public address systems;
- telephone trees;
- Internet weather related sites;
- municipal/county/state Internet sites; and
- door-to-door contact.

Multiple or redundant systems are most effective; if people do not hear one warning, they may still get the message from another part of the system.

Given the potentially life-saving importance of hazard warning programs, the Mitigation Steering Committee identified the ES Hazard Mitigation Measures listed below to be implemented within the County. As part of the 2012 updated plan, the following ES Hazard Mitigation Measures were revised based on input from Berks County DES: ES-1, ES-7, ES-9, ES-10, ES-14, ES-16, ES-17, ES-18, ES-21, and ES-25.

- ES-1: Develop a real-time Web portal that would provide a link to Berks County information (i.e., County website: <http://www.berksdes.com>) during non-emergencies but act as an extension of the Emergency Alert System in times of pending disaster and during a disaster. Additional real-time Web resources include <http://www.facebook.com/BerksCountyDES> and [Twitter@BerksDES](https://twitter.com/BerksDES). **Berks County DES believes this has been accomplished as of September 29, 2017.****
- ES-2: Participate in the NWS's StormReady Program, a nationwide program that helps communities develop plans to handle all types of severe weather.**
- ES-3: Establish a partnering relationship with the NWS Mid-Atlantic River Forecast Center to enhance the existing Flood Forecast and Warning System via the Advanced Hydrologic Prediction Services Program.**
- ES-4: Install a NOAA weather radio transmitter/repeater in Berks County to improve signal strength and quality.**
- ES-5: Coordinate with the USGS, local watershed organizations, and/or the BCCD to increase the number of USGS and Integrated Flood Observing and Warning System (IFLOWS) rain and stream gauges in the County as a potential enhancement to the existing Delaware River Basin Flood Forecast and Warning System.**
- ES-6: Increase the number of NOAA Weather Alert radios in public places and other critical facilities across the County (i.e., municipal buildings, public libraries, police stations, fire stations, etc.).**

- ES-7: Continue to support EMCs with technical assistance for their high bandwidth wireless service and/or pagers as a means of maintaining the County’s warning dissemination program.**
- ES-8: Conduct routine inspections, regular maintenance, and annual tests on all emergency communications equipment, public address systems, and hazard alert sirens to ensure unhindered operation during an emergency event.**
- ES-9: Ensure that a planned, coordinated, and effective public warning dissemination program exists and is maintained at the local level.**
- ES-10: Municipalities to develop and implement a reverse 9-1-1 system; also known as Interactive Communication Notification System.**

### **6.3.2.2 Hazard Response**

After a potential hazard is recognized, the first priority is to alert others through the local warning dissemination program. The second priority is to respond with actions that can prevent or reduce damage and injuries. These actions are typically defined as standard operating procedures in an EOP. An updated EOP ensures that all bases are covered and that the response activities are coordinated and appropriate for the expected hazard. Drills and practice exercises should be conducted on a routine basis to ensure that all emergency management personnel understand their assigned duties and are capable of accomplishing them. The result is a coordinated and appropriate response that demonstrates maximum efficiency in the use of available and otherwise limited resources.

Given the potentially life-saving importance of hazard response activities, the Mitigation Steering Committee identified the following ES Hazard Mitigation Measures to be implemented within the County.

- ES-11: Respond to hazards with actions that are consistent with the local EOP.**
- ES-12: Conduct hazard response practice drills and emergency management training exercises on an annual basis.**
- ES-13: Create locally coordinated snow routes in municipalities where snow removal is limited or difficult during major winter storm events.**
- ES-14: Review grant opportunities to implement a system similar to PennDOT’s RWIS (Road and Weather Information System), completed on Interstate 78, that will monitor major arteries in Berks County and report this information to the County’s website.**



- ES-15: Install cameras along major arteries in Berks County to monitor traffic flow. Accessibility to these cameras should be provided to the County EOC, 911 Center and also on the County's website.**
- ES-16: Provide generators for every municipal EOC and possibly those critical facilities that do not currently have one. ES-16 was removed at the request of Berks County DES.**
- ES-17: Provide and maintain battery backup systems for traffic control systems throughout the County.**
- ES-18: Ensure the Limerick Power Plant operator maintains and updates evacuation plans on a consistent basis.**
- ES-19: Conduct routine inspections, regular maintenance, and annual tests on all emergency response equipment.**

### **6.3.2.3 Critical Facilities Protection**

Protecting critical facilities during a hazard event is a vital part of any emergency services effort. If a critical facility is threatened and/or damaged during a hazard event, workers and resources may be drawn away from protecting and assisting other hazard-prone areas of the community. However, if the vulnerable critical facility was adequately prepared, it would be better able to support (or at least not detract from) the community's hazard response efforts. The Mitigation Steering Committee used the Critical Facilities Inventory and regional hazard event profile mapping included in the appendices and GIS data analysis to identify vulnerable critical facilities throughout the County, including those that are located in natural hazard-prone areas. As such, the Mitigation Steering Committee identified the following ES Hazard Mitigation Measure to be implemented within the County.

- ES-20: Encourage the owners/operators of critical facilities in natural hazard areas to develop and implement an emergency response plan to mitigate potential impacts.**  
**-- OR --**  
**Berks County DES should consider partnering with the owners/operators of critical facilities to provide adequate planning and protection.**

### **6.3.2.4 Health and Safety Maintenance**

Preventing and/or minimizing potential threats to public health and safety during and immediately following a natural hazard event are critical. After a disaster, many people are more interested in returning to and repairing their damaged properties than in taking personal health

and safety precautions. Many flood-related drowning victims put themselves in a dangerous situation by ignoring travel warnings and driving through a flooded area, not realizing that the bridge has washed out. Cars can float in less than two feet of moving water and can be easily swept downstream into deeper waters. As such, drowning in vehicles is the number one cause of flood-related deaths. Interestingly, the second most frequent cause of flood-related deaths is through electrocution by way of floodwaters carrying a live electrical current.

Also of concern is what can be carried by floodwaters from upstream areas. Floodwaters pick up and carry whatever was on the ground upstream. This can include trash, oil, pesticides, and industrial chemicals. During significant flooding events, wastewater treatment plants can be inundated and sewer lines can back up. This can result in untreated sewage mixing with floodwaters, further increasing the public health risk.

Given the potentially life-saving importance of health and safety maintenance activities, the Mitigation Steering Committee identified the following ES Hazard Mitigation Measures to be implemented within the County.

- ES-21: Develop and distribute potential health and safety implications of various natural hazard events on the Berks County DES website (<http://www.berksdes.com>) and through local press releases.**
- ES-22: Encourage rigorous sampling and analysis of public and private drinking water supply sources immediately after an inundating flood event and issue boil water advisories as needed.**

#### **6.3.2.5 Post-Disaster Recovery and Mitigation**

After a natural disaster occurs, local governments should engage in activities that will better prepare people and property for the next disaster. These activities are implemented during the post-disaster recovery period to prevent people from immediately going “back to normal” (i.e., the way they were before the disaster) in their potentially hazard-prone location and condition. These post-disaster activities typically include such things as requiring permits, conducting inspections, and enforcing the NFIP substantial improvement/substantial damage regulations. Unfortunately, these activities can be very difficult on a post-disaster basis, especially for smaller and/or understaffed municipalities. However, if these activities are not carried out properly, not only does the municipality miss an opportunity to redevelop or clear out its known hazard areas, but it may also be violating its obligations under the NFIP. As such, the Mitigation Steering



Committee identified the following ES Hazard Mitigation Measures to be implemented within the County.

- ES-23: Develop a technical proficiency at the municipal level for conducting post-disaster damage assessments and regulating reconstruction activities to ensure compliance with NFIP substantial damage/substantial improvement requirements.**
- ES-24: Develop a technical proficiency at the municipal level for assisting local residents and business owners in applying for hazard mitigation and assistance funds and identifying cost-beneficial hazard mitigation measures to be incorporated into reconstruction activities.**
- ES-25: Continue to maintain/update the Berks County DES website that contains information related to the Hazard Mitigation Plan and educational materials for hazard mitigation measures (<http://www.berksdes.com>).**

#### **6.3.2.6 2012 Plan Update Mitigation Measures**

Coordination completed with the Mitigation Steering Committee as part of the update process resulted in eight new mitigation measures. Mitigation measures ES-26, ES-27, ES-28, ES-29, and ES-30 were created in response to the recent Hopewell Wildfire which occurred in southeastern Berks County and was the largest wildfire documented in Berks County.

- ES-26: Increase the number of municipal firefighters trained in wildland fire fighting. Encourage municipal firefighters to complete the “Basic Wildland Firefighter” (PA-130) and “Introduction to Wildland Fire Behavior” (S-190) training courses, which are recommended by PA DCNR.**
- ES-27: Ensure municipal volunteer fire departments purchase the appropriate wildland firefighting equipment, including approved flame-resistant “natural fiber” jackets/gloves and appropriate wildland fire fighting helmets.**
- ES-28: Encourage wildland firefighting trained personnel to maintain reflective labels on their helmets and jackets to clearly identify their affiliation.**
- ES-29: Encourage emergency service providers to pursue grant opportunities to procure additional All-Terrain Vehicles (ATVs) or Utility-Terrain Vehicles (UTVs) for use in fighting wildland fires.**
- ES-30: Ensure existing and new residential developments located in the wildland/urban interface maintain viable transportation access for emergency service providers in the event of a wildfire.**

A special coordination meeting was completed with Berks County DES on July 9, 2012, to identify any additional mitigation measures. The County indicated that ES-31 should be included in the updated plan.

**ES-31: Berks County DES should continue coordination with regional water authorities to maintain adequate water supply for emergency preparedness.**

In addition, both ES-32 and ES-33 were developed as part of the Mitigation Steering Committee meetings. ES-32 was derived from the October 31, 2011, snowfall which resulted in an above-average number of downed trees. Some parts of Berks County experienced power outages for nearly a week and, in some cases, longer. Members of the Mitigation Steering Committee confirmed the current technology used with the telecommunication system allows for only an eight-hour surplus of backup energy unless the utility systems have a built-in generator. Recommendations provided by the BCPC indicated that the County should consider the effects of natural disasters on the County's transportation routes as defined in ES-33. ES-32 and ES-33 are described below.

**ES-32: Ensure the telecommunication companies have adequate on-site power to ensure ongoing communications during power outages.**

**ES-33: Berks County will coordinate with PennDOT Engineering District 5-0 regarding the identification of alternative detour evacuation routes to be developed on a multi-municipal basis.**

Berks County DES is also in the process of updating its emergency response radio system to the 800 megahertz (MHz) digital radio system. FEMA's goal, as defined in the National Response Framework, is to implement the 800 MHz digital radio project as a universal means of communication between corresponding emergency officials. As such, Berks County DES is following the guidelines spelled out in the National Incident Management System (NIMS) to implement this project. Berks County DES believes the infrastructure will be in-place during 2014, therefore allowing the 800 MHz digital radio system to be implemented throughout Berks County.

#### **6.3.2.7 2017 Plan Update New Mitigation Measures**

Mitigation Measures ES-34, ES-35 and ES-36 were adapted from the FEMA Mitigation Ideas (2013) resource and agreed upon at a Mitigation Steering Committee meeting.

- ES-34: Ensure vulnerable populations are adequately protected from the impacts of extreme temperatures such as organizing outreach to vulnerable populations, including establishing and promoting accessible heating and cooling centers in the community.**
- ES-35: Adopt a post disaster recovery ordinance based on a plan to regulate repair activity, generally depending on property location.**
- ES-36: Incorporate procedures for tracking high water marks following a flood into emergency response plans.**

A special coordination meeting was completed with Berks County DES on September 19, 2017, to identify any additional mitigation measures. The County indicated that ES-37 should be included in the updated plan.

- ES-37: Maintain and promote the County’s Smart911 service that allows residents to create a safety profile for their households that they desire 9-1-1 and first responders to have in the event of an emergency.**

### **6.3.3 Property Protection**

Property protection (PP) measures are used to minimize an existing structure’s vulnerability to a known hazard rather than trying to modify or control the hazard itself. PP measures involve improvements to privately owned property and must therefore be coordinated (and potentially even cost-shared) with the respective property owners. Many of these measures do not affect the appearance or use of the structure, making them particularly appropriate for historical sites or landmarks. Implementation of a PP measure typically requires acquisition of a local building permit and associated coordination with the local building, zoning, planning, and/or code enforcement office. PP measures include the following:

- relocation/acquisition,
- elevation,
- floodproofing,
- insurance,
- brush/shrub removal, and
- emergency response planning.

Implementation of PP measures of this nature will work towards the fulfillment of the following project-planning goals as identified by the Mitigation Steering Committee:

- Identify measures to reduce the County's overall vulnerability to natural hazards (High Priority)
- Identify mitigation recommendations aimed at minimizing the impacts of natural hazards throughout the County (High Priority)
- Identify cost-beneficial measures to reduce and/or eliminate personal property losses caused by natural hazards (Medium Priority)
- Identify and make recommendations for homeowner-implemented activities to reduce vulnerability to natural hazards (Low Priority)

As previously mentioned, 13 representative floodplain structures were identified from throughout the County (see Section 4.4.3) and analyzed to determine approximate loss estimates for the 100-year flood event. These 100-year flood loss estimates, along with additional structure-specific information collected in the field, were input into FEMA's Benefit-Cost Analysis (BCA) Limited Data Module to determine the cost-effectiveness of implementing various PP measures for these 13 representative floodplain structures. In FEMA terms, cost-effectiveness is measured by means of a benefit-cost ratio, which is a ratio of project benefits to project costs. If the project benefits exceed the project costs, the benefit-cost ratio is greater than 1.0 and the project is considered to be cost-effective; if the project benefits do not exceed the project costs, the benefit-cost ratio is less than 1.0 and the project is not considered to be cost-effective.

While project costs are relatively simple to estimate, calculating project benefits can be much more difficult because they involve the damages avoided as a result of a property protection project from flood events of varying frequency and intensity that can occur over the life of the project. For this reason, FEMA developed the BCA Modules to aid users in estimating project benefits and computing benefit-cost ratios.

The BCAs conducted for the 13 representative floodplain structures considered alternative PP measures as listed below.

- Relocation – Moving the existing structure outside of the floodplain
- Acquisition – Buying and demolishing the existing structure
- Elevation – Raising the existing structure on a foundation constructed above the flood elevation
- Dry Floodproofing – Making the structure watertight by strengthening the structural elements and using sealants and shields to resist low-level flood events

- Wet Floodproofing – Using flood-resistant materials and protecting utilities and other equipment to resist flood damage when waters enter the structure

A summary of the BCA results for the 13 representative floodplain structures is shown in Tables 6-1 and 6-2. The complete results (including supporting documentation) of the BCAs are included in the appendices. These benefit-cost ratios were used to assist in the identification of an appropriate PP measure for each of the 13 representative floodplain structures. Ideally, a benefit-cost ratio should be higher than 1.0 to be considered reasonably grant-eligible. Lower ratios still provide a relative degree of project feasibility but are also indicative of projects that may require private funding or funds from sources other than FEMA grants. The representative floodplain structures and their identified PP measure were then used to develop a guide to identifying and selecting an appropriate PP measure. This guide (see Table 6-3) takes into consideration the type/use of the structure, the foundation of the structure, and the associated 100-year flood impact to make a general recommendation on the most appropriate PP measure for any given structure in Berks County. As such, this guide can be used throughout the County to assist in the identification and selection of appropriate PP measures. Additional information on PP measures and how they apply to the 13 representative floodplain structures is provided below. In accordance with PEMA directives, Hazard Mitigation Opportunity Forms for the 13 representative floodplain structures are in the appendices.

**TABLE 6-1  
SUMMARY OF BENEFIT-COST ANALYSIS RESULTS FOR RESIDENTIAL  
REPRESENTATIVE STRUCTURES**

FLOODPLAIN REPRESENTATIVE STRUCTURE	BENEFIT-COST RATIO BY FLOOD MITIGATION METHOD				
	ELEVATION	RELOCATION	WET FLOODPROOFING	DRY FLOODPROOFING	ACQUISITION
Hay Creek - Birdsboro	0.03	0.05	N/A	0.04	0.06
Schuylkill River - Union Township	1.18	1.02	0.30	N/A	0.57
Manatawny Creek –Earl Township	0.55	0.47	N/A	N/A	0.73
Swamp Creek - Bechtelsville	N/A	0.48	0.47	N/A	0.38
Sacony Creek - Kutztown	1.30	0.98	0.45	N/A	0.54
Schuylkill River - Shoemakersville	0.64	0.50	N/A	N/A	0.45
Mill Creek - Hamburg	N/A	0.14	0.13	N/A	0.08
Antietam Creek - Stony Creek Mills	N/A	0.02	0.05	N/A	0.01

N/A – Not Applicable



**TABLE 6-2  
SUMMARY OF BENEFIT-COST ANALYSIS RESULTS  
FOR COMMERCIAL/INDUSTRIAL REPRESENTATIVE STRUCTURES**

FLOODPLAIN REPRESENTATIVE STRUCTURE	BENEFIT-COST RATIO BY FLOOD MITIGATION METHOD			
	ELEVATION	RELOCATION	DRY FLOODPROOFING	ACQUISITION
Manatawny Creek - Earl Township	0.21	0.20	0.72	0.23
Laurel Run - Muhlenberg	N/A	N/A	N/A	0.81
Schuylkill River - Reading	N/A	N/A	0.65	0.12
Laurel Run - Muhlenberg	0.33	0.34	0.80	0.34
Schuylkill River - Leesport	0.09	0.21	1.12	0.36

N/A – Not Applicable

**TABLE 6-3  
BERKS COUNTY PROPERTY PROTECTION GUIDE**

100-YEAR FLOOD IMPACT	TYPE OF STRUCTURE							
	RESIDENTIAL						COMMERCIAL <sup>1</sup>	INDUSTRIAL <sup>1</sup>
	1- TO 2-STORY WOOD FRAME			1- TO 2-STORY MASONRY				
	WITH BASEMENT	SLAB-ON-GRADE	CRAWL SPACE	WITH BASEMENT	SLAB-ON-GRADE	CRAWL SPACE		
High Velocity and/or Floodway	Relocation/ Acquisition <sup>2</sup>	Relocation/ Acquisition <sup>2</sup>	Relocation/ Acquisition <sup>2</sup>	Relocation/ Acquisition <sup>2</sup>	Relocation/ Acquisition <sup>2</sup>	Relocation/ Acquisition <sup>2</sup>	Relocation/ Acquisition <sup>2</sup>	Relocation
0-2 Feet in Basement	Sump Pump <sup>3</sup> and/or Wet Floodproofing <sup>4</sup>	N/A	N/A	Sump Pump <sup>3</sup> and/or Wet Floodproofing <sup>4</sup>	N/A	N/A	N/A	Acquisition <sup>2</sup>
2-8 Feet in Basement	Wet Floodproofing <sup>4</sup>	N/A	N/A	Wet Floodproofing <sup>4</sup>	N/A	N/A	N/A	N/A
<1 Foot First Floor	Wet Floodproofing <sup>4</sup> or Elevation <sup>5</sup>	Dry Floodproofing <sup>3</sup>	Wet Floodproofing <sup>4</sup> or Elevation <sup>5</sup>	Wet Floodproofing <sup>4</sup>	Dry Floodproofing <sup>3</sup>	Wet Floodproofing <sup>4</sup>	Dry Floodproofing <sup>3</sup>	Dry <sup>3</sup> or Wet <sup>4</sup> Floodproofing
1-3 Feet First Floor	Elevation <sup>5</sup>	Dry Floodproofing <sup>3</sup>	Elevation <sup>5</sup>	Elevation <sup>5</sup>	Dry Floodproofing <sup>3</sup>	Elevation <sup>5</sup>	Dry Floodproofing <sup>3</sup>	Dry <sup>3</sup> or Wet <sup>4</sup> Floodproofing
3-8 Feet First Floor	Elevation <sup>5</sup> or Relocation/ Acquisition <sup>6</sup>	Elevation <sup>5</sup> or Relocation/ Acquisition <sup>6</sup>	Elevation <sup>5</sup> or Relocation/ Acquisition <sup>6</sup>	Elevation <sup>5</sup> or Relocation/ Acquisition <sup>6</sup>	Elevation <sup>5</sup> or Relocation/ Acquisition <sup>6</sup>	Elevation <sup>5</sup> or Relocation/ Acquisition <sup>6</sup>	Elevation <sup>5</sup> or Relocation/ Acquisition <sup>6</sup>	Wet Floodproofing <sup>4</sup> or Relocation/ Acquisition <sup>6</sup>
>8 Feet	Elevation <sup>7</sup> or Relocation/ Acquisition <sup>6</sup>	Elevation <sup>7</sup> or Relocation/ Acquisition <sup>6</sup>	Elevation <sup>7</sup> or Relocation/ Acquisition <sup>6</sup>	Elevation <sup>7</sup> or Relocation/ Acquisition <sup>6</sup>	Elevation <sup>7</sup> or Relocation/ Acquisition <sup>6</sup>	Elevation <sup>7</sup> or Relocation/ Acquisition <sup>6</sup>	Relocation/ Acquisition <sup>6</sup>	Relocation/ Acquisition <sup>6</sup>

**Notes:**

These recommendations are for planning purposes only. Professional expertise should be sought before taking any flood mitigation action.  
Some projects may not meet FEMA cost-benefit requirements, thereby requiring property owner or other funding sources.

- 1 Assuming slab-on-grade foundation.
- 2 Floodway location/vulnerability to high velocity flows warrant relocation and/or acquisition.
- 3 See dry floodproofing text later in this chapter.
- 4 See wet floodproofing text later in this chapter.
- 5 See elevation text later in this chapter.
- 6 See relocation/acquisition text later in this chapter.
- 7 Only appropriate for seasonal structures.



### 6.3.3.1 Relocation/Acquisition

Moving a building to higher ground (i.e., relocation) and/or purchasing and demolishing a flood-prone building (i.e., acquisition) are the surest ways to minimize potential flooding impacts. Municipalities with areas subject to ice jams, flash flooding, high-velocity flows, deep water, or where the only safe approach is to remove the building, should consider relocation and/or acquisition. Removing buildings from the floodplain is not only the most effective flood protection measure available, it is also a way to convert a problem area into a community asset and obtain environmental benefits.

Relocation is preferred for large lots that include buildable area outside the floodplain or where the owner already has a new flood-free lot available. Relocation can be expensive, however. While almost any building can be moved, the cost goes up for heavier structures, such as those with exterior brick and stone walls and for large or irregularly shaped buildings. As shown in Table 6-4, the cost of moving a 1,000-square-foot building can range from \$29 to \$96 per square foot, depending on the construction type (e.g., frame or masonry) and the type of existing foundation (e.g., basement, crawlspace, or slab-on-grade). There are also a number of factors that affect the feasibility of relocation such as road width and grade, density of overhead utilities, and other related factors.

**TABLE 6-4  
RELOCATION COST GUIDE**

CONSTRUCTION TYPE	EXISTING FOUNDATION	RELOCATION COST <sup>a</sup>
Frame <sup>b</sup>	Basement or Crawlspace	\$29 (Elevate 2 Feet) – \$37 (Elevate 8 Feet)
	Slab-on-Grade	\$80 (Elevate 2 Feet) – \$88 (Elevate 8 Feet)
Masonry	Basement or Crawlspace	\$60 (Elevate 2 Feet) – \$68 (Elevate 8 Feet)
	Slab-on-Grade	\$88 (Elevate 2 Feet) – \$96 (Elevate 8 Feet)

Source: FEMA P-312 2nd Edition/December 2009

a per square foot of building footprint

b for frame building with masonry veneer, add 10%

It should be noted that the costs shown in Table 6-4 do not represent the entire cost of a relocation project. Additional costs may be necessary for acquiring a new lot on which to place the relocated building and for restoring the old site. Also, relocation costs do not increase

proportionally with the size of a building. The cost per square foot for relocating a building larger than 1,000 square feet may be less, but some larger buildings may have to be cut and the parts moved separately.

Like relocation, acquisition of buildings in a flood-prone area ensures that they will no longer be subject to damage. The major difference is that acquisition is undertaken by a government agency, so the cost is not borne by the property owner and the land is converted to a public use, such as a park. Acquisition, followed by demolition, is most appropriate for buildings that are difficult to move, such as larger, slab-on-grade foundation or masonry structures and dilapidated structures that are not worth protecting. An acquisition budget should be based on the median price of similar properties in the community plus \$10,000 to \$20,000 for appraisals, abstracts, title opinions, relocation benefits, and demolition. Costs may be lower after a flood. For example, the municipality may have to pay only the difference between the full price of a property and the amount of the flood insurance claim received by the owner. Municipalities should be cautious, however, to avoid creating a “checkerboard” acquisition pattern in which non-adjacent properties are acquired. This can occur when some owners, especially those who have and prefer a waterfront location, prove reluctant to leave. Creating such an acquisition pattern in a community simply adds to the maintenance costs that taxpayers must support.

Occasionally, acquisition and relocation projects are undertaken jointly. The purchasing agency typically sells the building for salvage. Sometimes, the original owner of the acquired building can make arrangements to buy it back at the salvage value. The advantage of this approach is that a new owner relocates the building rather than demolishes it. This way, the owner gets to keep the building and may have enough money from the sale to pay for a new lot and moving expenses.

Within Berks County, the representative floodplain structure located along Manatawny Creek in Earl Township (see appendices) serves as an excellent sample structure for potential relocation/acquisition. At this location, the representative floodplain structure is located immediately adjacent to Manatawny Creek and is susceptible to high velocity floodway flows. In addition, the 100-year flood event results in approximately two to three feet of water on the first floor of this structure. Even the 50-year flood event results in first floor flooding for this structure. As such, given this structure’s location within the regulatory floodway and its vulnerability to high-velocity first floor flooding, relocation and/or acquisition appear to be the most appropriate and effective flood hazard mitigation options. Based on a number of similar occurrences throughout the County, the Mitigation Steering Committee identified the following PP Hazard Mitigation Measure for potential implementation.




**PP-1: Relocate and/or acquire known flood-prone structures in accordance with the general guidelines of Table 6-3.**

### **6.3.3.2 Elevation**


Raising a building above the flood level (i.e., elevation) is the best on-site property protection method (see Figures 6-1 through 6-4). Water flows under or around the building, causing little or no damage to the structure or its contents. Buildings can be elevated on an open foundation (i.e., posts, piles or columns), continuous foundation walls, or compacted earthen fill. While elevating on compacted fill is sometimes the most desirable elevation solution, it is a complicated alternative. The building has to be temporarily moved so that the fill can be placed and properly compacted. As such, elevating on fill may prove to be more costly than elevating on an open foundation or continuous foundation walls. In addition, it must be remembered that the streets, utilities, and other infrastructure that serve an elevated building will still be vulnerable to damage during a flood. Therefore, the elevated building may be isolated and without utilities during a flood. There will also be a risk to the occupants who may try to enter or leave the building during a flood.

Elevating a building will also change its appearance. If the required amount of elevation is low, the result is similar to putting a building on a two- or three-foot crawlspace. If the building is raised two feet, the front door would be three steps higher than before. If the building is raised eight or more feet, the lower area can be wet floodproofed (see next section) and used for parking and/or storage of items that will not be damaged by floodwaters.


Elevating a building above the flood level is cheaper than relocating it and can be less disruptive to a neighborhood. In addition, elevation has proven to be an acceptable means of complying with NFIP regulations that require substantially damaged (and new) buildings to be elevated above the 100-year flood elevation when repaired (or constructed) in a floodplain. Table 6-5 shows the costs of elevating various types of buildings a total of two feet on either an open foundation or continuous foundation walls. As shown in Table 6-5, the cost can vary depending on the construction type (e.g., frame or masonry) and the type of existing foundation (e.g., basement, crawlspace, or slab-on-grade). The costs for extending utility lines and adding or extending staircases are included. The costs for elevating buildings with slab-on-grade foundations are based on the assumption that the building is raised with the existing slab attached. Relative costs associated with elevating a structure indicate that a frame structure built with a basement, crawlspace, or open foundation would be less expensive than a frame structure built with a slab-on-grade as defined in Table 6-5.




**FIGURE 6-1**  
**STEEL I-BEAMS AND JACKS ARE INSTALLED**  
**IN PREPARATION FOR LIFTING THE HOUSE**



**FIGURE 6-2**  
**THE HOUSE, SUPPORTED ON THE I-BEAMS, IS RAISED ON THE JACKS**



**FIGURE 6-3**  
**NEW MASONRY PIERS ARE CONSTRUCTED TO SUPPORT THE HOUSE, AND THE BASEMENT IS FILLED WITH DIRT**



**FIGURE 6-4**  
**WHEN THE HOUSE HAS BEEN RAISED TO THE DESIRED HEIGHT, THE NEW MASONRY PIERS ARE COMPLETED**

**TABLE 6-5  
ELEVATION COST GUIDE**

<b>CONSTRUCTION TYPE</b>	<b>EXISTING FOUNDATION</b>	<b>RETROFIT</b>	<b>RELATIVE COST</b>
Frame	Basement, crawlspace, or open foundation	Elevate on continuous foundation walls or open foundation	Lowest
Frame with masonry veneer		Elevate on continuous foundation walls or open foundation	
Loadbearing masonry		Extend existing walls and create elevated living area	
Frame	Slab-on-grade	Elevate on continuous foundation walls or open foundation	Highest
Frame with masonry veneer		Elevate on continuous foundation walls or open foundation	
Frame with masonry veneer		Elevate on continuous foundation walls or open foundation	

Source: FEMA P-312 2nd Edition/December 2009

Within Berks County, the representative floodplain structure along the Schuylkill River in Union Township (see appendices) serves as an ideal sample structure for potential elevation. This representative floodplain structure is a typical two-story residence of wood frame construction with a basement foundation. The structure is located within the 100-year floodplain of the Schuylkill River, but not within the regulatory floodway. The 100-year flood event results in full basement flooding and approximately five feet of water on the first floor of this structure. Even the ten-year flood event results in full basement flooding, but little to no first floor flooding. Given this structure's location outside the regulatory floodway or other high-velocity flooding situation, its wood frame construction and basement foundation (less expensive to elevate than masonry and slab-on-grade structures), and its vulnerability to significant first floor flooding during a 100-year event, elevation appears to be the most appropriate flood hazard mitigation option. Based on a number of similar occurrences throughout the County, the Mitigation Steering Committee identified the following PP Hazard Mitigation Measure for potential implementation.


**PP-2: Encourage the elevation of known flood-prone structures in accordance with the general guidelines of Table 6-3.**

### 6.3.3.3 Floodproofing

In areas of relatively low flood threat (e.g., where flooding is infrequent or characterized by low velocity flows or shallow depths), dry or wet floodproofing can be efficient approaches to minimizing potential damages. These approaches can also be less disruptive to a neighborhood than relocation, acquisition, and elevation. However, it must be remembered that the streets, utilities, and other infrastructure that serve a floodproofed building will still be vulnerable to damage during a flood. Therefore, the floodproofed building may be isolated and without utilities during a flood. There will also be a risk to the occupants who may try to enter or leave the building during a flood. A brief description of these two floodproofing approaches is provided below.

#### 6.3.3.3.1 Dry Floodproofing

Dry floodproofing involves sealing a building against floodwaters. All areas below the flood protection level are made watertight and impermeable to flood waters (see Figure 6-5).



**FIGURE 6-5  
A TYPICAL DRY FLOODPROOFED HOUSE**

Examples of dry floodproofing modifications include the following:

- installing watertight shields over doors and windows;
- reinforcing walls to withstand floodwater pressures and impact forces generated by floating debris;
- using membranes and other sealants to reduce seepage of floodwater through walls and wall penetrations;

- installing drainage collection systems and sump pumps to control interior water levels, collect seepage, and reduce hydrostatic water pressures on the floor slab and walls;
- installing backflow valves to prevent the entrance of floodwater or sewage flows through utilities; and
- anchoring the building to resist flotation, collapse, and lateral movement.

Dry floodproofing is only recommended in areas where floodwaters are less than three feet (two feet plus one foot of freeboard) in depth and relatively slow-moving. It may also be appropriate for buildings that are too expensive to elevate (e.g., slab-on-grade buildings). The flood protection level for dry floodproofing should be no more than three feet above the top of the foundation because building walls and floors cannot typically withstand the pressure of deeper water. As such, dry floodproofing should not be used in areas where floodwaters are expected to remain high for long periods. In addition, dry floodproofing is not appropriate for any structure that has a basement. The disadvantages of dry floodproofing include the deterioration of waterproofing compounds over time and the dependence on human action for the installation of closures on windows and doorways. Each of these disadvantages may lead to failure of the dry floodproofing. Table 6-6 provides cost information for some typical dry floodproofing activities.

**TABLE 6-6  
DRY FLOODPROOFING COST GUIDE**

TYPE	HEIGHT OF DRY FLOODPROOFING	COST	UNIT
Sprayed-on Cement (above grade)	3 Feet	\$16.80	Linear foot
Waterproof Membrane (above grade)		\$5.70	Linear foot
Asphalt (two coats below grade)		\$12.00	Linear foot
Perimeter Drainage		\$31	Linear foot
Plumbing Check Valve		\$1,060	Each
Sump Pump (with backup battery)		\$1,710	Lump sum
Metal Flood Shield		\$375	Linear foot
Wood Flood Shield		\$10	Linear foot

Source: FEMA P-312 2nd Edition/December 2009



Dry floodproofing of new and existing nonresidential buildings in the 100-year floodplain is permitted under the NFIP. Dry floodproofing of existing residential buildings in the 100-year floodplain is also permitted as long as the building is not substantially damaged or being substantially improved (exceeding 50% of the structure's market value). Owners of buildings located outside the 100-year floodplain can always use dry floodproofing techniques. The design and planning considerations that must be taken into account include the following.

- **Warning Time** – Sufficient lead time is necessary before a flood to evacuate a flood-prone building and implement dry floodproofing measures that require human intervention (e.g., installing a flood shield).
- **Safety and Access** – There must remain a safe escape route for all persons responsible for implementing dry floodproofing techniques that require human intervention. Roads to be used as evacuation routes must remain passable as floodwaters rise.
- **Flood Velocity** – Where flood velocities exceed five feet per second, hydrodynamic forces are too great to implement floodproofing techniques.
- **Flood Depth** – Generally, the cost of dry floodproofing is too high in areas where flood depths are greater than three feet. As flood depths exceed three feet, hydrostatic flood forces mandate a more expensive solution.
- **Flood Frequency** – Dry floodproofing is generally not appropriate for buildings that flood frequently. The cost of the wear and tear on the building combined with the frequent business interruption warrants a different approach such as relocation.
- **Duration** – Dry floodproofing should not be used in areas where floodwaters are expected to remain for over four to eight hours. Hydrostatic pressures will eventually overcome components of the floodproofing system, allowing water to enter the structure. It is very expensive to successfully floodproof a structure, especially a historic structure, which will be exposed to floodwaters for more than four to eight hours.


Within Berks County, the commercial representative floodplain structure located along the Schuylkill River in Leesport (i.e., the Leesport Post Office) serves as an ideal sample structure for potential implementation of dry floodproofing measures. This representative floodplain structure is a one-story building of masonry construction with a concrete slab foundation. The structure is located within the 100-year floodplain of the Schuylkill River but not within the regulatory floodway. The 100-year flood event results in approximately 1.5 feet of water on the main floor of this structure. The structure does not appear to be impacted by the 10-year or 50-year flood events. Given this structure's location outside the regulatory floodway or other high-velocity flooding

situation, its slab-on-grade foundation, and its vulnerability to only shallow (i.e., less than three feet) first floor flooding during the 100-year flood event, dry floodproofing appears to be the most appropriate flood hazard mitigation option for this structure. Based on a number of similar occurrences throughout the County, the Mitigation Steering Committee identified the following PP Hazard Mitigation Measure for potential implementation.

**PP-3: Encourage dry floodproofing of known flood-prone structures in accordance with the general guidelines of Table 6-3.**

### 6.3.3.3.2 Wet Floodproofing

Wet floodproofing, unlike dry floodproofing, allows floodwater to enter a structure in order to counterbalance the hydrostatic pressure on the walls, surfaces, and supports of the structure. This technique is often used when other techniques are not technically feasible or too costly for the level of flood impact. Wet floodproofing is appropriate for structures with uninhabited areas



**FIGURE 6-6  
A TYPICAL WET FLOODPROOFED HOUSE**



below the flood elevation, such as unfinished basements, garages, and crawlspaces (see Figure 6-6). However, because wet floodproofing allows floodwater to enter a structure, modifications must be made to minimize damage to the portion of the structure below the flood elevation and its contents. Typically, the structure is designed so that walls and floors below the flood elevation are resistant to damage from floodwaters, and utilities and other valuable equipment are located above the flood elevation.

It is important to note that, although wet floodproofing can be an effective and economical means of reducing flood damage, it does not satisfy NFIP regulatory requirements for substantially damaged and substantially improved structures in the 100-year floodplain. Communities that want to wet floodproof such structures may do so only through the issuance of a variance from the NFIP requirements. The NFIP allows variances for wet floodproofing for the following categories of structures.

- Historic Buildings – Repair and rehabilitation of historic structures is contingent on a determination by the community that the proposed work will not preclude the structure’s continued designation as a historic structure and that the variance is the minimum effort necessary to preserve the historic character and design.
- Accessory Structures – Usually limited to buildings used for parking or limited storage.
- Structures Functionally Dependent on Close Proximity to Water – These structures include certain types of docking, port facilities, etc.
- Certain Agricultural Structures – The NFIP recognizes that wet floodproofing may be appropriate for certain types of agricultural structures located in wide, expansive floodplains.

When wet floodproofing is used, the occupants of the wet floodproofed structure will need adequate warning of an impending flood so that they will have time to leave safely. If the wet floodproofing design requires human intervention (e.g., moving vulnerable materials to a location above the flood level), there must remain a safe escape route for all people responsible for human intervention activities. Roads to be used as evacuation routes must remain passable as floodwaters rise.

All structural and non-structural components in the wet floodproofed area of a structure must be constructed of materials that are durable, resistant to flood forces, and resistant to deterioration caused by repeated exposure to floodwaters (e.g., masonry and concrete). Wall elements, insulation, and flooring should all be constructed of materials that will not be damaged

by water or retain water once floodwaters have receded. For example, when water enters a building and inundates a standard cavity wall system, the cavity wall will retain water, silt, and other flood contaminants, which can result in structural damage and economic losses.

In addition, the structural foundation must be designed and constructed to withstand frequent inundation without failure. It is very important that the structure is properly anchored to the foundation to prevent uplift and separation. Electrical and mechanical systems installed within the wet floodproofed area should be located above the expected flood level (see Figure 6-6). For example, in a basement storage area or garage that may be flooded with two feet of water (above the floor) during a flood, locating outlets, heaters, and other utility elements three feet or more above the floor can help to prevent damage to electrical and mechanical systems. Such relocations should be coordinated with the respective utility provider.

It is also important to remember that any fuel tanks (inside or outside) should be properly anchored to avoid flotation. Unanchored fuel tanks pose serious threats to residences, public safety and the environment. An unanchored tank can be driven into and can be swept downstream where it can damage other structures. When an unanchored tank is moved by floodwaters, the supply line can break, which can cause serious safety and environmental problems.

Table 6-7 provides cost information for wet floodproofing to various heights.

**TABLE 6-7  
WET FLOODPROOFING COST GUIDE**

CONSTRUCTION TYPE	HEIGHT OF WET FLOODPROOFING	EXISTING FOUNDATION	COST	UNIT
Wood Frame or Masonry	Two Feet	Basement	\$1.80	Square Foot
		Crawlspace	\$1.40	
	Four Feet	Basement	\$3.70	Square Foot
		Crawlspace	\$3.45	
	Eight Feet	Basement	\$10.60	Square Foot
		Crawlspace	N/A	

Source: FEMA 259 2nd Edition/June 2001

Within Berks County, the representative floodplain structure along Swamp Creek in Bechtelsville (see appendices) serves as an ideal sample structure for potential implementation of wet floodproofing measures. This representative floodplain structure is a 2½-story residence



of wood frame construction with a concrete block basement foundation. The structure is located within the 100-year floodplain of Swamp Creek, but not within the regulatory floodway. The 100-year flood event results in full basement flooding, but no water on the first floor of this structure. Even the 10-year flood event results in several feet of water in the basement area of this structure. Given this structure's location outside the regulatory floodway or other high velocity flooding situation, its concrete block basement foundation, and its lack of first floor flooding, wet floodproofing the basement area appears to be the most appropriate flood hazard mitigation option for this structure. Based on a number of similar occurrences throughout the County, the Mitigation Steering Committee identified the following PP Hazard Mitigation Measures for potential implementation.

**PP-4: Encourage wet floodproofing of known flood-prone structures in accordance with the general guidelines of Table 6-3.**

**PP-5: Encourage the anchoring of fuel tanks located in flood-prone areas to concrete slabs that are heavy enough to resist the force of floodwaters and be sure all filling and ventilation tubes are above the 100-year flood level so that floodwaters cannot enter the tank.**

**PP-6: Inventory historic assets within the county and verify whether wet floodproofing may be the most effective measures to protect those that are flood-prone.**

#### **6.3.3.4 Insurance**

Insurance has the advantage that, as long as the policy is in force, the property is covered and no human intervention is needed for the measure to work. The advantage of insurance can apply to several hazards including flooding, drought and sinkholes. Although most homeowners' insurance policies do not cover a property for flood damage, an owner can insure a building through the NFIP. A municipality must participate in the NFIP in order to make flood insurance available to its residents. As evidenced by Table 4-3, only one of Berks County's 72 municipalities (Lyons Borough) does not participate in the NFIP. As of January 2006, there were a total of 989 flood insurance policies in force in Berks County covering in excess of \$158 million in personal property. Table 4-6 indicates that, as of January 2006, Berks County residents have submitted a total of 727 flood insurance claims and have received nearly \$4 million in claims payments since joining the flood insurance program.

It is important to note, however, that not every flood-prone building in the County is covered under a flood insurance policy. Table 4-5 indicates that there are over 3,900 structures

in the County that are vulnerable to potential flooding impacts during a 100-year event. While some of these structures may not warrant insurance coverage (i.e., sheds, pavilions, garages, and other miscellaneous accessory structures), it is clear that, with only 989 policies in force, there are a number of insurable structures in the County that are not covered under a flood insurance policy.

Since farmers are subject to unpredictable weather, crop insurance is one way that they can help safeguard themselves against disasters, including drought. According to the Pennsylvania Department of Agriculture, 63% of the \$217 million crop insurance loss payments from 1981 to 2005 were for drought loss claims across Pennsylvania. Obviously, farmers have chosen to transfer some of the risk of farming to crop insurance, keeping the premium manageable and including it as part of typical operation costs. The national crop insurance program is undergoing significant changes and improvements as a result of the new Agricultural Risk Protection Act of 2000. It is a work in progress that may have new benefits for farmers on a year-to-year basis.

Portions of Berks County sit on carbonate bedrock. This does not mean that a sinkhole will open up on any one homeowner's property, but the possibility does exist. Some homeowners have encountered this very problem only to learn that sinkhole damage is not covered under their homeowner's policy. For those instances when sinkhole damage is not covered in a homeowner's policy, generally it can be purchased as additional coverage.

As such, the Mitigation Steering Committee identified the following PP Hazard Mitigation Measures for implementation within the County.

- PP-7: Encourage uninsured property owners in known flood hazard areas to purchase flood insurance through the NFIP.**
- PP-8: Encourage farmers to visit their local FSA office to discuss the benefits of obtaining crop insurance.**
- PP-9: Encourage uninsured property owners in known subsidence hazard areas to purchase sinkhole insurance as a supplement to their existing homeowner's policy.**

#### **6.3.3.5 Brush/Shrub Removal**

Removing excess brush and shrubby plants from the immediate vicinity of buildings in potential wildfire hazard areas can help prevent the buildings themselves from catching on fire. Brush and shrubby plants can serve as fuel for wildfires and cause them to spread more quickly. Having this available fuel in close proximity of buildings only increases the likelihood of those

buildings to catch on fire during a wildfire event. By removing excess brush and shrubby plants from the immediate vicinity (i.e., 50 to 100 feet) of a building, thereby decreasing and/or eliminating the available fuel load, the likelihood of that building to succumb to fire during a wildfire event decreases dramatically. Given Berks County's vulnerability to wildfire hazards, and the number of residential structures that are located in potential wildfire hazard areas (see Figure 4-3), the Mitigation Steering Committee identified the following PP Hazard Mitigation Measure to be implemented within the County.

**PP-10: Encourage property owners in potential wildfire hazard areas to remove all excess brush and shrubby plants from the immediate vicinity (i.e., 50 to 100 feet) of all buildings.**

#### **6.3.3.6 Emergency Response Planning**

In certain situations, implementation of physical property protection measures (i.e., relocation, elevation, or floodproofing) may not be technically or fiscally appropriate. This is most often the case for larger flood-prone business and industry buildings, where relocation is undesirable and retrofitting techniques may be too costly or not technically feasible. As such, alternatives to physical property protection measures must be explored. One alternative to implementing physical property protection measures is to develop an emergency response plan specific to the particular business or industry. An emergency response plan is a guidance document that identifies and describes specific emergency preparation and response procedures to be implemented on a pre- and post-disaster basis in order to minimize potential flooding impacts. As such, emergency response planning can serve to minimize potential impacts to both the structure and its contents/inventory. In this manner, emergency response planning for a particular business or industry would constitute a property protection measure. FEMA guidance on developing and implementing a business/industry specific emergency response plan is included in the appendices. Given the wide-scale applicability and the potential reduction in flooding impacts, the Mitigation Steering Committee identified the following PP Hazard Mitigation Measure to be implemented within the County.

**PP-11: Encourage local business and industry owners in known flood hazard areas to develop an emergency response plan as a potential alternative to implementing a physical property protection measure, where otherwise not technically or fiscally appropriate.**

**PP-12: Provide protection of critical Berks County records through emergency response planning or other appropriate measures.**

#### **6.3.3.7 2012 Plan Update Mitigation Measures**

Since the completion of the 2007 Hazard Vulnerability Assessment and Mitigation Plan, radon was identified as a known hazard that should be included according to FEMA. As such, the Mitigation Steering Committee recommended that mitigation measures should be developed to address radon in the updated Hazard Mitigation Plan. The new PP-13 and PP-14 were created to accommodate this request and read as follows:

**PP-13: Investigate radon abatement options for minimizing radon occurrences in basements or crawlspaces and encourage periodic radon testing after installation of selected abatement options.**

**PP-14: Investigate PA DEP grant opportunities for municipalities to procure radon testing equipment for distribution in residential testing.**

#### **6.3.3.8 2017 Plan Update New Mitigation Measures**

Mitigation Measures PP-15, PP-16, PP-17, PP-18, and PP-19 were adapted from the FEMA Mitigation Ideas (2013) resource and agreed upon at a Mitigation Steering Committee meeting.

**PP-15: Remove existing buildings and infrastructure from erosion hazard areas, landslide hazard areas and subsidence hazard areas.**

**PP-16: Stabilize erosion hazard areas by preventing erosion with proper bank stabilization, sloping or grading techniques, planting vegetation on slopes, terracing hillsides, or installing riprap boulders or geotextile fabric when updating or replacing foundations.**

**PP-17: Encourage or consider retrofitting buildings to minimize hail damage as normal routine maintenance:**

- Structural bracing, shutters, laminated glass in window panes, and hail-resistant roof coverings or flashing in building design;**
- Improve roof sheathing;**
- Installing hail-resistant roofing and siding**

**PP-18: Install and maintain appropriate protection to critical electronic equipment from damage resulting from fluctuations in the power grid.**

**PP-19: Conduct regular maintenance for drainage systems and flood control systems.**

#### **6.3.4 Structural Projects**

Structural projects are typically constructed in compliance with applicable regulations to keep floodwaters and other natural hazards away from select areas. They are usually designed by engineers and managed or maintained by public works staff. From a flood hazard mitigation standpoint, structural projects can be used to control flows and water surface elevations for both flood minimization and recreational purposes. However, due to their limiting costs and potential environmental implications, structural projects are not normally constructed to protect individual properties but are usually large-scale undertakings designed to protect numerous people and properties. As such, structural hazard mitigation projects typically include the following:

- dams/levees/floodwalls;
- bridge/culvert modifications;
- storm water drainage improvements;
- channel modifications/maintenance;
- firebreaks;
- sinkhole abatement; and
- emergency water source development.

Implementation of structural projects of this nature will work towards the fulfillment of the following project-planning goals as identified by the Mitigation Steering Committee:

- Identify measures to reduce the County's overall vulnerability to natural hazards (High Priority)
- Identify mitigation recommendations aimed at minimizing the impacts of natural hazards throughout the County (High Priority)
- Consider the viability of constructing additional flood control projects throughout the County (Low Priority)
- Identify problem areas in the County's existing drainage systems (pipes, culverts, channels) and make recommendations for short- and long-term improvements (Low Priority)

- Investigate the need for structural solutions to the County's wildfire, drought, subsidence, and landslide hazards (Low Priority)

To identify structural hazard mitigation projects throughout the County, Berks County DES developed and circulated a Structural Project Identification Form to every municipality with directions to complete one form for every applicable project. These forms were then returned to Berks County DES, where they were analyzed for incorporation into the Plan. These Structural Project Identification Forms document a number of different types of structural hazard mitigation projects to be implemented throughout the County. Incorporation of these Structural Project Identification Forms into the Plan is hereby accomplished through their inclusion in the appendices. Reference is made to these Structural Project Identification Forms throughout this section of the Plan.

#### **6.3.4.1 Dams/Levees/Floodwalls**

Dams, levees, and floodwalls are similar in that they control flooding by restricting floodwaters from reaching/inundating protected areas. Dams, levees, and floodwalls are probably the best-known forms of structural flood-control projects that have been implemented in the United States. It is important to note, however, that just like any other engineering feature, if the design capacity of a dam, levee and/or floodwall is exceeded, its functional utility becomes compromised. As such, dams, levees, and floodwalls can give a false sense of security to the property owners that they protect.

Several structural flood-control projects have been constructed in Berks County. The most notable of these structural flood-control projects is the Blue Marsh Dam, which was constructed by the USACE in the mid-1970s. The primary function of the Blue Marsh Dam is to control floodflows along Tulpehocken Creek and the Schuylkill River. The impoundment created by the dam has an approximate floodwater storage capacity of 30,000 acre-feet. It is also important to point out that Blue Marsh Dam serves a significant secondary function by providing opportunities for recreational activities on a regional basis.

Analysis of the Structural Project Identification Forms included in the appendices reveals two additional locations for the potential construction of a structural flood-control project. These locations include the William DeLong Park area of Maxatawny Township and the Cambridge Commons Apartment area of Wyomissing Borough. The construction of a berm/levee has been identified as a potential structural solution to localized flooding problems at these locations.



Implementation of either of these projects would first need to be evaluated for its long-term viability and economic feasibility (i.e., cost-benefit ratio). As such, the following structural project hazard mitigation measure has been identified.

**SP-1: Investigate the feasibility of constructing a berm/levee system to minimize local flooding impacts in accordance with the Structural Project Identification Forms found in the appendices.**

#### **6.3.4.2 Bridge/Culvert Modifications**

In the wake of a significant storm event, undersized bridge and culvert crossings of local streams and watercourses can result in water overtopping stream banks upstream of the structure, causing significant flooding problems. Therefore, from a flood hazard mitigation standpoint, bridge/culvert modifications typically involve the replacement, enlargement, and/or removal of existing roadway and railway bridges and culverts that are known to cause flooding problems. Regulations set forth in PennDOT Design Manual Part 4, and the PA DEP's Title 25, Chapter 105 state that all new bridges and culverts shall be designed and constructed to pass a 25-year frequency flood flow in rural areas, a 50-year frequency flood flow in suburban areas, and a 100-year frequency flood flow in urban areas.

In addition, the regulations state that the structure must pass the 100-year frequency flood flow with less than a 1.0-foot increase in the natural unobstructed 100-year water surface elevation, except where the structure would be located in a regulatory floodway delineated on a FEMA Flood Boundary and Floodway Map, in which case, no increase in the 100-year water surface elevation will be permitted. While these regulations now exist for the design and construction of new bridge and culvert projects, many existing bridges and culverts throughout the County were constructed prior to these regulations being in place. Additionally, while many of these existing bridges and culverts may have been capable of passing design flows when they were built, upstream development could result in increased peak flows to a point that the existing structure is no longer hydraulically adequate.

Analysis of the Structural Project Identification Forms included in the appendices reveals a number of potential bridge/culvert modification projects throughout the County. Replacing, enlarging, or removing these known problematic structures can go a long way in minimizing the County's flooding problems. As such, the following structural project hazard mitigation measure has been identified.

**SP-2: Design and construct the bridge/culvert modification projects in accordance with the Structural Project Identification Forms found in the appendices to minimize local flooding impacts.**

#### **6.3.4.3 Stormwater Drainage Improvements**

Effective collection and conveyance of stormwater runoff are key to avoiding potential flooding problems. Undersized or clogged inlet boxes and substandard piping can result in system back-ups and surface ponding. When these back-ups and surface ponding overtop roadways and impact buildings, flood-related damages can occur. In certain municipalities, stormwater drainage is combined with sanitary sewer lines, which can lead to overloaded treatment plants and system back-ups that affect individual homeowners. In many instances, existing drainage systems were adequate at the time of construction, but as development occurred and more surface water runoff was generated, the systems became inadequate to handle current flows. Enforcement of SLD regulations and the subsequent construction of stormwater retention/detention facilities help to control surface water flows from new developments, but existing problems still occur. As such, improving/upgrading existing stormwater drainage systems can significantly aid in minimized localized flooding problems.

Analysis of the Structural Project Identification Forms included in the appendices reveals a number of potential stormwater drainage improvement projects throughout the County. Implementation of these drainage improvement projects could significantly reduce the County's overall vulnerability to localized flooding impacts. As such, the following structural project hazard mitigation measure has been identified.

**SP-3: Investigate the feasibility of implementing a storm water drainage improvement project to minimize local flooding impacts in accordance with the Structural Project Identification Forms found in the appendices.**

#### **6.3.4.4 Channel Modifications/Maintenance**

Channel modifications involve the physical alteration of a channel to modify its hydrologic and hydraulic characteristics to accomplish a given purpose. From a flood hazard mitigation standpoint, the typical purpose of a channel modification project is to minimize overbank flooding by increasing the capacity of the channel, regulating flow within the channel, relocating the channel, or diverting flow from the channel. With today's modern fluvial geomorphological channel stabilization practices, there are now a number of different types of channel modifications

that can be implemented to accomplish hazard mitigation objectives while improving the overall health and ecology of the stream. However, much like bridge and culvert modifications, precautions must be taken to ensure that downstream flooding problems are not exacerbated by an upstream channel modification. In addition, long-term channel maintenance can be just as important as the one-time channel modification project.

Analysis of the Structural Project Identification Forms included in the appendices reveals a number of potential channel modification/maintenance projects throughout the County. As such, the following structural project hazard mitigation measures have been identified.

**SP-4: Design, permit, and construct channel modification projects in accordance with the Structural Project Identification Forms found in the appendices.**

**SP-5: Develop and implement a community-specific channel maintenance program consisting of routine inspections and subsequent debris removal to ensure maximum hydraulic capacity of all local streams and watercourses.**

#### **6.3.4.5 Firebreaks**

Firebreaks can be constructed at key locations to minimize an area's vulnerability to potential wildfire damages. Construction of a firebreak involves removing all woody and otherwise flammable vegetation in a linear strip to significantly diminish the available fuel load, thereby stopping or containing a potential wildfire. PA DCNR and the Pennsylvania Game Commission have used firebreaks across the state to limit the mobility of potential wildfires in State Forests and State Game Lands, respectively. From a hazard mitigation perspective, firebreaks should be considered in large wooded areas where a density of permanent structures exists or is planned to be built. If properly placed and constructed, firebreaks can significantly reduce a developed area's wildfire susceptibility. As such, the Mitigation Steering Committee identified the following Structural Project Hazard Mitigation Measure for potential implementation within the County.

**SP-6: Consider the feasibility of constructing firebreaks in areas that have extensive forestland combined with a density of Wildland/Urban Interface structures or in conjunction with future residential development in forested areas.**

#### **6.3.4.6 Sinkhole Abatement**

As previously mentioned, a large portion of the County (see Figure 4-2) is underlain by carbonate geology and is susceptible to the formation of sinkholes. Sinkholes form when

carbonate bedrock is dissolved by naturally occurring atmospheric carbonic acid. Sinkholes have the potential to result in significant structural damage and are a major concern for many property owners. In an ideal situation, sinkholes would occur in undeveloped rural areas where they would result in little to no surface damage. Unfortunately, this is not always the case in Berks County and structural abatement must sometimes be employed. Therefore, structural sinkhole abatement has been included in this Hazard Mitigation Plan because it is the primary method of dealing with a sinkhole after it has been exposed at the ground surface.

Sinkhole abatement is the physical treatment of new and existing sinkholes to minimize potential damage to buildings, infrastructure and other surface features. Sinkhole abatement involves filling the surface feature with a mixture of materials including concrete, soil, grout, synthetic filter fabrics, and various sizes of crushed stone. Since no two sinkholes are alike, abatement can vary significantly in the type and volume of materials that are used. Regardless of the size and nature of the sinkhole, however, certain precautions should be taken when dealing with structural sinkhole abatement. These precautions, which are designed to reduce safety concerns and mitigate potential environmental impacts, include barricading the site to prevent personal injury, excavating the overlying soil to determine the appropriate abatement method and to expose a competent limestone ledge, and directing surface drainage away from the site to prevent a reoccurrence. Given these relatively inexpensive and potentially life-saving precautionary steps, the Mitigation Steering Committee identified the following Structural Project Hazard Mitigation Measures to be implemented within the County.


**SP-7: Implement the suggested precautionary steps when using structural abatement techniques (recommended to be identified by a registered Professional Geologist or other acceptable expert) to remedy surface-exposed sinkhole features.**

**SP-8: Require expert technical assistance for structurally abating surface-exposed sinkhole features that pose an identifiable threat to the general public.**

#### **6.3.4.7 Emergency Water Source Development**

Within Berks County, there are numerous municipalities that lack a public water supply system and the associated curbside hydrants for local firefighting needs. Therefore, many local fire companies must use tanker trucks and remote water supply sites to fight fires. As such, quick and easy access to reliable water sources and the ability to efficiently pump water from those sources is a critical issue for a number of Berks County's fire companies. Generally, this concept is more important in the more rural part of the County, as opposed to the more urbanized central

part of the County. This need could be most easily fulfilled through the installation of dry hydrants at various bridge and culvert crossings of local streams and watercourses. A dry hydrant (see Figure 6-7) is a non-pressurized pipe system permanently installed in existing lakes, ponds and streams that provides a suction supply of water to a fire department tank truck. Dry hydrants provide an easily accessible and reliable source of water for pumping in times of emergency need.



**FIGURE 6-7  
A TYPICAL DRY HYDRANT**

In addition to providing quick and easy access to water sources for firefighting needs, the development of emergency water supply sources could also be considered to offset potential shortages caused by extreme drought events. Such emergency water supply sites should be developed to allow for the storage and transmission of potable water. If conducted properly, emergency potable water supply sources could also be used for firefighting needs, thus serving a dual hazard mitigation purpose. As such, the Mitigation Steering Committee identified the following Structural Project Hazard Mitigation Measures for implementation within the County.

- SP-9: Install easily accessible and reliable water supply dry hydrants at various bridge and culvert crossings of local streams and watercourses for emergency firefighting uses through coordination with local fire companies.**
- SP-10: Consider the feasibility of establishing an emergency potable water supply source to offset potential shortages caused by extreme drought events.**

#### **6.3.4.8 2012 Updated Mitigation Measures**

Mitigation Steering Committee members reviewed the structural project hazard mitigation measures and recommended a revision for SP-8 regarding sinkhole abatement. Members of the Committee believed that establishing mandatory timeframes is not feasible for municipal entities to complete for their structural abatement of surface-exposed sinkhole features. Within Section 6.3.4.6, SP-8 was revised to remove the text “and establish mandatory timeframes” for sinkhole abatement. In addition, one new structural project mitigation measure was identified.

- SP-11: Recommend future Hazard Vulnerability Assessment and Mitigation Plan Updates review and document all flood-control projects. Review of PALs should be documented as well.**

#### **6.3.4.9 2017 Updated Mitigation Measures**

Mitigation Steering Committee members did not identify any new structural project hazard mitigation measures as part of the Hazard Mitigation Plan Update. SP-12 was added at the request of the Berks County Department of Emergency Services based on a recent inspection of the Trout Run Dam and spillway.

- SP-12: Recommend Boyertown Borough seek grant opportunities for spillway improvements of the Trout Run Dam. The spillway is considered to be inadequate, according to PA DEP Dam Safety, and is capable of passing only 59% of the required spillway design.**

### **6.3.5 Natural Resource Protection**

Natural resource protection activities that are implemented as hazard mitigation measures can be multiple in scope, purpose, and outcome. They are generally aimed at preserving (or in some cases restoring) local natural areas, environmentally sensitive resources, or the overall quality of some locally significant feature but can also play a significant role in reducing local and

regional damages caused by natural hazard events. Natural resource protection activities are typically implemented by park, recreation, or conservation agencies and organizations (i.e., Berks County Conservancy, BCCD, etc.) but are not limited to these types of entities. Any responsible entity, such as a local government, can develop and implement a natural resource protection program that will minimize the impacts of natural hazards while enhancing the local and regional environment. Natural resource protection activities that can minimize the potential impacts of natural hazards include the following:

- open space preservation,
- wetland protection,
- identification and implementation of BMPs, and
- water resources management planning.

Implementation of natural resource protection activities of this nature will work towards the fulfillment of the following project-planning goals as identified by the Mitigation Steering Committee:

- Identify measures to reduce the County's overall vulnerability to natural hazards (High Priority)
- Identify mitigation recommendations aimed at minimizing the impacts of natural hazards throughout the County (High Priority)
- Investigate options for the permanent preservation of areas where natural hazard potential is high (i.e., steeply sloping areas, sinkhole areas, floodplains, wetlands, etc.) (Medium Priority)
- Identify opportunities and options for implementing BMPs that minimize the County's vulnerability to natural hazards (Medium Priority)
- Identify additional opportunities throughout the County for implementing preventive actions aimed at minimizing or eliminating natural hazard vulnerability (Medium Priority)

#### **6.3.5.1 Open Space Preservation**

Keeping known hazard areas free of development and in a natural condition can be the best approach to minimizing or preventing potential damages. In regard to Berks County, this concept is applicable to natural hazards like flooding, land subsidence, and wildfires where floodplain, sinkhole-prone geology, and forested area preservation (respectively) can effectively

minimize the County's susceptibility to potential damage. Preserving open space in an undeveloped floodplain not only prevents potential flood damage, it also allows for the full realization of the floodplain's natural and beneficial functions. These natural and beneficial floodplain functions include floodwater storage/floodflow attenuation, surface water infiltration/groundwater recharge, removal/filtering of pollutants and sediments from floodwater, habitat for flora and fauna, and recreational opportunities. Similarly, keeping development away from sinkhole-prone areas and extensive forested areas not only prevents potential damage but also provides valuable habitat for many plant and animal species and the potential for increased recreational opportunities. As previously mentioned, open space preservation can be accomplished locally through the adoption and enforcement of various ordinance provisions (see PMs) but can also be accomplished through property acquisition and easement. As such, the Mitigation Steering Committee identified the following NR Protection Hazard Mitigation Measures to be implemented within the County.

- NR-1: As comprehensive plans or similar documents are developed or updated, conduct a detailed inventory and prioritization of local environmental resources. Much of this task can be accomplished by sharing the GIS databases completed through this effort and other work done by the Berks County Planning Commission, Berks County Conservation District, and others.**
- NR-2: Preserve the highest priority undeveloped floodplain areas via fee simple acquisition and/or permanent easement and retain as public open space for passive recreational uses in an effort to minimize/prevent potential flooding damages and enhance the regional environment. Less critical floodplain areas may be preserved/protected via local ordinance.**
- NR-3: Preserve critical undeveloped forested areas and sinkhole prone areas via fee simple acquisition and/or permanent easement and retain as public open space for passive recreational uses in an effort to minimize/prevent potential wildfire and subsidence damages and enhance the regional environment. Implementation of conservation subdivision design principles, as identified in PM-5, could be used to preserve other less critical hazard prone areas as deemed appropriate by the municipality.**

#### **6.3.5.2 Wetland Protection**

Wetlands, as defined by PA DEP and the USACE, are often found in floodplains and depressional areas of a watershed. Many wetlands receive and store floodwaters, thus slowing and reducing downstream flows. They also serve as a natural filter, which helps to improve water quality and provide habitat for many species of fish, wildlife, and plants. Wetlands are regulated by the USACE under Section 404 of the Clean Water Act and by PA DEP under Chapter 105 of



Pennsylvania's Dams Safety and Encroachment Act. Federal and state permits are required for projects that will impact wetlands. Before a permit is issued, the plans are reviewed by several agencies, including the USACE, PA DEP, U.S. Fish and Wildlife Service, and U.S. EPA. If a permit is issued, the wetland impact is typically required to be mitigated. Wetland mitigation can include creation, restoration, enhancement, or preservation of wetlands. The appropriate type of mitigation is addressed in each independent permit action. Even with this federal and state protection, many wetlands (particularly smaller ones) continue to be impacted due to gaps (i.e., unregulated activities) in the federal and state regulations. As such, local wetland protection programs can be developed to address these gaps in the federal and state regulations. Given the local and regional importance of wetlands, the Mitigation Steering Committee identified the following NR Protection Hazard Mitigation Measures to be implemented within the County.

**NR-4: Preserve high priority wetland areas via fee simple acquisition and/or permanent easement and retain as public open space for passive recreational uses in an effort to minimize potential flooding damages and enhance the regional environment.**

**NR-5: Develop and implement a wetland protection program consisting of public education materials that highlight the functions and values of wetlands and local ordinance provisions that require the identification of wetlands in accordance with federal and state standards and minimize/eliminate their disturbance in accordance with federal and state laws.**

### **6.3.5.3 Identification and Implementation of Best Management Practices**

BMPs are measures that reduce the volume of surface water runoff and associated non-point source pollutants from entering waterways. Non-point source pollutants are transported by surface water runoff and include lawn fertilizers, pesticides, farm chemicals, sediments, and oils from both pervious and impervious urban and rural areas. Non-point source pollutants not only affect the quality of our local water resources but also their ability to carry and store floodwaters. Eroded soil from farmlands and construction sites is typically deposited where streams and rivers slow down and lose energy, such as when they enter a lake or confluence with another stream. As such, sedimentation will gradually fill in channels and lakes, reducing their ability to carry or store floodwaters. In addition, uncontrolled surface water runoff contributes to local and regional flooding problems.

From a hazard mitigation perspective, the identification and implementation of BMPs is focused on structural and non-structural erosion and sedimentation control and stormwater

management facilities. Many BMP measures (structural and/or non-structural) can be implemented on a site to address specific site needs. Both erosion and sedimentation control and stormwater management BMPs can be incorporated into retention and detention basins, drainageways, and many other parts of new developments. Depending on local ordinances, specific BMPs and structural measures may already be required on industrial sites, mined lands, construction sites, farms, forested areas, and high-use public lands.

As previously mentioned, much of Berks County already has plans completed or underway in accordance with Pennsylvania's Stormwater Management Act (Act 167 of 1968). These stormwater management plans and associated stormwater management ordinances typically include provisions for local implementation of stormwater management BMPs. As such, effective completion of PM-11 would, by default, result in the identification and implementation of stormwater management BMPs at the local level.

Fortunate for Berks County is the fact that the Conservation District has four erosion and sedimentation control technicians as of October 2017 who monitor construction sites to ensure contractor compliance with the approved Erosion and Sedimentation Pollution Control Plan and work with local farmers to implement erosion and sedimentation control BMPs. As such, the Mitigation Steering Committee recognizes the BCCD's existing efforts to control erosion and sedimentation and identified continued implementation of these efforts as a NR Protection Hazard Mitigation Measure for the County.

**NR-6: Working through the Conservation District, the County should ensure continued contractor compliance with approved Erosion and Sedimentation Pollution Control Plans and should continue to work with local farmers to implement erosion and sedimentation control BMPs.**

#### **6.3.5.4 Water Resources Management Planning**

Comprehensive water resources management planning is a topic that has gained increased attention over the past several years due to the alarming frequency and severity of recent drought events. The importance of water as a critical life-sustaining natural resource is never more realized than during a water supply shortage caused by a severe drought event. Within Pennsylvania, the Water Resources Planning Act (Act 220 of 2002) was passed to help mitigate the potentially devastating effects of Pennsylvania's drought hazard. The Act requires the State Water Plan (a document that analyzes existing and future water resources supply and demand) to be updated within five years and every five years thereafter. Public water suppliers

and other water use sectors are working with PA DEP to determine current water withdrawal and use on an annual basis to help analyze water use and future needs. Similarly, the DRBC is active in analyzing water availability and identifying ways to manage water supply to ensure clean, fresh water is always available. In southeastern Pennsylvania, the Commission has designated Ground Water Protected Areas (GWPA) in Bucks, Montgomery, Chester, Lehigh, and Berks Counties. The GWPA program allows DRBC to assess potential impacts of ground water withdrawals on a watershed basis and to limit withdrawals when they reach levels that could adversely affect streamflows. As development pressures continue, programs like this one could help alleviate the need for, or reduce the length of, future water restrictions. DRBC also has a program that encourages municipalities within a watershed to work together developing a multi-municipal Integrated Resource Plan. According to DRBC, this planning process facilitates an analysis of water resources and land use patterns. It can help to answer critical questions such as: How much growth can be supported within the watershed? Where are the best locations for certain land uses? How can impacts to water resources be reduced or eliminated?

The Berks County Comprehensive Plan, completed in 2003, recognizes the ramifications of negatively impacting surface and groundwater resources. The County recommends several measures to carefully manage water resources to ensure safe water supplies can be maintained and flood hazards minimized. Some of these measures include the preparation of a Comprehensive Water Study at the County level and the adoption of zoning ordinances to protect wellhead protection areas. Implementation of a comprehensive water resources management plan would be an appropriate activity for the County to also help mitigate the potentially devastating effects of severe drought events. As such, the Mitigation Steering Committee identified the following NR Protection Hazard Mitigation Measure to be implemented within the County.

**NR-7: Develop and implement a comprehensive water resources management plan that analyzes the County's existing water resources supply and evaluates the County's anticipated water use demand in an effort to identify suspected water supply shortages and potential new water supply sources.**

#### **6.3.5.5 2012 Updated Mitigation Measures**

The Mitigation Steering Committee reviewed the natural resource mitigation measures and did not request any specific changes. As such, the existing natural resource mitigation measures identified in the 2007 plan will be maintained in the updated 2012 plan.

### **6.3.5.6 2017 Plan Update New Mitigation Measures**

Mitigation Measure NR-8 was adapted from the FEMA Mitigation Ideas (2013) resource and agreed upon at a Mitigation Steering Committee meeting.

**NR-8: Stabilize erosion hazard areas.**

### **6.3.6 Public Information**

Providing the public with accurate and relevant information is a key component of a successful hazard mitigation program. Public information activities advise residents, business owners, and local officials about natural hazards and ways they can protect themselves, their property, and their constituents from these hazards. Public information activities can be aimed at the entire County or at select residents and business owners in known hazard areas. These programs are intended to motivate people to take precautionary steps on a pre-disaster basis.

Within Berks County, information dissemination is handled through a number of different avenues. As such, all hazard mitigation related public information activities should be coordinated and implemented as indicated herein. These public information activities include the following:

- map information;
- library resources;
- outreach projects; and
- environmental education.

Implementation of public information measures of this nature will work towards the fulfillment of the following project-planning goals as identified by the Mitigation Steering Committee:

- Identify measures to reduce the County's overall vulnerability to natural hazards (High Priority)
- Identify mitigation recommendations aimed at minimizing the impacts of natural hazards throughout the County (High Priority)
- Identify appropriate public information/community outreach tools to better inform the County's residents about natural hazards and ways they can protect themselves (Medium Priority)
- Consider opportunities and appropriate venues for implementing hazard-related public information programs (Medium Priority)

### 6.3.6.1 Map Information

Many benefits stem from providing flood hazard map information to inquirers. Residents and business owners who are aware of potential flood hazards can take steps to avoid problems and/or reduce their exposure to flooding. Real estate agents and potential homebuyers can determine if a particular property is located in a known flood hazard area and whether flood insurance may be required. Even with the passage of Pennsylvania Act 84 of 1996 (which requires the seller of any residential real estate to complete a mandatory property disclosure statement), it is still important for potential buyers to review the community's FIRMs to ensure that their prospective property is not located in a floodplain. It is important to remember, however, that flood maps are not perfect; they display only the larger flood-prone areas that have been studied. Some maps are based on data that are more than 20 years old. In some areas, watershed developments make even recent maps outdated. As such, the Mitigation Steering Committee identified the following Public Information (PI) Hazard Mitigation Measures to be implemented within the County.

- PI-1: Coordinate with FEMA and the PA DCED regarding updating Berks County's FIRMs via FEMA's Flood Map Modernization Program to include the expansion of previously unmapped areas and additional BFEs. Deleted at the request of the Mitigation Steering Committee.**
- PI-2: Municipalities should store in an easily accessible location and make available for public inspection their community's FIRMs and associated FIS. Maintain what is already being done by the county.**

### 6.3.6.2 Library Resources

Local libraries (i.e., the Berks County Public Libraries) are an obvious place for residents to seek information on natural hazards and natural hazard mitigation. The community library is one of the first places people may turn when researching a topic. Interested property owners can read or check out handbooks or other publications that cover their particular situation. Additionally, libraries typically offer Internet access, which can be used to find a wealth of information on just about any topic, including hazard mitigation. For example, FEMA's website (<http://www.fema.gov>) is not only user-friendly, it also contains great information for homeowners, engineers, lenders, and other interested citizens. Libraries also have public information campaigns with displays, lectures and other projects, which could augment the County's natural hazard mitigation activities. In addition, municipalities can keep their own library of hazard-related resources as a public service for their constituents. As part of this hazard mitigation planning program, various FEMA guidance documents were provided to a number of the county's

municipalities for public information purposes. As such, the Mitigation Steering Committee identified the following PI Hazard Mitigation Measures to be implemented within the County.

**PI-3: Maintain natural hazard risk assessment and mitigation publications/materials found on the Berks County DES website at public libraries throughout the County for those who do not have access to the Internet.**

**PI-4: Store in an easily accessible location and make available for public inspection, this hazard mitigation plan and available FEMA guidance documents.**

### **6.3.6.3 Outreach Projects**

Map information and library resources are not of much use if no one knows they exist. An outreach program can remedy this. Sending notices to hazard-prone property owners can introduce the idea of property protection and identify sources of assistance. Outreach programs are the first step in the process of orienting property owners to property protection measures and assisting them in designing and implementing a project. These programs are designed to encourage people to seek out more information and take steps to protect themselves and their properties. An outreach project can be a notice that is mailed or otherwise distributed to hazard-prone property owners and/or an article in a newsletter or local newspaper that will reach local residents. Other approaches can include the following:

- displays in public buildings or shopping malls;
- radio and TV news releases and interview shows;
- presentations at meetings or relevant local organizations;
- floodproofing open houses; and
- website notices with hyperlinks to other sources of information.

Research has proven that outreach projects work. However, awareness of the hazard is not enough; people need to know what they can do in preparation for, during and after a hazard event. Public outreach programs should include information on property protection measures, safety procedures, and post disaster clean-up tips. Outreach projects should also be locally designed and run so the public recognizes the relevance to their specific needs and local conditions. As such, the Mitigation Steering Committee identified the following PI Hazard Mitigation Measures to be implemented within the County.

**PI-5: Develop and distribute a public summary of this hazard mitigation plan including relevant information on hazard specific “do’s” and “don’ts”, hazard-prone areas, and emergency contact information.**

- PI-6: Develop and implement a post-disaster recovery and mitigation training program for local officials.**
- PI- 7: Develop a business continuity plan display to raise awareness of importance (display would be used at Chamber of Commerce, civic group events, etc.).**
- PI-8: Develop a partnership with the Visitors Bureau to alert tourists to potential natural hazards and what actions to take should the hazard occur.**
- PI-9: Develop and distribute materials for residents who live in the floodplain explaining the hazards and risks that are inherent to living in the floodplain.**
- PI-10: Develop floodplain management training at the local level for elected officials, EMC's, etc.**

#### **6.3.6.4 Environmental Education**

Environmental education programs can teach people about natural hazards, the factors that cause them, and the significance of avoiding known hazard areas. These programs can be undertaken by municipalities; schools; park and recreation departments; conservation associations; and youth organizations such as the Boy Scouts/Girl Scouts, Campfire Girls, and summer camps. An activity can be as involved as course curriculum development or as simple as an explanatory sign near a river. The more educated people are about natural hazards, the less likely they will be to reside in known hazard areas. As such, the Mitigation Steering Committee identified the following PI Hazard Mitigation Measure to be implemented within the County.

- PI-11: Coordinate with FEMA, PEMA, PA DCED, NWS, the BCCD, and any other appropriate entities on developing and implementing a natural hazard awareness curriculum in local schools**

#### **6.3.6.5 2012 Updated Mitigation Measures**

The Mitigation Steering Committee agreed that PI-1 was no longer applicable because Berks County adopted the July 2012 updated FEMA 100-year floodplain mapping as its current effective floodplain mapping. Therefore, PI-1 is no longer applicable. In addition, one new public information mitigation measure (PI-12) was created. The new PI-12 will require future updates to the Hazard Mitigation Plan to inventory public participation on the Berks County DES website. Table 6-8 documents the details of the new PI-12 mitigation measure.

- PI-12: Monitor the Berks County DES website to inventory public participation of future Berks County Hazard Vulnerability Assessment and Mitigation Plan Updates.**



**TABLE 6-8  
MUNICIPAL HAZARD MITIGATION ACTION PLAN**

MITIGATION MEASURE	DESCRIPTION	COUNTY PRIORITY (H, M, OR L)	MUNICIPAL APPLICABILITY (CHECK AS APPROPRIATE)	MUNICIPAL PRIORITY (H, M, OR L)	COMPLETION DATE
PM-1	As Comprehensive Plans are developed or updated, include an assessment and associated mapping of the municipality's vulnerability to location-specific hazards and incorporate appropriate recommendations for the use of these hazard areas.	H			
PM-2	As Zoning Ordinances are developed or revised, either include separate zones or districts with appropriate development criteria for known hazard areas or incorporate such criteria within existing districts where hazards are known to exist.	H			
PM-3	Make available for municipal use the digital natural hazard mapping files that were developed as part of this hazard vulnerability assessment and mitigation planning effort.	H			
PM-4	Continue to maintain and update the County GIS structure layer to better define hazard-prone structures.	H			
PM-5	As SLD Ordinances are developed or revised, include municipality-specific, hazard mitigation-related development criteria and/or provisions for the mandatory use of conservation subdivision design principles in order to regulate the location and construction of buildings and other infrastructure in known hazard areas.	H			
PM-6	As SLD Ordinances are developed or revised, they should include municipality-specific development criteria and/or provisions that require proper access (for emergency vehicles) to hazard prone residential developments (i.e., Urban/Wildland Interface areas). Such criteria should be developed in cooperation with the municipal emergency management coordinators and/or emergency personnel.	H			
PM-7	Enforce the minimum building standards of the Pennsylvania UCC and/or consider the potential adoption of more stringent building standards to ensure hazard-resistant construction.	H			
PM-8	Ensure municipal compliance with, and continued enforcement of, NFIP and PA Act 166 floodplain development regulations and/or encourage more restrictive requirements, as appropriate.	H			
PM-9	Develop a municipal Memorandum of Understanding with the County Floodplain Management Coordinator that allows her/his review and concurrence on plans for proposed construction or substantial improvement of existing construction in the floodplain. In the absence of a County Floodplain Management Coordinator, Berks County should appoint a temporary Coordinator or rehire a new, permanent County Floodplain Management Coordinator. <b>PM-9 was removed at the request of Berks County DES.</b>	N/A			
PM-10	Confirm that existing municipal Floodplain Ordinances include a provision for all new development requiring 50-foot setbacks from top of bank in areas without defined floodway boundaries and ensure the enforcement of this provision.	H			





**TABLE 6-8  
(CONTINUED)**

MITIGATION MEASURE	DESCRIPTION	COUNTY PRIORITY (H, M, OR L)	MUNICIPAL APPLICABILITY (CHECK AS APPROPRIATE)	MUNICIPAL PRIORITY (H, M, OR L)	COMPLETION DATE
PM-11	If funding should become available through the PA DEP's Act 167 Stormwater Management Program, pursue the preparation of a countywide Act 167 Stormwater Management Plan	L			
PM-12	Ensure continued implementation of appropriate O&M procedures (routine inspections, regular maintenance and continual updates to the EAP) at the County's high hazard dams in an effort to prevent a potential failure.	H			
PM-13	Revise existing zoning and/or SLD ordinances or adopt a separate, stand-alone ordinance to require the completion of subsurface investigations (i.e., borings, geophysical surveys, and/or studies by a registered Professional Geologist) for all new SLD projects in known land subsidence hazard areas.	H			
PM-14	Implement a wildfire-prevention public education program consisting of the development and distribution of an informative brochure and training for local officials on Pennsylvania's Firewise Communities Program.	M			
PM-15	Municipalities with identified wildfire potential should enroll in the Pennsylvania Firewise Communities Program.	L			
PM-16	Adopt an ordinance to ban open burning as conditions warrant in wildfire hazard areas or throughout the municipality.	M			
PM-17	Identify local drought indicators and establish a regular schedule to monitor and report conditions.	M			
PM-18	Develop agreements for secondary water sources that may be used during drought conditions.	H			
PM-19	Require municipalities to adopt updates to UCCs.	M			
ES-1	Develop a real-time Web portal that would provide a link to Berks County information (i.e. County Website - <a href="http://www.berksdes.com">http://www.berksdes.com</a> ) during non-emergencies, but act as an extension of the Emergency Alert System in times of pending disaster and during a disaster. Additional real-time Web resources include <a href="http://www.facebook.com/BerksCountyDES">http://www.facebook.com/BerksCountyDES</a> and <a href="https://twitter.com/BerksDES">Twitter@BerksDES</a>	H			
ES-2	Participate in the NWS's StormReady Program, a nationwide program that helps communities develop plans to handle all types of severe weather.	M			
ES-3	Establish a partnering relationship with the NWS Mid-Atlantic River Forecast Center to enhance the existing Flood Forecast and Warning System via the Advanced Hydrologic Prediction Services Program.	M			
ES-4	Install a NOAA weather radio transmitter/repeater in Berks County to improve signal strength and quality.	H			
ES-5	Coordinate with the USGS, local watershed organizations, and/or the BCCD to increase the number of USGS and Integrated Flood Observing and Warning System (IFLOWS) rain and stream gauges in the County as a potential enhancement to the existing Delaware River Basin Flood Forecast and Warning System.	M			



**TABLE 6-8  
(CONTINUED)**

MITIGATION MEASURE	DESCRIPTION	COUNTY PRIORITY (H, M, OR L)	MUNICIPAL APPLICABILITY (CHECK AS APPROPRIATE)	MUNICIPAL PRIORITY (H, M, OR L)	COMPLETION DATE
ES-6	Increase the number of NOAA Weather Alert radios in public places and other critical facilities across the County (i.e., municipal buildings, public libraries, police stations, fire stations, etc.).	L			
ES-7	Provide EMCs with technical assistance for their high bandwidth wireless service and/or alphanumeric pagers as a means of maintaining the County's warning dissemination program.	H			
ES-8	Conduct routine inspections, regular maintenance, and annual tests on all emergency communications equipment, public address systems, and hazard alert sirens to ensure unhindered operation during an emergency event.	H			
ES-9	Ensure that a planned, coordinated, and effective public warning dissemination program such as Roam Secure Alert Network (RSAN) exists and is maintained at the local level.	H			
ES-10	Municipalities to develop and implement a reverse 9-1-1 system; also known as Interactive Communication Notification System.	L			
ES-11	Respond to hazards with actions that are consistent with the local EOP.	H			
ES-12	Conduct hazard response practice drills and emergency management training exercises on an annual basis.	H			
ES-13	Create locally coordinated snow routes in municipalities where snow removal is limited or difficult during major winter storm events.	H			
ES-14	Review grant opportunities to implement a system similar to PennDOT's RWIS (Road and Weather Information System) completed on Interstate - 78 that will monitor major arteries in Berks County and report this information to the County's website.	H			
ES-15	Install cameras along major arteries in Berks County to monitor traffic flow. Accessibility to these cameras should be provided to the County EOC, 911 Center and also on the County's website.	M			
ES-16	Provide generators for every municipal EOC and possibly those critical facilities that do not currently have one. <b>ES-16 was removed at the request of Berks County DES.</b>	N/A			
ES-17	Provide and maintain battery backup systems for traffic control systems throughout the County.	M			
ES-18	Ensure the Limerick Power Plant operator maintains and updates evacuation response equipment.	H			
ES-19	Conduct routine inspections, regular maintenance, and annual tests on all emergency response equipment.	H			
ES-20	Encourage the owners/operators of critical facilities in natural hazard areas to develop and implement an emergency response plan to mitigate potential impacts. - OR - Berks County DES should consider partnering with the owners/operators of critical facilities to provide adequate planning and protection.	H			



**TABLE 6-8  
(CONTINUED)**

MITIGATION MEASURE	DESCRIPTION	COUNTY PRIORITY (H, M, OR L)	MUNICIPAL APPLICABILITY (CHECK AS APPROPRIATE)	MUNICIPAL PRIORITY (H, M, OR L)	COMPLETION DATE
ES-21	Develop and distribute potential health and safety implications of various natural hazard events on the Berks County DES website: <a href="http://www.berks-des.com">http://www.berks-des.com</a> and through local press releases.	M			
ES-22	Encourage rigorous sampling and analysis of public and private drinking water supply sources immediately after an inundating flood event and issue boil water advisories as needed.	H			
ES-23	Develop a technical proficiency at the municipal level for conducting post-disaster damage assessments and regulating reconstruction activities to ensure compliance with NFIP substantial damage/substantial improvement requirements.	M			
ES-24	Develop a technical proficiency at the municipal level for assisting local residents and business owners in applying for hazard mitigation and assistance funds and identifying cost-beneficial hazard mitigation measures to be incorporated into reconstruction activities.	M			
ES-25	Continue to maintain/update the Berks County DES Website that contains information related to the Hazard Mitigation Plan and educational materials for hazard mitigation measures ( <a href="http://www.co.berks.pa.us/ema/cwp/view.asp?a=1256&amp;q=465412&amp;emaNav= 27168 ">www.co.berks.pa.us/ema/cwp/view.asp?a=1256&amp;q=465412&amp;emaNav= 27168 </a> ). Also provide a link to FEMA's "DisasterHelp" website on the Berks County DES Website ( <a href="https://www.disaster-help.gov/portal/jhtml/index.jhtml">https://www.disaster-help.gov/portal/jhtml/index.jhtml</a> ).	H			
ES-26	Berks County DES should continue coordination with the regional area water authorities to maintain an adequate water supply for emergency preparedness.	M			
ES-27	Increase the number of municipal firefighters trained in wildland firefighting. Encourage municipal firefighters to complete "Basic Wildland Firefighter (PA-130) and "Introduction to Wildland Fire Behavior" (S-190) training courses which is recommended by PA DCNR.	M			
ES-28	Ensure municipal volunteer fire departments purchase the appropriate wildland firefighting equipment including: Approved flame resistant "natural fiber" jackets/gloves and appropriate wildland firefighting helmets.	M			
ES-29	Encourage wildland firefighting trained personnel to maintain reflective labels on their helmets and jackets to clearly identify their affiliation.	L			
ES-30	Encourage emergency service providers to pursue grant opportunities to procure additional All-Terrain Vehicles (ATVs) or Utility-Terrain Vehicles (UTVs) for use in fighting wildland fires.	H			
ES-31	Ensure existing and new residential developments located in the wildland/urban interface maintain viable transportation access for emergency service providers in the event of a wildfire.	H			
ES-32	Ensure the telecommunication companies have adequate on-site power to ensure on-going communications during power outages.	H			



**TABLE 6-8  
(CONTINUED)**

MITIGATION MEASURE	DESCRIPTION	COUNTY PRIORITY (H, M, OR L)	MUNICIPAL APPLICABILITY (CHECK AS APPROPRIATE)	MUNICIPAL PRIORITY (H, M, OR L)	COMPLETION DATE
ES-33	Berks County will coordinate with PennDOT Engineering District 5-0 on the identification of alternative detour evacuation routes to be developed on a multi-municipal basis.	H			
ES-34	Ensure vulnerable populations are adequately protected from the impacts of extreme temperatures such as organizing outreach to vulnerable populations, including establishing and promoting accessible heating and cooling centers in the community.	L			
ES-35	Adopt a post disaster recovery ordinance based on a plan to regulate repair activity, generally depending on property location.	M			
ES-36	Incorporate procedures for tracking high water marks following a flood into emergency response plans.	L			
PP-1	Relocate and/or acquire known flood-prone structures in accordance with the general guidelines of Table 6-3.	M			
PP-2	Encourage the elevation of known flood-prone structures in accordance with the general guidelines of Table 6-3.	M			
PP-3	Encourage dry floodproofing of known flood-prone structures in accordance with the general guidelines of Table 6-3.	M			
PP-4	Encourage wet floodproofing of known flood-prone structures in accordance with the general guidelines of Table 6-3.	L			
PP-5	Encourage the anchoring of fuel tanks located in flood-prone areas to concrete slabs that are heavy enough to resist the force of floodwaters and be sure all filling and ventilation tubes are above the 100-year flood level so that floodwaters cannot enter the tank.	H			
PP-6	Inventory historic assets within the county and verify whether wet floodproofing may be the most effective measures to protect those that are flood-prone.	M			
PP-7	Encourage uninsured property owners in known flood hazard areas to purchase flood insurance through the NFIP.	L			
PP-8	Encourage farmers to visit their local FSA office to discuss the benefits of obtaining crop insurance.	L			
PP-9	Encourage uninsured property owners in known subsidence hazard areas to purchase sinkhole insurance as a supplement to their existing homeowner's policy.	L			
PP-10	Encourage property owners in potential wildfire hazard areas to remove all excess brush and shrubby plants from the immediate vicinity (i.e., 50 to 100 feet) of all buildings.	L			
PP-11	Encourage local business and industry owners in known flood hazard areas to develop an emergency response plan as a potential alternative to implementing a physical property protection measure, where otherwise not technically or fiscally appropriate.	M			



**TABLE 6-8  
(CONTINUED)**

MITIGATION MEASURE	DESCRIPTION	COUNTY PRIORITY (H, M, OR L)	MUNICIPAL APPLICABILITY (CHECK AS APPROPRIATE)	MUNICIPAL PRIORITY (H, M, OR L)	COMPLETION DATE
PP-12	Provide protection of critical Berks County records through emergency response planning or other appropriate measures.	M			
PP-13	Investigate radon abatement options for minimizing radon occurrence in basements or crawl spaces and encourage periodic radon testing after installation of selected abatement options.	L			
PP-14	Investigate PA DEP grant funding opportunities for municipalities to procure radon testing equipment for distribution in residential testing.	L			
PP-15	Remove existing buildings and infrastructure from erosion hazard areas, landslide hazard areas and subsidence hazard areas.	L			
PP-16	Stabilize erosion hazard areas by preventing erosion with proper bank stabilization, sloping or grading techniques, planting vegetation on slopes, terracing hillsides, or installing riprap boulders or geotextile fabric when updating or replacing foundations.	L			
PP-17	Encourage or consider retrofitting buildings to minimize hail damage as normal routine maintenance: <ul style="list-style-type: none"> <li>• Structural bracing, shutters, laminated glass in window panes, and hail-resistant roof coverings or flashing in building design;</li> <li>• Improve roof sheathing;</li> <li>• Installing hail-resistant roofing and siding</li> </ul>	L			
PP-18	Install and maintain appropriate protection to critical electronic equipment from damage resulting from fluctuations in the power grid.	L			
PP-19	Conduct regular maintenance for drainage systems and flood control systems.	H			
SP-1	Investigate the feasibility of constructing a berm/levee system to minimize local flooding impacts in accordance with the Structural Project Identification Forms found in the appendices.	M			
SP-2	Design and construct the bridge/culvert modification projects in accordance with the Structural Project Identification Forms found in the appendices to minimize local flooding impacts.	M			
SP-3	Investigate the feasibility of implementing a storm water drainage improvement project to minimize local flooding impacts in accordance with the Structural Project Identification Forms found in the appendices.	M			
SP-4	Design, permit, and construct channel modification projects in accordance with the Structural Project Identification Forms found in the appendices.	M			
SP-5	Develop and implement a community-specific channel maintenance program consisting of routine inspections and subsequent debris removal to ensure maximum hydraulic capacity of all local streams and watercourses.	M			
SP-6	Consider the feasibility of constructing firebreaks in areas that have extensive forestland combined with a density of Wildland/Urban Interface structures or in conjunction with future residential development in forested areas.	M			



**TABLE 6-8  
(CONTINUED)**

MITIGATION MEASURE	DESCRIPTION	COUNTY PRIORITY (H, M, OR L)	MUNICIPAL APPLICABILITY (CHECK AS APPROPRIATE)	MUNICIPAL PRIORITY (H, M, OR L)	COMPLETION DATE
SP-7	Implement the suggested precautionary steps when using structural abatement techniques (recommended to be identified by a registered Professional Geologist or other acceptable expert) to remedy surface-exposed sinkhole features.	L			
SP-8	Require expert technical assistance for structurally abating surface-exposed sinkhole features that pose an identifiable threat to the general public.	H			
SP-9	Install easily accessible and reliable water supply dry hydrants at various bridge and culvert crossings of local streams and watercourses for emergency firefighting uses through coordination with local fire companies.	M			
SP-10	Consider the feasibility of establishing an emergency potable water supply source to offset potential shortages caused by extreme drought events.	M			
SP-11	Recommend future Hazard Vulnerability Assessment and Mitigation Plan Updates review and document all flood-control projects. Review of PALs should be documented as well.	M			
SP-12	Recommend Boyertown Borough seek grant opportunities for spillway improvements of the Trout Run Dam. The spillway is considered to be inadequate, according to PA DEP Dam Safety, and is capable of passing only 59% of the required spillway design.	H			
NR-1	As comprehensive plans or similar documents are developed or updated, conduct a detailed inventory and prioritization of local environmental resources. Much of this task can be accomplished by sharing the GIS databases completed through this effort and other work done by the Berks County Planning Commission, Berks County Conservation District, and others.	M			
NR-2	Preserve the highest priority undeveloped floodplain areas via fee simple acquisition and/or permanent easement and retain as public open space for passive recreational uses in an effort to minimize/prevent potential flooding damages and enhance the regional environment. Less critical floodplain areas may be preserved/protected via local ordinance.	M			
NR-3	Preserve critical undeveloped forested areas and sinkhole prone areas via fee simple acquisition and/or permanent easement and retain as public open space for passive recreational uses in an effort to minimize/prevent potential wildfire and subsidence damages and enhance the regional environment. Implementation of conservation subdivision design principles, as identified in PM-5, could be used to preserve other less critical hazard prone areas as deemed appropriate by the municipality.	L			
NR-4	Preserve high priority wetland areas via fee simple acquisition and/or permanent easement and retain as public open space for passive recreational uses in an effort to minimize potential flooding damages and enhance the regional environment.	H			



**TABLE 6-8  
(CONTINUED)**

MITIGATION MEASURE	DESCRIPTION	COUNTY PRIORITY (H, M, OR L)	MUNICIPAL APPLICABILITY (CHECK AS APPROPRIATE)	MUNICIPAL PRIORITY (H, M, OR L)	COMPLETION DATE
NR-5	Develop and implement a wetland protection program consisting of public education materials that highlight the functions and values of wetlands and local ordinance provisions that require the identification of wetlands in accordance with federal and state standards and minimize/eliminate their disturbance in accordance with federal and state laws.	M			
NR-6	Working through the Conservation District, the County should ensure continued contractor compliance with approved Erosion and Sedimentation Pollution Control Plans and should continue to work with local farmers to implement erosion and sedimentation control BMPs.	M			
NR-7	Develop and implement a comprehensive water resources management plan that analyzes the County's existing water resources supply and evaluates the County's anticipated water use demand in an effort to identify suspected water supply shortages and potential new water supply sources.	M			
NR-8	Stabilize erosion hazard areas.	M			
PI-1	Coordinate with FEMA and the PA DCED regarding updating Berks County's FIRMs via FEMA's Flood Map Modernization Program to include the expansion of previously unmapped areas and additional BFEs. Deleted at the request of the Mitigation Steering Committee.	N/A			
PI-2	Municipalities should store in an easily accessible location and make available for public inspection, their community's FIRMs and associated FIS. Maintain what is already being done by the County.	M			
PI-3	Maintain natural hazard risk assessment and mitigation publications/materials found on the Berks County DES website at public libraries throughout the County for those who do not have access to the Internet.	M			
PI-4	Store in an easily accessible location and make available for public inspection, this hazard mitigation plan and available FEMA guidance documents.	H			
PI-5	Develop and distribute a public summary of this hazard mitigation plan including relevant information on hazard specific "do's" and "don'ts", hazard-prone areas, and emergency contact information.	M			
PI-6	Develop and implement a post-disaster recovery and mitigation training program for local officials.	H			
PI-7	Develop a business continuity plan display to raise awareness of importance (display would be used at Chamber of Commerce, civic group events, etc.).	L			
PI-8	Develop a partnership with the Visitors Bureau to alert tourists to potential natural hazards and what actions to take should the hazard occur.	L			
PI-9	Develop and distribute materials for residents who live in the floodplain explaining the hazards and risks that are inherent to living in the floodplain.	M			



**TABLE 6-8  
(CONTINUED)**

MITIGATION MEASURE	DESCRIPTION	COUNTY PRIORITY (H, M, OR L)	MUNICIPAL APPLICABILITY (CHECK AS APPROPRIATE)	MUNICIPAL PRIORITY (H, M, OR L)	COMPLETION DATE
PI-10	Develop floodplain management training at the local level for elected officials, EMC's, etc.	L			
PI-11	Coordinate with FEMA, PEMA, PA DCED, NWS, the BCCD and any other appropriate entities on developing and implementing a natural hazard awareness curriculum in local schools.	L			
PI-12	Monitor the Berks County DES website to inventory public participation of future Berks County Hazard Vulnerability Assessment and Mitigation Plan Updates.	M			
PI-13	Educate farmers about the various soil conservation programs available in the county.	L			
PI-14	Increase hazard education and risk awareness in general for the hazards that occur in Berks County.	L			
PI-15	Encourage municipal participation in the hazard mitigation planning process.	H			
PI-16	Berks County DES to incorporate hazard mitigation training during its January coordination meetings with stakeholders.	H			

NOTE: Primary responsibility for items with the shading has been assigned to entities other than municipal governments.

**6.3.6.6 2017 Plan Update New Mitigation Measures**

Mitigation Measures PI-13 and PI-14 were adapted from the FEMA Mitigation Ideas (2013) resource and agreed upon at a Mitigation Steering Committee meeting. Mitigation Measures PI-15 and PI-16 resulted from discussions at a Mitigation Steering Committee Meeting.

- PI-13: Educate farmers about the various soil conservation programs available in the county.**
- PI-14: Increase hazard education and risk awareness in general for the hazards that occur in Berks County.**
- PI-15: Encourage municipal participation in the hazard mitigation planning process.**
- PI-16: Berks County DES to incorporate hazard mitigation training during its January coordination meetings with stakeholders.**





## 6.4 MITIGATION ACTION PLAN

Table 6-8 has been developed to summarize and prioritize the identified hazard mitigation measures from both an overall Berks County perspective and an individual municipal perspective (to be completed by each adopting municipality). From an overall county perspective, the Mitigation Steering Committee prioritized the projects as being high-, medium-, or low-priority hazard mitigation measures based on their perceived technical feasibility, their ability to fulfill the identified project-planning goals (see Section 6.2), and their relative hazard mitigation/protection afforded. To assist in this county-level prioritization, the Mitigation Steering Committee established criteria for evaluating and comparing the projects.

These project prioritization evaluation criteria were then used to rank each project as being high-, medium-, or low-priority. The composite score tallied from all committee members was used to assign the overall Berks County prioritization for each measure. The project prioritization evaluation criteria established by the committee included the following:

- Perceived and/or calculated benefit-cost ratio
- Number of hazards addressed (i.e., single- or multi-hazard)
- Number of people the project would benefit
- Frequency of impact (i.e., repetitive losses)
- Severity of impact
- Longevity/permanence of the project
- Human impacts vs. property impacts (i.e., potential for loss of life)
- Potential for economic losses
- Preventive value
- Implications of the impact

In establishing the overall Berks County prioritization, the Mitigation Steering Committee recognized that the municipalities will likely have differing implementation priorities. Municipalities are likely to find that their individual and unique needs/circumstances warrant a re-prioritization of the recommended action items to more appropriately address local conditions. This concept is perfectly acceptable and is expected to occur following local adoption of the plan. As such, Table 6-8 is structured to allow each municipality to check off or indicate those projects that have been identified as being applicable to its particular jurisdiction (see Table 6-9, Multi-Jurisdictional Hazard Mitigation Strategy) establish its own prioritization scheme for those projects. This table also allows the municipality to track its implementation progress by simply recording the completion date of each measure.





In general, projects identified as being a high-priority are to be implemented within the first five years following plan adoption, pending availability of project funding. Medium-priority projects are to be implemented within five to seven years following plan adoption, pending availability of project funding, or upon completion of the high-priority projects. Similarly, low-priority projects are to be implemented within seven to ten years following plan adoption, pending availability of project funding, or upon completion of the high-and medium-priority projects.

#### **6.4.1 Potential Funding Sources**

**FEMA's PDM and HMGP Programs** assist states and local communities in implementing long-term hazard mitigation measures before and following a major disaster declaration, respectively. PDM and HMGP monies can be used to fund projects that provide protection to either public or private property. Some projects include structural hazard control, such as debris basins or floodwalls, and retrofitting measures including floodproofing, acquisition and relocation of structures. FEMA can fund up to 75% of the eligible costs of each project. The state or local match does not have to be cash; in-kind services or materials may be used. Federal funding under the HMGP is based on 15% of the federal funds spent on the Public and Individual Assistance programs (minus administrative expenses) for each disaster. Eligible applicants must apply for the PDM and HMGP through PEMA. More information is available through the FEMA website (<http://www.fema.gov/pre-disaster-mitigation-grant-program>).

**FEMA's FMAP** provides grants to states and communities for planning assistance and mitigation projects that reduce the risk of flood damage to structures covered by flood insurance. There are three types of grants: planning, project and technical assistance. Technical assistance grants are given to state agencies that provide assistance to communities, so communities apply for planning and project grants. FMAP monies are available to eligible applicants when a Flood Mitigation Plan has been developed and it has been approved by FEMA. FEMA may contribute up to 75% of the total eligible costs. At least 25% of the total eligible costs must be provided by a non-federal source. Of this 25%, no more than half can be provided as in-kind contributions from third parties. There are limits on the frequency of grants and the amount of funding that can be allocated to a state or community in any five-year period. PEMA serves as the administrator of the planning and projects portions of the grant program. More information is available through the FEMA website (<http://www.fema.gov/flood-mitigation-assistance-program>).

**FEMA's Public Assistance Grant Program (PA)** is one way federal assistance gets to the state and local governments and to certain private nonprofit organizations. These grants allow

them to respond to disasters, recover from their impact, and mitigate impacts from future disasters. While these grants are aimed at governments and organizations, their final goal is to help a community and all its citizens recover from devastating natural disasters.

The PA Program provides the basis for consistent training and credentialing of staff who administer the program; more accessible and understandable guidance and policy for participating in the grant program; improved customer service through a more efficient grant delivery process, applicant-centered management, and better information exchange; and continuing performance evaluations and program improvements. More information is available through the FEMA website (<http://www.fema.gov/public-assistance-local-state-tribal-and-non-profit>).

**FEMA's National Dam Safety Program (NDSP)** is another way that FEMA protects communities by ensuring the availability of grant funds to individuals and communities. Funding is available for improvement for the state dam safety program that oversees and regulates over 79,500 dams in the United States. NDSP funding provides grants funds not only for improvement, but also for dam safety research and dam safety training. Funding is provided in part due to the Dam Safety and Security Act of 2002, which was reauthorized for four years on December 2, 2002, to safeguard dams against terrorist attacks (<http://www.fema.gov/about-national-dam-safety-program>).

The **FEMA Fire Management Assistance Grant Program (FMAGP)** provides funds to States, local and tribal governments, for the mitigation, management, and fire control located on both public and private forests and grasslands. Funding is available for those properties which the threat of a fire would cause a major disaster. FMAGP provides 75% funding and state funding would cover the remaining 25% of actual costs. In order to apply a state must demonstrate that the total eligible cost of the declared fire be equal to or greater than the individual cost threshold. Eligible costs include total expenses for equipment use; field camps, tools, material and supplies, and mobilization and demobilization activities (<http://www.fema.gov/fire-management-assistance-grant-program>).

If the **USACE** determines that a flood-control project falls within the **Continuing Authorities Program (CAP)**, it will initiate a short reconnaissance effort to determine federal interest in proceeding. If there is interest, a feasibility study is performed and the project continues through a plans and specifications phase and finally a construction phase. A local sponsor must identify the flood-related problem and request USACE assistance. Small flood-control projects are also eligible. The cost share for the CAP is 65% USACE and 35% local. The federal project limit is \$7,000,000. The USACE's Baltimore District office would review the local sponsor's



request for assistance and would request funds from the USACE's annual appropriations. More information is available through the USACE website (<http://www.nap.usace.army.mil>).

The **USACE's Floodplain Management Services Program** aims to support comprehensive floodplain management planning to encourage and guide sponsors to prudent use of the nation's floodplains for the benefit of the national economy and welfare. Some examples of the types of projects that would be funded include the following:

- flood warning and flood emergency preparedness measures,
- flood-proofing measures,
- studies to improve methods and procedures for mitigating flood damages, and
- preparation of guides and brochures on flood-related topics.

A local sponsor must identify a problem and request USACE assistance under the Floodplain Management Services Program. The USACE may provide up to 100% of the funding at the request of the sponsor. The USACE's Baltimore District office would review the local sponsor's request for assistance and determine if it fits within the program. More information is available through the USACE website (<http://www.nap.usace.army.mil>).

The **USACE's Water Resources Development Act, Section 22** provides authority for the USACE to assist states, local governments, and other non-federal entities in the preparation of comprehensive plans for the development, utilization, and conservation of water and related land resources. Congress funds the Planning Assistance to state programs annually. Federal allotments for each state from the nationwide appropriation are limited to \$500,000 annually but typically are much less. Individual studies, of which there may be more than one per state per year, generally cost \$25,000 to \$75,000. The program can encompass many types of studies dealing with water resources issues. Types of studies conducted in recent years under the program include the following:

- Water Supply and Demand Studies;
- Water Quality Studies;
- Environmental Conservation/Restoration Studies;
- Wetlands Evaluation Studies; Dam Safety/Failure Studies;
- Flood Damage Reduction Studies;
- Flood Plain Management Studies;

- Coastal Zone Management/Protection Studies; and
- Harbor/Port Studies.

State or local governments that are interested in obtaining planning assistance under this program can contact the appropriate USACE office for further details. Alternatively, interested parties can contact the appropriate state coordinator to request assistance. In either case, the USACE will coordinate all requests for assistance with the state coordinator to ensure that studies are initiated on state prioritized needs. More information is available through the USACE website (<http://www.nab.usace.army.mil/whatwedo/civwks/pas.htm>).

The **U.S. Department of Housing and Urban Development's (HUD) Community Development Block Grant - Disaster Recovery Initiative (DRI)** program provides flexible grants to help municipalities, counties, and states recover from Presidentially declared disasters, especially in low-income areas. Since it can fund a broader range of recovery activities than most other programs, the DRI helps communities and neighborhoods that otherwise might not recover due to limited resources. When disasters occur, Congress may appropriate additional funding for the Community Development Block Grant Program as DRI grants to rebuild the affected areas and bring crucial seed money to start the recovery process. Grantees may use DRI funds for recovery efforts involving housing, economic development, infrastructure and prevention of further damage, if such use does not duplicate funding available from FEMA, the Small Business Administration, and the USACE. Examples of these activities include the following:

- buying damaged properties in a floodplain and relocating them to safer areas;
- relocation payments for people and businesses displaced by the disaster;
- debris removal;
- rehabilitation of homes and buildings damaged by the disaster;
- buying, constructing, or rehabilitating public facilities such as water and sewer systems, streets, neighborhood centers, and government buildings;
- code enforcement; and
- planning and administration costs (limited to no more than 20% of the grant).

HUD notifies eligible governments, which must then develop and submit an Action Plan for Disaster Recovery before receiving DRI grants. The Action Plan must describe the needs, strategies, and projected uses of the Disaster Recovery funds. More information is available through the HUD website (<http://www.hud.gov/grants/index.cfm>).

The **PA DCED Governor's Center for Local Government Services sponsors the Floodplain Land Use Assistance Program**. This Floodplain Management Program focuses on providing technical and financial assistance to local governments to help them adopt and administer land use regulations and controls to reduce and avoid future flood damages. Municipalities seeking assistance must be NFIP communities. Funds are available to assist in the preparation, administration, and enforcement of floodplain management regulations. More information is available through the PA DCED website (<http://www.newpa.com/find-and-apply-for-funding/funding-and-program-finder/municipal-assistance-program>).

The **LUPTAP** is also sponsored by PA DCED through the Governor's Center for Local Government Services. This program provides financial assistance for municipalities and counties of the Commonwealth for developing and strengthening community planning and management. The program encourages intergovernmental cooperation in planning, including cooperation with contiguous municipalities, counties, and school districts. The LUPTAP program provides financial assistance to fund activities such as preparing environmental protection or physical development strategies or special studies that will support comprehensive planning and developing or updating ordinances and other tools for the implementation of comprehensive community development plans and policies or environmental protection or physical development strategies. PA DCED generally funds 50% of the total cost of an approved application. More information is available through the PA DCED website (<http://www.newpa.com/find-and-apply-for-funding/funding-and-program-finder/municipal-assistance-program>).

The **PA DCNR** is leading state efforts, under the **Pennsylvania Greenways Initiative**, to implement the Greenways Action Plan. The PA Interagency Coordination Team, a team of state agencies, will be pooling the agencies' talents and resources to assist in the implementation of the Plan. Each of Pennsylvania's 67 counties is encouraged to consider greenways as part of their land use strategy and to map their existing and proposed county greenway network in a *County Greenway and Open Space Conservation Plan*. The outcome of the Plan is county identification of priorities for conservation of open space and greenway corridors, which together comprise a county "greenway network." The "greenway network" includes linear greenway corridors, related open space, and natural or manmade features or destinations like parks, schools, or scenic natural areas that are linked by these corridors. An overall goal is the linkage of the



County Greenway and Open Space Conservation Plan to the County Comprehensive Plan and other community planning and revitalization initiatives. When aggregated, county greenway plans will lay the framework for Pennsylvania's statewide greenway network as well as provide a foundation for local greenways development. In some areas of the state where other regional, multi-county planning efforts are already underway, counties can choose to work together with neighboring counties to promote larger-scale regional planning and development of a greenways network. Since greenways are often associated with stream corridors or other important natural features, this program could easily supplement the initiatives contained herein regarding preservation of floodplains and other natural hazard-prone areas. Several funding sources and programs are available to help communities meet the goals of the greenway initiative. More information is available through PA DCNR's greenways website (<http://www.dcnr.state.pa.us/brc/conservation/greenways/index.htm>).

**Community Conservation Partnership Programs** are sponsored by **PA DCNR – Bureau of Recreation and Conservation**. Grants are provided for planning, acquisition, development, and rehabilitation of park, recreation, conservation, greenways, and heritage areas and facilities and, in some components, maintenance of trails. Some components of the program offer funding for technical assistance, education, and training projects. Heritage Parks grants can also fund promotion and marketing, special purpose studies and other heritage conservation, tourism, and development projects. Generally, all grant components require a match, usually 50% of cash or in-kind contributions. Eligible applicants are county and local governments; municipal authorities; and nonprofit recreation, conservation, greenway, and watershed groups. More information is available through the PA DCNR website (<http://www.dcnr.state.pa.us/brc/grants/preface.aspx>).

The **Growing Greener Grant Program** is sponsored by the **PA DEP** Growing Greener Grant Center. The purpose of this grant is to address water-quality-impaired watersheds in Pennsylvania that are polluted by non-point sources of pollution such as abandoned mine drainage, urban and agricultural runoff, atmospheric deposition, on-lot sewage systems, and earthmoving. The grant addresses these and similar concerns through local, watershed-based planning, restoration, and protection efforts. More information is available through the PA DEP website (<http://www.dep.state.pa.us/grantscenter/ProgramSummary.asp?ID=65>).

**PA DEP**, Bureau of Watershed Management sponsors the state's **Stormwater Management Program**. This program provides grants to counties to develop stormwater management plans for designated watersheds and to municipalities to implement the plans. The Pennsylvania Stormwater Management Act (Act 167) requires that counties develop and adopt stormwater

management plans for the watersheds within their boundaries and also to update those plans every five years. The municipalities located in the county-adopted watershed plan areas are required to enact, implement, and administer stormwater control ordinances. The grant assistance to counties and municipalities is limited to 75% of the costs for the eligible expenses. PA DEP makes \$1.2 million available for this program each fiscal year to counties and municipalities. See the PA DEP website for more information on this program ([http://www.depweb.state.pa.us/portal/server.pt/community/watershed\\_management/10593](http://www.depweb.state.pa.us/portal/server.pt/community/watershed_management/10593)).

**PA DEP** offers low-interest loans through **PennVEST** for design, engineering, and construction of publicly and privately owned drinking water distribution and treatment facilities, stormwater conveyance, and wastewater treatment (WT) systems. These loans and grants are available to communities or private firms needing clean drinking water distribution and treatment facilities and/or safe sewage and stormwater conveyance and treatment facilities. Communities may apply to PennVEST for loans up to \$11 million per project for one municipality, up to \$20 million for more than one municipality, up to \$350,000 for design and engineering, and up to 100% of the total project cost. In regards to flood planning, communities may apply for loans or grants through PennVEST to help flood-proof sewage treatment or water treatment plant facilities. Communities may also seek out PennVEST funds to upgrade stormwater control systems to help minimize surface water flooding problems within developed areas. Through one form, communities can apply for financial assistance through PennVEST or other PA DCED funding sources. More information can be found on the following website: <http://www.portal.state.pa.us/portal/server.pt/community/pennvest/9242>.

## **6.5 MULTI-JURISDICTIONAL HAZARD MITIGATION STRATEGY**

To fulfill FEMA requirements for multi-jurisdictional (i.e., multi-municipal) planning, each municipality must have identifiable action items for implementation. As evidenced by Table 6-8, over 90 hazard mitigation measures have been identified for implementation within Berks County. While some of these recommended mitigation measures are to be implemented by County personnel, many are to be implemented at the local level by the appropriate municipal official(s). Additionally, given the myriad of regional differences between various municipalities, certain hazard mitigation measures are only to be implemented within select municipalities. As such, Table 6-9 has been developed to identify the multi-jurisdictional approach to implementing the identified hazard mitigation measures. To assist in local implementation, Tables 6-8 and 6-9 have been combined to create a municipal-specific hazard mitigation action plan for each jurisdiction

in the County. These municipal-specific hazard mitigation action plans are included in Appendix K. From the overall county perspective, these individual hazard mitigation action plans are to be implemented by the local emergency management coordinator working under the authority of and in concert with the local elected officials, as appropriate.

As part of the updated Hazard Mitigation Plan, Table 6-9 illustrates the status of the specific mitigation measures based on the responses received from all 72 municipalities. An “X” was placed in each cell which represents the specific mitigation measure as it pertains to each municipality or government entity. Upon review of the municipal responses, red color coding was used to indicate that the mitigation measure was completed and no further action is required. Green color coding indicates the mitigation measure has been completed, but the mitigation measure should continue to be implemented. Yellow color coding indicates the mitigation measure has not been completed. Magenta color coding indicates that a new measure was identified, and brown shading indicates the mitigation measure is no longer applicable. *If shading was not indicated in a specific cell, the interpretation rendered no response as illustrated in Table 6-9 rather than indicating the mitigation measure was not completed.*

Based on the responses received from all 72 municipalities, it appears that the most commonly completed mitigation measures were the PMs followed by the ES measures. The majority of property protection and structural project mitigation measures were not completed. PM-17 through PM-19, ES-34 through ES-37, PP-15 through PP-19, NR-8, and PI-13 through PI-16 were all newly created mitigation measures developed from the public outreach process through the Mitigation Steering Committee. Those newly created mitigation measures will be assessed upon review of the 2022 Hazard Mitigation Plan update. Development of this municipality-specific/multi-jurisdictional hazard mitigation strategy fulfills FEMA’s requirements for multi-jurisdictional plan implementation.

## **7.0 PLAN MAINTENANCE**

## **7.0 PLAN MAINTENANCE**

### **7.1 UPDATE PROCESS SUMMARY**

This plan update is based on the most current data and information available to the County at the time it was prepared. This section identifies the parties responsible for monitoring, evaluating, and updating the plan in the future.

### **7.2 MONITORING, EVALUATING, AND UPDATING THE PLAN**

Berks County has established a procedure for monitoring, evaluating, and updating this Hazard Mitigation Plan. Monitoring and evaluating this Hazard Mitigation Plan shall be an ongoing process conducted by Berks County DES and coordinated with the representative members of the Mitigation Steering Committee on an annual basis via a Progress Monitoring Report (included in the appendices) to be submitted by December 31 of each year. Berks County DES will track overall plan progress not only at the County level but also at the municipal level via coordination with local EMCs at their training sessions. The County will use Tables 6-8 and 6-9 to record the date of completion of the various hazard mitigation recommendations and to track plan implementation progress at the municipal level. The end-of-year Progress Monitoring Report will summarize that year's progress towards meeting the identified hazard mitigation planning goals.

Every five years, the Mitigation Steering Committee will convene to review the County's annual monitoring activities, evaluate the current effectiveness of the Hazard Mitigation Plan, and make any needed updates/changes to the Hazard Mitigation Plan. The five-year review will evaluate the Hazard Mitigation Plan in regard to its current accuracy, relevance, and applicability. In particular, the Mitigation Steering Committee will review the Hazard Mitigation Plan in light of the following.

- The ability of the identified hazard mitigation planning goals to address current and anticipated future conditions
- Any known or perceived changes in the County's vulnerability to the identified hazards
- The current capabilities (i.e., institutional, legal, fiscal, political, and technical) of the County and its constituent municipalities
- The successes, failures, and/or lessons learned from implementing the identified hazard mitigation recommendations during the five-year period

- The need to address additional hazards in the plan and/or the need for other modifications to the plan
- Advances in the County's GIS structure database that would allow for more detailed analysis of asset vulnerability and loss estimation

If the Mitigation Steering Committee determines that updates and/or changes are needed to the hazard mitigation plan, assignments will be made to the representative members and the Committee will meet as deemed necessary until all updates and/or changes have been completed and incorporated into the Hazard Mitigation Plan. It will be the responsibility of Berks County DES to oversee the plan review/update process and to coordinate all plan revisions with the appropriate municipalities.

As was witnessed during the development of this plan, the continual enhancement of the County's GIS database will pay dividends in the ongoing hazard mitigation planning efforts. A continuing dialogue between the Berks County GIS staff and Berks County DES that will be facilitated through the continuation of the Mitigation Steering Committee will help identify those features that will contribute most to the hazard planning effort if added to the GIS database. These improvements will then be reflected in future updates to the Hazard Mitigation Plan. The sources for the GIS data and other elements of this plan are provided in the appendices to help facilitate the future updates of the plan.

### **7.2.1 Implementation through Existing Programs**

Implementation of the hazard mitigation recommendations outlined in this plan will be initiated upon plan adoption. Analysis of PM-1 indicates that the municipalities are encouraged to develop new or amend their existing Comprehensive Plans to include hazard-related provisions. As such, it is anticipated that those municipalities with an existing Comprehensive Plan will be adopting this Hazard Mitigation Plan as an amendment to their Comprehensive Plans, thus fulfilling PM-1. By so doing, those municipalities will be initiating their local hazard mitigation program simply by adopting this Hazard Mitigation Plan. Similarly, those municipalities can then proceed to revise other existing local planning documents (i.e., capital improvement plan, zoning ordinance, SLD ordinance, building code, floodplain ordinance, etc.) as appropriate to implement the various hazard mitigation recommendations that apply to their jurisdiction. Ultimately, it will be left to the discretion of the individual municipalities to revise their existing policies, plans, and

programs to be consistent with and to help implement the hazard mitigation planning recommendations.

For those municipalities that do not have an existing Comprehensive Plan, the critical first step will be to adopt this Hazard Mitigation Plan as a stand-alone document. Once this occurs, those municipalities will then be free to implement the various hazard mitigation recommendations that are applicable to their respective jurisdiction. It is understood, however, that in certain instances, select municipalities may not have any existing programs through which to implement the hazard mitigation recommendations. This concept was clearly defined in the Capability Assessment (see Chapter 5) and is not to be interpreted as an inability to implement the hazard mitigation recommendations. Rather, implementation of the hazard mitigation recommendations in these select municipalities may be accomplished through cooperative arrangements, more coordinated efforts, and/or resource efficiency.

Projects that require large investments, such as acquisitions or structural projects, are candidates for inclusion in capital improvements plans. The members of the Mitigation Steering Committee will ensure that the department responsible for developing their jurisdiction's capital improvements plan is familiar with this Hazard Mitigation Plan and that any large-scale projects recommended by the plan are considered for inclusion in the capital improvements plan.

### **7.3 CONTINUED PUBLIC INVOLVEMENT**

Berks County is committed to involving the public in the continual reshaping and updating of this Hazard Mitigation Plan. Berks County DES is responsible for monitoring the plan and for the five-year review/update of the plan. In this capacity, it will also be the responsibility of Berks County DES (working in concert with other County agencies) to implement long-term public participation activities.

In accordance with PI-3 and PI-4, copies of this Hazard Mitigation Plan will be catalogued and kept on file at public libraries and municipal buildings throughout the County. In addition, copies of the plan and any proposed changes will be posted on the County's website. This site will also contain an e-mail address and telephone number to which people can direct their comments or concerns. Finally, a public meeting is to be held after each five-year review/update of the plan. This meeting will provide the public an opportunity to express concerns, opinions, or ideas about the plan. Berks County DES will be responsible for organizing and advertising this public meeting.

## **8.0 PLAN ADOPTION**



## 8.0 PLAN ADOPTION

In order for a multi-jurisdictional Hazard Mitigation Plan to be implemented, each jurisdiction (municipality) that is included in the plan must have its governing body adopt the plan, even when a regional agency (Berks County DES) prepares such a plan on behalf of the respective jurisdictions. As such, the original Hazard Mitigation Plan has been formally adopted by Berks County and its municipalities. Copies of the county and municipal adoption resolutions are included in the appendices and summarized in Table 3-2. Information regarding the adoption of the plan update is also included.